



IBM 000-042

Exam Name: *Developing with IBM Enterprise PL/I*

Q & A : 140 Q&As

Pdf Demo

Quality and Value for the 000-042 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I IBM certifications II 000-042 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-042 Exam

If you do not pass the IBM certifications I IBM certifications II 000-042 exam on your first attempt using our Just4Exams **000-042 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-042 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-042 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-042

Title : Developing with IBM Enterprise PL/I

1. Given the following code:

```
DCL INDATA FILE RECORD INPUT;  
DCL INSTRUC CHAR(100);  
DCL EOF BIT(1) INIT('0'B);  
ON ENDFILE(INDATA) EOF = '1'B;  
OPEN FILE(INDATA);  
READ FILE(INDATA) INTO(INSTRUC);  
DO WHILE (^EOF);
```

```
CALL SR_PROCESS;  
READ FILE(INDATA) INTO(INSTRUC);  
END;  
CLOSE FILE(INDATA);
```

If the database (input file) changes from OS-PS to DB2 view and the necessary syntax has been changed accordingly, which of the following DB2-related steps is NOT additionally required to guarantee the same level of stability and functionality?

- A. Check the SQLCODE after each EXEC SQL FETCH statement.
- B. Check the SQLCODE after each EXEC SQL OPEN / CLOSE statement.
- C. Set the EOF bit to '1'B, if SQLCODE = 100 (not found).
- D. Check the CURRENT SQLID.

Answer: D

2. The lead developer on a project has just learned that Pat, a highly skilled programmer on the team, has been reassigned. The lead developer is familiar with Pat's work and is concerned because no one on the team has the necessary skills to pick up the work immediately. A new employee with the required skills is joining the team next week, but the timeline for a mission critical milestone has been moved up to the end of this week. Which of the following is the most appropriate action for the lead developer to take to ensure that the critical milestone is met?

- A. Direct the team to cover all of Pat's work until the new employee arrives.
- B. Explain to the team why this change in schedule is important to the customer.
- C. Personally cover the work until the new employee arrives.
- D. Explore with the team whether they will be able to meet the new deadline.

Answer: C

3. The XMLCHAR builtin function provides the ability to do which of the following?

- A. Check XML for well-formedness
- B. Check XML for validity
- C. Create an XML buffer from a structure
- D. Read an XML file into a structure

Answer: C

4. Which of the following is a typical deadlock situation?

Situation 1:

Transaction A waiting for resource_2 and Transaction B waiting for resource_1 while resource_1 is held by Transaction C and resource_2 is held by Transaction B

Situation 2:

Transaction A waiting for resource_1 and Transaction B waiting for resource_2 while resource_1 is held by Transaction B and resource_2 is held by Transaction C

Situation 3:

Transaction A Waiting for resource_2, Transaction B waiting for resource_3, Transaction C waiting for resource_1, while resource_1, resource_2 and resource_3 are held by Transactions A, B and C respectively.

Situation 4:

Transaction B waiting for resource_1 and Transaction C waiting for resource_2 while resource_1 is held by Transaction C and resource_2 is held by Transaction A

- A. Situation 1
- B. Situation 2
- C. Situation 3
- D. Situation 4

Answer: C

5. The lead developer is presenting sample code. One of the team members identifies an error in the code. Which of the following is the most appropriate response for the lead developer to make?

- A. Apologize for the error and continue the presentation.
- B. Thank the person for pointing out the error.
- C. Suggest that this error be discussed in the next meeting.
- D. Declare the point irrelevant because this is sample code.

Answer: B

6. In which of the following examples will a dummy argument be passed?

- A. DCL A EXT ENTRY;
- DCL (X,Y) FIXED BIN;
- CALL A(X,Y);

B. DCL A EXT ENTRY (FIXED, BINARY);
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
C. DCL A EXT ENTRY (FIXED BINARY);
DCL (X,Y) FIXED BIN;
CALL A(X,Y);
D. PGM: PROC OPTIONS(MAIN);
DCL (X,Y) FIXED BIN;
CALL C (X,Y);
C: PROC (A,B);
DCL (A,B) BIN FIXED;
END C;
END PGM;
Answer: B

7. Which of the following is NOT part of the PL/I code review?

- A. Training course for the program's author
 - B. Attendance of people with technical expertise
 - C. Decision whether the review object is a appropriate solution
 - D. Documentation of results of the review
- Answer: A

8. What could be used when a structure is passed to a subroutine to verify that the area the structure occupies in storage has not been overwritten?

- A. Structure is passed as a pointer.
 - B. Structure has eyecatchers at start and at end.
 - C. Structure has a length field at start.
 - D. Structure is passed as an aggregate.
- Answer: B

9. Which of the following PL/I features is NOT new with Enterprise PL/I?

- A. VALUE attribute for named constants.
 - B. UNIONS or CELLS to assign identical storage to different variables.
 - C. Writing numeric constants with the underscore sign as a separator.
 - D. Using hexadecimal constants.
- Answer: D

10. SUBSCRIPTRANGE checks which of the following?

- A. The subscripts of an array are checked for conformance with iSUB defining rules.
 - B. The address generated for accessing an array element is checked to be sure it falls within the storage allocated to the array.
 - C. The value of each subscript used to refer to an array element is checked for validity after the element is accessed.
 - D. The value of each subscript used to refer to an array element is checked for validity before the element is accessed.
- Answer: D

11. Given the following declarations, which code is likely to perform best and correctly initialize structure S?

DCL 1 S UNALIGNED,
2 A CHAR(3),
2 B BIN FIXED(31),
2 C DEC FIXED(5);
DCL 1 T UNALIGNED LIKE S;
T = " ;
A. S = " ;
B. S = T, BY NAME;
C. CALL PLIFILL(ADDR(S), ' ', STG(S));
D. CALL PLIMOVE(ADDR(S), ADDR(T), STG(S));
Answer: D

12. Requirement:

If the value of the numeric variable I is 1 it needs to be changed to 2 and vice versa. In all other cases it must remain unchanged.
Which of the following solutions meets the requirement and does not require essential structural modifications when the requirement is changed to the following:

If the value of the numeric variable I is 512 it needs to be changed to 731 and if the value is 814 it needs to be changed to 5. In all other cases it must be set to 111.

A. IF I = 1 !! I = 2

THEN I = 3 - I;

B. DCL ONETWO(2) BIN FIXED(15) INIT(2,1);

IF I = 1 !! I = 2

THEN I = ONETWO(I);

C. SELECT (I);

WHEN(1) I = 2;

WHEN(2) I = 1;

OTHER;

END;

D. IF I = 1 THEN I = 2;

IF I = 2 THEN I = 1;

Answer: C

13. A program reads a GSAM dataset sequentially, reads complementary information from DB2-Databases and uses this information to update an IMS-Database. At the end of the program statistics about how many records have been read and how many IMS-Segments have been updated should be printed. The program should write checkpoints regularly and should be restartable. Which of the following groups of information saved when the checkpoint is written will provide enough information to be able to restart the program correctly?

A. The key of the last record read from the GSAM dataset and the key of the last IMS segment changed.

B. The number of records read from the GSAM dataset and the number of IMS segments changed.

C. The number of records read from the GSAM dataset, the key of the last record read from the GSAM dataset and the key of the last IMS segment updated.

D. The key of the last IMS segment changed and the number of segments changed.

Answer: B

14. In the following example what value will be printed to SYSPRINT, if any, from the PUT LIST in PGM_A?

PGM_A: PROC;

DCL INPARM CHAR (10) INIT('FIRST CALL');

DCL P_OUT PTR;

DCL OUTPARM CHAR(10) BASED (P_OUT);

DCL PGM_B ENTRY(CHAR(10),PTR) EXTERNAL;

CALL PGM_B (INPARM,P_OUT);

IF OUTPARM = 'RESULT' THEN

DO;

INPARM = ";

CALL PGM_B (INPARM,P_OUT);

END;

PUT LIST(OUTPARM);

END;

PGM_B: PROC(INPARM,P_OUT);

DCL INPARM CHAR (10);

DCL P_OUT PTR;

DCL OUTPARM CHAR (10) INIT("");

P_OUT = ADDR(OUTPARM);

IF INPARM ='FIRST CALL' THEN

OUTPARM = 'RESULT' ;

ELSE

OUTPARM = 'NO RESULT' ;

END;

A. Blanks

B. 'NO RESULT'

C. Unpredictable

D. 'RESULT'

Answer: C

15. Which of the following is LEAST likely to be performed by an online application?

A. Checkpoint/restart logic

B. Transaction processing

C. End user interaction

D. Sorting

Answer: A

16. Which of the following best describes an atomic transaction?

A. The database modifications must follow an 'all or nothing' rule

B. Only valid data will be written to database

C. If one part of the transaction fails, the remainder may still be processed

D. Referential Integrity is maintained in the database

Answer: A

17. Given the following declarations, which statement correctly refers to X?

DCL R CHAR(10);

DCL X CHAR(10) BASED;

DCL P PTR;

DCL Z CHAR(10);

P = ADDR(R);

A. Z = P -> X;

B. P = ADDR(X);

C. Z = X;

D. X = THIS IS X;

Answer: A

18. Prerequisite:

A sorted input dataset with record length 100 contains at least one record for each of the values '1', '2', '3' in the first byte. The applied sort criteria is 1,100,ch,a.

Requirements:

1.) All records with '1' in the first byte must be ignored.

2.) All records with '2' in the first byte must be written to the output dataset.

3.) If there is a '3' in the first byte, the read iteration must be left.

4.) The program must not abend or loop infinitely.

If the code below does not fulfill the specifications provided above, which of the following is the most likely reason?

```
DCL DDIN FILE RECORD INPUT;
```

```
DCL DDOUT FILE RECORD OUTPUT;
```

```
DCL 1 INSTRUC,
```

```
3 A CHAR(1),
```

```
3 * CHAR(99);
```

```
DCL EOF_IN BIT(1) INIT('0'B);
```

```
DCL (Z1,Z2,Z3,ZO) BIN FIXED(31) INIT(0);
```

```
ON ENDFILE(DDIN) EOF_IN = '1'B;
```

```
READ FILE(DDIN) INTO (INSTRUC);
```

```
LOOP: DO WHILE(^EOF_IN);
```

```
SELECT(INSTRUC.A);
```

```
WHEN('1') DO;
```

```
Z1 += Z1;
```

```
ITERATE LOOP;
```

```
END;
```

```
WHEN('3') DO;
```

```
Z3 = Z3+1;
```

```
LEAVE LOOP;
```

```
END;
```

```
WHEN('2') DO;
```

```
Z2 = Z2+1;
```

```
WRITE FILE(DDOUT) FROM(INSTRUC);
```

```
END;
```

```
OTHER DO;
```

```
ZO = ZO+1;
```

```
PUT SKIP LIST(INSTRUC.A);
```

```
END;
```

```
END; /*select*/
```

```
READ FILE(DDIN) INTO(INSTRUC);
```

```
END; /*loop*/
```

- A. The code does not fulfill the requirement because the program will loop infinitely. A. The code does not fulfill the requirement because the program will loop infinitely.
- B. The code does not fulfill the requirement because the last record with '2' in the first byte will be written twice to the output dataset. B. The code does not fulfill the requirement because the last record with '2' in the first byte will be written twice to the output dataset.
- C. The code does not fulfill the requirement because not all records with '2' in the first byte will be written to the output dataset. C. The code does not fulfill the requirement because not all records with '2' in the first byte will be written to the output dataset.
- D. The code fulfills the requirement. D. The code fulfills the requirement.

Answer: A

19. Given the following declarations, a list of 100 elements must be created so that the element created last can be accessed as the first element of the list. A new element is always inserted in front of the element created before. The variable NEXT in the last element should contain the value NULL. Which of the following pieces of code implements this?

```
DCL 1 NODE BASED (ANCHOR),
  2 NEXT POINTER,
  2 DATA FIXED BIN (31);
DCL ANCHOR POINTER;
DCL P POINTER INIT (NULL());
DCL I FIXED BIN(31);
```

```
A. DO I = 1 TO 100;
  ALLOCATE NODE;
  NODE.DATA = I;
  NODE.NEXT = P;
  P = ANCHOR;
END;
```

```
B. DO I = 1 TO 100;
  P = ANCHOR;
  ALLOCATE NODE;
  NODE.DATA = I;
  NODE.NEXT = P;
END;
```

```
C. I = 1 TO 100;
  ALLOCATE NODE;
  NODE.DATA = I;
  NODE.NEXT = P;
  ANCHOR = P;
END;
```

```
D. DO I = 1 TO 100;
  NODE.DATA = I;
  NODE.NEXT = P;
  ALLOCATE NODE;
  P = ANCHOR;
END;
```

Answer: A

20. Which of the following will definitely NOT cause an unresolved external entry?

- A. Missing library at link time
- B. The main procedure name matching the binder or load module 'name'
- C. A mismatch in names between the CALL and the actual procedure
- D. An incorrect DECLARE for the external entry

Answer: B

More [000-042 Braindumps](#) Information

Related 000-042 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-908
000-111	000-017	000-113	000-207	000-011

Other IBM Exams

000-046	000-965	000-357	000-M07	000-644
000-643	000-R13	000-006	006-002	000-736
000-993	000-205	000-991	LOT-722	000-274
000-314	000-732	000-330	000-301	000-426