



IBM 000-113

Exam Name: IBM Storage Solution Design Entry/Midrange DS Series V1

Q & A : 172 Q&As

Pdf Demo

Quality and Value for the 000-113 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-113 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-113 Exam

If you do not pass the IBM certifications I 000-113 exam on your first attempt using our Just4Exams **000-113 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-113 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-113 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-113

Title : IBM Storage Solution Design Entry/Midrange DS Series V1

1. A customer has a database application that needs 4TB of table space. The CIO is concerned about performance and reliability for this application. The finance officer says they can only afford a maximum of twenty disk drives to support this application and meet the fiscal budget. The workload will be 4KB random, at a mix of 80/20/50 for read/write/miss ratios, running on their pSeries AIX host. Which offering would be the best fit and meet the customer's budget constraints?

- A. One 8+P RAID 5 array of 750 GB SATA disks
- B. One 10+10 RAID 10 of 500GB SATA disks
- C. Two 8+P RAID 5 arrays of 300GB fibre channel disks
- D. One 18+P RAID 5 array of 300GB fibre channel disks

Answer: C

2. A customer has ordered a DS4800 with four EXP810s. They will use 48 FC drives and 16 SATA drives. Which configuration allows the DS4800 to optimize its bandwidth?

- A. All SATA drives are placed in one EXP810 as they will run slower.
- B. Each EXP810 is connected to its own redundant drive port pair.
- C. Each EXP810 contains 12 FC drives and 4 SATA drives and connected to different channels.
- D. All FC drives are connected to the first channel on each controller to obtain the lowest drive channel IDs.

Answer: C

3. Which is a capability of Enhanced Remote Mirroring (ERM)?

- A. One-to-many copy replication
- B. Replication to a DS3000 storage system
- C. One-to-One copy replication
- D. Multiple consistency groups

Answer: C

4. To plan a customer's storage on RAID 5 configurations, which of the following tools would be most appropriate to determine the number of disk drives needed to accommodate the parity and hot spares needed for their storage requirements?

- A. DSA (Dynamic System Analysis) tool
- B. Partition Magic
- C. e-Config tool
- D. Disk Magic

Answer: D

5. A customer has a number of fibre attached DS3000, DS4000, and DS5000 storage arrays that they want to centrally manage, use and share these storage arrays with five clustered POWER 595 servers. What IBM product would provide a fully supported configuration for this functionality?

- A. IBM System Storage SAN18B-R multiprotocol router
- B. IBM System Storage SAN Volume Controller
- C. IBM Remote Support Manager (RSM)
- D. IBM Storage Manager Version 10.10

Answer: B

6. A local company has a high performance computing (HPC) application. What storage technology provides the lowest cost per gigabyte?

- A. Fibre Channel
- B. SATA II
- C. SAS
- D. JBOD

Answer: B

7. Which of the following components of the DS5000 may require firmware updates?

- A. Power supply, interconnect module, and controller
- B. Controller, ESM, and disk drive
- C. ESM, disk drive, and interconnect module
- D. Power supply, disk drive, and ESM

Answer: B

8. What type of storage host interface would you recommend for a 4 server, IP video surveillance system.

- A. iSCSI interface with SATA disk
- B. Fibre Channel (FC) interface with Fibre Channel (FC) drives
- C. SAS interface with SAS drives
- D. Fibre Channel (FC) interface with SAS drives

Answer: A

9. A customer is establishing an exchange configuration. Which is the least important storage metric needed to complete a preliminary storage assessment?

- A. Size of user messaging store
- B. Drive type
- C. Array configuration
- D. Throughput (MB/s) requirements

Answer: D

10. What is one difference between the DS4700 mod 70 and the DS4700 Mod 72?

- A. the mod 72 supports more drives
- B. the mod 72 has more drive ports
- C. the mod 72 has more host ports
- D. the mod 72 can support more partitions

Answer: C

11. A customer has a 42-unit cabinet with two DS5000 dual controller enclosures. What is the maximum number of EXP5000 expansion enclosures that can be hosted in the cabinet?

- A. 10
- B. 11
- C. 12
- D. 13

Answer: B

12. Before recommending an IBM storage array to meet a customer business requirement, you should consider which of the following?

- A. Understand the customers budget
- B. Identify customers IT hardware and application requirements
- C. Identify the customers services requirements
- D. All of the above

Answer: D

13. A customer wants to add a backup storage pool with a low duty cycle requirement to their current DS5000 storage. What type of drives are the best choice for price performance?

- A. SATA
- B. SAS
- C. Fibre Channel
- D. SCSI

Answer: A

14. One of the benefits of SAS over SCSI drive technology is that_____.

- A. SAS uses Loop Topology.
- B. SAS uses Point to Point Topology.
- C. SAS uses single-porting.
- D. SAS can connect up 48 drives.

Answer: B

15. A customer has just purchased a new DS5000 and 16 EXP5000 expansion units. They would like to use the IBM 2101 rack and are concerned with space and power requirements.

What is the minimum number of 2101-200 racks the customer needs, and how many PDU's are required per rack to provide full power redundancy?

- A. 4 2101-200 each containing 2 9188 PDU's and 2 7188 PDU's
- B. 4 2101-200 each containing 2 9188 PDU's
- C. 2 2101-200 each containing 2 9188 PDU's
- D. 2 2101-200 each containing 2 9188 PDU's and 2 7188 PDU's

Answer: C

16. A customer will only lease their storage with 4-year lease agreements, to assure their storage stays current. With a continuous turnover of storage, it is critical to have an easy migration plan. Which of the following configurations would allow for the easiest migrations?

- A. Utilize DS4000 storage and migrate data by moving the EXP boxes to new controllers.
- B. Utilize SVC and disk migration functions to move data.
- C. Use the new disk migration function on DS5000 to move data to a new DS5000
- D. Use DS4000 storage and ERM to move data to the new boxes as they come in.

Answer: B

17. Which is not a reference source for IBM solutions?

- A. Server Proven
- B. RedBooks
- C. Interoperability guides

D. TCONow

Answer: D

18. What is one difference between the DS3200 and the DS3400?

- A. The DS3400 holds more drives than the DS3200
- B. The DS3200 has a SAS interface and the DS3400 has a fibre channel interface
- C. The DS3200 can be direct attached while the DS3400 cannot
- D. The DS3200 supports SAS drives and the DS3400 supports FC drives

Answer: B

19. Your customer is designing a data warehousing application. They require the highest performance with the highest possible reliability.

Cost is not a concern. This customer should use

- A. JBOD
- B. RAID 5
- C. RAID 6
- D. RAID 10

Answer: D

20. How many power sources are recommended for proper installation of a DS5000?

- A. One
- B. Two
- C. Three
- D. Four

Answer: B

More [000-113 Braindumps](#) Information

Related 000-113 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-294	000-555	LOT-841	000-641	000-446
000-426	000-630	000-891	000-286	LOT-836
000-695	000-667	000-077	000-397	000-430
000-890	LOT-722	000-M03	000-778	000-102