



IBM 000-150

Exam Name: Test 150, IBM J2EE 1.4 Web Developer

Q & A : 54 Q&As

Pdf Demo

Quality and Value for the 000-150 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-150 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-150 Exam

If you do not pass the IBM certifications I 000-150 exam on your first attempt using our Just4Exams **000-150 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-150 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-150 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-150

Title : Test 150, IBM J2EE 1.4 Web Developer

1. A Web application contains a single servlet that handles all types of requests. Within the Web application there is an HTML page that contains a form that uses a POST type request. There are also hyperlinks with query strings associated with them. The servlet must handle both HTML form and hyperlink requests. Which two methods of the HttpServlet class should be overridden by the servlet programmer?

- A. doGet()
- B. doPut()
- C. doPost()
- D. doQuery()
- E. doForm()

Answer: AC

2. Which two of the following situations will result in the `init()` method of a `Servlet` being invoked?

- A. Every time a new client accesses the `Servlet`
- B. When the server automatically reloads the `Servlet`
- C. When a HTTP INIT type request is made by a client
- D. When the `Servlet` is put into service after loading and instantiation

Answer: BD

3. Which method in the `ServletContext` interface could be used to get the value of a variable named `times_Accessed` ?

- A. `getAttribute("times_Accessed")`
- B. `getAttributeValue("times_Accessed")`
- C. `getParameter("times_Accessed")`
- D. `getParameterValue("times_Accessed")`

Answer: A

4. A developer wants to measure how many times a `Servlet` has been invoked. Which listener could be used to accomplish this task?

- A. `HttpSessionListener`
- B. `ServletContextListener`
- C. `ServletRequestListener`
- D. `ServletRequestAttributeListener`

Answer: C

5. At the top of a JSP page the following directive appears:

What does this indicate about the JSP?

- A. That an exception will be thrown within the JSP page
- B. That the JSP page will have access to an implicit object called `exception`
- C. That any exceptions thrown within the JSP page should be ignored
- D. That if any errors or exceptions occur within the current JSP page, they will be handled by another JSP page

Answer: B

6. Which of the following would be legal parameters for the `include()` method of the `RequestDispatcher` object?

- A. `ServletHttpRequest`, `ServletHttpResponse`
- B. `HttpServletRequest`, `HttpServletResponse`
- C. `ServletRequest`, `ServletResponse`
- D. `ServletReq`, `ServletResp`

Answer: C

7. Which method would be used to call a registered `Servlet` within the same Web application and with the following attributes?

- A. `getServletConfig().getServletContext().getRequestDispatcher("http://www.example.com/testApp/TestServlet").forward(req,res);`
- B. `getServletConfig().getServletContext().getRequestDispatcher("/testApp/TestServlet").forward(req,res);`
- C. `getServletConfig().getServletContext().getRequestDispatcher("/TestServlet").forward(req,res);`
- D. `getServletConfig().getServletContext().getRequestDispatcher("TestServlet").forward(req,res);`

Answer: C

8. If a server has URL rewriting enabled, what is the result of using the `encodeURL()` method of the `HttpServletResponse` interface?

- A. Encryption of sensitive client data in the URL
- B. Increased performance due to browser specific information being encoded in the URL
- C. Redirection of all subsequent requests to a unique domain specified as a URL parameter
- D. Addition of a client's session ID to the URL in a query string

Answer: D

9. A client has accessed a `Servlet` via a form that uses an HTTP POST request. Which two methods could be used by the `Servlet` to obtain information input within the form?

- A. Using the `Servlet` object's `getServletInfo()` method
- B. Using the request object's `getAttribute()` method
- C. Using the request object's `getParameter()` method
- D. Using the request object's `getParameterValues()` method
- E. Using the request object's `getAttributeValues()` method

Answer: CD

10. What is the BEST scope to store an object containing display data that is to be sent from a servlet to a JSP page with session disabled?

- A. page
- B. request
- C. session
- D. application/servletContext

Answer: B

More [000-150 Braindumps](#) Information

Related 000-150 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-020	000-M04	LOT-722	000-850	000-019
000-014	000-903	000-370	LOT-956	000-842
000-881	LOT-836	LOT-702	000-093	000-484
000-921	000-839	000-550	000-900	000-430