



## **IBM 000-235**

**Exam Name:**

**Q & A : 130 Q&As**

**Pdf Demo**

### **Quality and Value for the 000-235 Exam**

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-235 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 000-235 Exam**

If you do not pass the IBM certifications I 000-235 exam on your first attempt using our Just4Exams **000-235 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 000-235 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free 000-235 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : IBM 000-235

Title : aix 5l problem determination

1. Which of the following is TRUE about the ping -f command?

- A. It is useful for diagnosing data dependent problems by filling the packet with the byte pattern following the "f" in the command line.
- B. It is useful for flooding from slow character based terminals since it only displays a dot "." for each packet sent in fast mode.
- C. It is useful for flooding from slow character based terminals since it only displays a dot "." for each packet sent and a backspace on returned in fast mode.
- D. The command can only be run by root.

Answer: D

2. Which of the following commands should be used to determine if a remote print queue is down?

- A. Isqdev
- B. Ipstat
- C. Iptest
- D. prtconf

Answer: B

3. To examine the Exhibit, press the Exhibit button. Using the information provided in the exhibit, which of the following options explains why the entry occurred for the item with the id of 9DBCFDEE?

- A. The system was restarted.
- B. The command "errclear 7" was run.
- C. The error log became full and restarted at the top.
- D. The command "refresh -s" was run on the error daemon.

Answer: A

4. What is the default configuration file used by the syslogd daemon?

- A. /etc/syslog.h
- B. /etc/syslog.pid
- C. /usr/sbin/syslogd
- D. /etc/syslog.conf

Answer: D

5. Which of the following is the proper sequence of steps when applying AIX software patches?

- I. Determine adequate space in the filesystem
- II. Insert the media and smitty update-all
- III. Apply the patch
- IV. Commit the patch
- V. Uninstall if patches malfunction
- VI. Test the AIX software patch

- A. I, II, III, VI, V
- B. I, II, IV, VI, V
- C. I, II, VI, III, IV
- D. II, I, IV, VI, V

Answer: A

6. The system hang detection feature, shdaemon, has been added to /etc/inittab. When the system administrator attempts to enable the daemon with the shconf command using the default configuration, the following error message occurs:

```
# shconf -l prio -a sh_pp=enable shconf:Unable to configure the emergency login. shconf: Configuration method error.
```

Which of the following sequence of commands should be issued to correct the situation so that a recovery login is launched on the console in the event shdaemon detects a hang condition?

- A. # shconf -l prio -a sh\_pp=disable # shconf -l prio -a pp\_login=enable # shconf -l prio -a sh\_pp=enable
- B. # shconf -l prio -a pp\_login=disable # shconf -l prio -a sh\_pp=enable # shconf -l prio -a pp\_login=enable
- C. # shconf -l prio -a pp\_login=disable # shconf -l prio -a pp\_login=enable # shconf -l prio -a sh\_pp=enable
- D. # shconf -l prio -a sh\_pp=disable # shconf -l prio -a pp\_cmd=enable # shconf -l prio -a sh\_pp=enable

Answer: B

7. An AIX system administrator has setup disk quotas. Where can the reports be found on the system?

- A. /var/adm/acct/sum
- B. /var/adm/ras
- C. /usr/sbin/acct
- D. /var/adm/wtmp

Answer: A

8. To examine the Exhibit, press the Exhibit button. An error-class value of S and an error-type value of PERM indicate that the system encountered a problem and could not recover. What is the most probable cause?

- A. System process table error
- B. System memory error
- C. Software error
- D. Storage error

Answer: C

9. All of the following classes of errors are logged in the error report EXCEPT:

- A. Messages
- B. Software
- C. Hardware
- D. Unknown

Answer: D

10. A system administrator needs to replace a mirrored disk. After performing the proper removal process and replacing the disk, which of the following set of commands should be performed to bring the disk back into production?

- A. reboot, mklvcopy, syncvg
- B. cfmgr -vl ssar, chvg -va, syncvg
- C. cfmgr, extendvg, syncvg
- D. extendvg, mklvcopy, syncvg

Answer: C

11. Which of the following commands can be used to gain root privileges and profile without initially logging in as root?

- A. su
- B. su root
- C. su - root
- D. su -c "root"

Answer: C

12. A customer indicates that a system is experiencing printing problems. After checking the system, and successfully printing, no problem has been found. Which of the following procedures should be performed next to further clarify the problem?

- A. Reboot the system.
- B. Check the file system sizes.
- C. Have the customer repeat the task to recreate the problem.
- D. Inform the customer that no problems were found, and to call back if the problem reoccurs.

Answer: C

13. Which of the following is TRUE about error processing?

- A. The error daemon runs in the foreground and reads the /etc/errpt file.
- B. The error daemon is invoked by the user when required and it reads the /usr/lib/errpt.
- C. The error daemon is invoked whenever the error occurs and it reads the /usr/lib/errpt.
- D. The error daemon /usr/lib/errdemon runs in the background on most machines and reads the /dev/error special file.

Answer: D

14. Which of the following problems has occurred when a message appears on the system console indicating that a dump must be copied to external media?

- A. The external dump device is full.
- B. The dump device was not mirrored before the dump happened.
- C. The boot failed while copying the dump from paging space to a file.
- D. The dump device was not set to a paging device before the dump happened.

Answer: C

15. When a user tries to log into the system, the following error occurs:

"3004-004. You must "exec" login from the lowest login Shell".

Which of the following procedures should be performed next to determine the cause of the problem?

- A. Reboot the system.
- B. Increase the number of ptys.
- C. Increase number of licenses.
- D. Run df -k to check for full filesystems.

Answer: D

16. A system must be upgraded from AIX 5.1 to 5.2. Which of the following scheduling processes should be performed?

- A. Schedule enough down time to backup, upgrade and reboot.
- B. Backup, upgrade, then schedule enough down time to reboot the system.
- C. Backup, then schedule enough down time to upgrade and reboot the system.
- D. No scheduling processes are necessary because no down time is required.

Answer: A

17. Which of the following procedures best explains how to enable the NIS name resolution to take precedence over DNS on a system-

wide basis?

- A. Add the following line to /etc/netsvc.conf: hosts = nis,bind,local
- B. edit /etc/netsvc.conf to add the following: process /full/path/of/process { hosts = local,nis,dns}
- C. In an NIS and DNS environment, NIS takes precedence over DNS in this environment resulting in no change
- D. Change the NSORDER environment variable

Answer: A

18. Where is the su log located?

- A. /var
- B. /var/adm
- C. /var/perf
- D. /var/spool

Answer: B

19. A system administrator thinks that a filesystem may be full and that is what caused the machine to crash. Which command will show the administrator if they are correct?

- A. du
- B. df
- C. fsck
- D. ncheck

Answer: B

20. A process on the system must occur where NIS resolution takes precedence over DNS, and names must be resolved by /etc/hosts first. Which of the following procedures should be performed to complete these processes without affecting the rest of the system's name resolution?

- A. Set the NSORDER environmental variable in the environment which invokes the process to: NSORDER="local,nis,bind"
- B. Set the NSORDER environmental variable in the environment which invoked the process to: NSORDER="auth,nis,bind"
- C. edit /etc/netsvc.conf to add the following: process /full/path/of/process { hosts = local,nis,dns}
- D. The user cannot change the order of the name resolution

Answer: A

More [000-235 Braindumps](#) Information

#### **Related 000-235 Exams**

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

#### **Other IBM Exams**

000-273	000-745	000-743	COG-310	000-857
000-938	000-529	000-076	000-901	000-M35
LOT-702	000-535	000-373	LOT-738	LOT-847
000-Z01	000-443	000-R06	000-903	COG-300