



IBM 000-341

Exam Name: *WebSphere Application Server V5.0, Multiplatform Administration*

Q & A : 100 Q&As

Pdf Demo

Quality and Value for the 000-341 Exam

[Just4Exams Practice Exams](#) for IBM Certified Advanced System Administrator 000-341 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-341 Exam

If you do not pass the Certified Advanced System Administrator 000-341 exam on your first attempt using our Just4Exams **000-341 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-341 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certified Advanced System Administrator certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-341 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-341

Title : WebSphere Application Server V5.0, Multiplatform Administration

1. In which topologies would an administrator configure the use of LTPA (Lightweight Third Party Authentication) with the Local OS user registry?

- A. Single node configured with multiple application servers.
- B. A configuration in which multiple authentication mechanisms are used for a security domain.
- C. Distributed environment which shares a domain user registry.
- D. Multiple nodes configured with multiple clusters.

Answer: AC

2. What should be considered when comparing the horizontal scaling of an application server (clustering) versus creating multiple stand-alone (Base) servers on multiple machines?

- A. File synchronization will occur in the clustered environment.
- B. Multiple stand-alone servers on multiple machines provide failover support.
- C. The HTTP server plug-in distributes requests in multiple stand-alone server environments.
- D. The HTTP server plug-in distributes requests in a clustered environment.
- E. Multiple stand-alone servers on multiple machines can be easily combined into the horizontally scaled environment.

Answer: AD

3. In a typical Web application request/response information flow, which WebSphere Application Server V5.0 component can initially encrypt the request?

- A. Web container's embedded HTTP server
- B. Web server plug-in
- C. EJS Server
- D. Web browser
- E. Application server

Answer: B

4. Concurrent access to HttpSession objects is possible in a certain application. The BEST approach for the system administrator to make this behavior safe involves:

- A. Checking the `allowSerialAccess` session management property for the installed enterprise application.
- B. Checking the `allowSerialAccess` session management property for the application server on which the application is installed.
- C. Checking the `allowOverflow` session management property for the installed enterprise application.
- D. Having the developer mark all application methods that access the session as synchronized.

Answer: A

5. Which of the following manual tasks may need to be carried out before distributing plugin-cfg.xml to web server machines?

- A. Edit plugin-cfg.xml Virtual Host names to coincide with the virtual host names defined within the corresponding web server.
- B. Edit plugin-cfg.xml absolute file paths to reflect the web server's local filesystem.
- C. Generate the keyring and stashfile if using SSL between the plug-in and application servers.
- D. Update the domain suffix for each virtual host in plugin-cfg.xml.

Answer: BC

6. Where can an administrator locate configuration data for a standalone WebSphere Application Server V5.0 installation?

- A. Administrative Repository on the database server
- B. Master configuration repository on the cell configuration repository on the deployment manager
- C. Configuration repository on the local machine
- D. Cloudscape database on the local machine

Answer: C

7. If a CMP bean uses a J2C resource adapter to access a backend data store, which of the following should be configured?

- A. CMP Connection Factory
- B. Database connection pool
- C. CMP Resource Environment Provider
- D. User-defined JDBC Provider

Answer: A

8. An administrator has created a Version 5 data source, and has selected the option to use this data source in container managed persistence. Which of the following CANNOT use this data source?

- A. JDBC applications and servlet 2.3 components
- B. CMP EJB 1.x beans with a J2EE 1.3 deployment descriptor
- C. CMP EJB 1.x beans with a J2EE 1.2 deployment descriptor
- D. CMP EJB 2.0 beans
- E. BMP EJB 2.0 Beans

Answer: C

9. Which of the following is a reason why a configured binding would be necessary?

- A. Allow federation of CORBA name spaces to the node's name space
- B. Bind DataStore JNDI names explicitly at the node name server level
- C. Configure an alias for a JNDI name in the system's partition of the name space
- D. Provide interoperability with IBM WebSphere Application Server V4 clients

Answer: D

10. What is affected in a topology which splits the Web and EJB containers so that they run in separate application servers, each in a different machine?

- A. The elimination of network latency due to JVM optimizations
- B. The elimination of a single point of failure
- C. Performance improvement due to greater number of inter-process calls
- D. Increased maintenance costs due to additional machines

15. In a Network Deployment environment, what are the consequences of a node agent failure?

- A. Application server cannot be started, using the admin console, until the node agent is restarted.
- B. The local configuration may not broadcast changes to the master configuration.
- C. The deployment manager's file transfer service is made unavailable to all node agents in the cell.
- D. The administrative console is made unavailable.
- E. The local configuration may not reflect the master configuration.

Answer: AE

11. Upon monitoring an application it is found that the passivation and activation counters for EJBs are extremely high. What is the BEST change to be made to the server configuration to improve EJB subsystem performance?

- A. Increase the JVM heap size
- B. Increase the EJB cache size
- C. Increase the EJB cache cleanup interval
- D. Increase the maximum ORB service connector cache size

Answer: B

12. An enterprise application has an execution profile where 50% of the HTTP requests hit the EJB layer. Which pair of application server settings best fit this application profile?

- I. Maximum web container thread pool size = 25
- II. Maximum web container thread pool size = 50
- III. Maximum ORB service thread pool size = 25
- IV. Maximum ORB service thread pool size = 50
- V. Maximum EJB cache size = 25
- VI. Maximum EJB cache size = 50

- A. I and IV
- B. I and III
- C. II and III
- D. II and V
- E. III and VI

Answer: C

13. An application server is closing HTTP connections prematurely. Assuming that MaxKeepAliveConnections is already set at 90% of the maximum number of threads in the Web container thread pool, what Web container setting should be modified to improve this situation?

- A. Set the MaxKeepAliveRequests property to a sufficient value.
- B. Set the MaxKeepAliveConnections property to a sufficient value.
- C. Increase the Web container thread pool maximum size.
- D. Increase the ORB service thread pool maximum size.

Answer: A

14. During a stress test on an application, it was found that there was a large number of prepared statement discards associated with one Datasource. All other metrics were within expected range. The BEST way to increase performance of this application is to make what change to the Datasource properties?

- A. Increase the statement cache size.
- B. Increase the minimum connections.
- C. Increase the maximum connections.
- D. Change the purge policy to 'Entire Pool'.

Answer: A

15. In a Network Deployment environment, what are the consequences of a node agent failure?

- A. Application server cannot be started, using the admin console, until the node agent is restarted.
- B. The local configuration may not broadcast changes to the master configuration.
- C. The deployment manager's file transfer service is made unavailable to all node agents in the cell.
- D. The administrative console is made unavailable.

E. The local configuration may not reflect the master configuration.

Answer: AE

16. A Web application is suspected to have a (concurrent access) synchronization problem. Which PMI modules should be monitored to try and isolate the performance problem?

- A. Dynamic cache
- B. J2C connectors
- C. Web applications
- D. JVM runtime
- E. Web container thread pools

Answer: CE

17. A high volume application in a clustered environment uses only local sessions. Occasionally a request having session affinity is routed to an alternative application server. This happens even when the application server with affinity does not fail. What is the most likely contributing factor?

- A. The session time-out value is set too high
- B. The session cache size is configured to be too small.
- C. The web container thread pool for the application is too small on each server.
- D. It is the nature of session affinity with local only sessions.

Answer: C

18. What would be the practical considerations for creating multiple smaller application servers each running one different web application rather than a single large application server for an application architecture?

- A. The aggregated plug-in config file will contain less complex URIs.
- B. Multiple smaller servers provide better application isolation.
- C. There will be a decrease in response time due to interprocess RMI/IOP calls.
- D. Multiple smaller servers eliminate single points of failure.

Answer: B

19. When federating a node into a cell how would an administrator add an application installed on that node into the cell?

- A. Use the addNode utility without the ?\$CincludeApps option and install the application on the node.
- B. Use the addNode utility without the ?\$CsyncNode option and copy the application binaries to the node.
- C. Use the addNode utility with the ?\$CincludeApps options and configure the synchronization options on Admin Console.
- D. Use the addNode utility with the ?\$CsyncNode option and copy the application binaries to the node.

Answer: C

20. What should an administrator guarantee too ensure that the following command performs as expected when run on the deployment manager node? backupConfig cellBackup-nostop

- A. All application code must be present on the deployment manager node.
- B. No configuration changes should be made while the command executes.
- C. The command should be preceded by a syncNode Command from the deployment manager node.
- D. The file cellBackup does not already exist.

Answer: B

More [000-341 Braindumps](#) Information

Related 000-341 Exams

000-737 000-718 000-341

Other IBM Exams

| | | | | |
|---------|---------|---------|---------|---------|
| 000-047 | COG-135 | 000-874 | 000-M05 | 000-005 |
| 000-512 | LOT-840 | 000-719 | 000-079 | LOT-804 |
| 000-M07 | 000-703 | 000-637 | 000-046 | 000-R13 |
| 000-136 | LOT-825 | 000-025 | 000-731 | 000-851 |