



IBM 000-447

Exam Name: IBM Exam 447 - IBM CommonStore Email Archiving and Discovery

Q & A : 122 Q&As

Pdf Demo

Quality and Value for the 000-447 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-447 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-447 Exam

If you do not pass the IBM certifications I 000-447 exam on your first attempt using our Just4Exams **000-447 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-447 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-447 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-447

Title : IBM Exam 447 - IBM CommonStore Email Archiving and Discovery

1. Which two statements are true about the CSX Client Component? (Choose two.)

- A. The CSX Client Component allows users to search and retrieve e-mail archived from their personal mailbox.
- B. The CSX Client Component requires the Microsoft Collaborative Data Object to be installed on each Outlook machine.
- C. The CSX Client Component requires the Microsoft Collaborative Data Object to be installed on the CommonStore Server machine.
- D. The CSX Client Component allows an administrative user to search for and place holds on archived e-mail.

Answer: AB

2. If your company policy requires that the Content Manager password be changed every 90 days, which action must the CommonStore administrator perform after changing the password?

- A. Run CSX Task -p to store the new Content Manager password.
- B. Run ArchPro -p to store the new Content Manager password.
- C. Use notepad to update the Archint.ini file with the new Content Manager password.
- D. Use notepad to update the archint.cfg file with the Content Manager password.

Answer: B

3. A company recognizes that its employees will not use manual archiving effectively and has decided that they will implement automatic archiving. Which three areas in the configuration database must be configured? (Choose three.)

- A. Policies
- B. Special Mappings
- C. Database Sets
- D. Scheduled Task
- E. Content Type Mappings

Answer: ACD

4. Which two configuration changes are required to provide optimal CommonStore throughput with a Content Manager repository? (Choose two.)

- A. adding more IBM Content Manager agents
- B. adding additional WebSphere application threads
- C. adding more task worker threads
- D. adding additional Content Manager user IDs
- E. adding additional HTTP threads

Answer: AC

5. A customer is running Microsoft Exchange 2003. They have 18,000 Outlook 2000/2003 mailboxes with a daily volume of e-mails of approximately 630,000 e-mails. Their IT group supports Windows, Sun Solaris, and are testing Red Hat on Intel. This customer has decided that CommonStore for Exchange, Content Manager, and eMail Search will solve their e-mail archival requirements. Which hardware platform matches their environment and the solution?

- A. CommonStore on Windows 2003 and Content Manager on z-Series
- B. CommonStore on AIX and Content Manager on z-Series
- C. CommonStore on Windows 2003 and Content Manager on Sun
- D. CommonStore on AIX and Content Manager on Sun

Answer: C

6. What are the four sub-processes of the CommonStore Exchange tasks?

- A. Poller, Crawler, Worker, Committer
- B. Poller, Worker, Authenticator, Committer
- C. Worker, Authenticator, Committer, Crawler
- D. Worker, Authenticator, Poller, Crawler

Answer: A

7. When increasing the number of task workers, which agent on the ArchPro server should be increased to match the same value?

- A. CMAGENTS
- B. CSLDAGENT
- C. CSAGENTS
- D. CSXAGENTS

Answer: A

8. To configure the eMail Search application, which archive type must be configured in Archint.ini?

- A. generic multidoc
- B. generic multipart
- C. bundled
- D. generic single part

Answer: C

9. A CommonStore solution is designed to support Single Instance Storage. No automatic archiving policies have been defined. A mail user sends an single e-mail to three co-workers. One of the three recipients was addressed as a blind carbon-copy. All three recipients manually archive the entire e-mail in the same format. The sender also archives the e-mail from the sender's Sent folder. How many copies are stored in the archive?

- A. 1
- B. 2

C. 3

D. 4

Answer: C

10. Which two statements regarding Single Instance Store (SIS) are true? (Choose two.)

A. The Single Instance Store Item Type and child attribute must be referenced in the CommonStore Server configuration file.

B. CommonStore uses two Item Types to store information for Single Instance Store, one for the document itself and one for the SIS hash key.

C. Once Single Instance Store is configured, CommonStore stores just one copy of each archived document, no matter how it is archived.

D. The Single Instance Store Child attribute may be shared among Item Types on the same library server.

E. Once you have enabled Single Instance Store for an Item Type, you may not turn it off.

Answer: AE

11. How do the CommonStore Server and the CommonStore Tasks communicate with each other?

A. The CommonStore Server accesses the CommonStore Tasks based on the directory named in the "Transfer Path" parameter.

B. The CommonStore Server accesses the CommonStore Tasks based on the task host name and TCPIP port number.

C. The CommonStore Tasks accesses the CommonStore Server based on the directory named in the "Transfer Path" parameter.

D. The CommonStore Tasks accesses the CommonStore Server based on the server host name and TCPIP port number.

Answer: D

12. In the CommonStore for Lotus Domino configuration, where is the name of the Content Manager Item Type stored?

A. CSLD configuration database

B. archint.ini

C. archpro.ini

D. archint.cfg

Answer: B

13. What is the name of the command to install ArchPro as a Windows service?

A. archpro install

B. archpro installservice

C. arch install service

D. archservice install

Answer: D

14. It is common for various groups within the same organization to have different requirements. These differences can greatly increase the complexity and cost of delivering the required CommonStore solutions. It is advisable to significantly reduce the number of separate policies by using a modular approach with a limited number of variations. How should you determine the two requirements? (Choose two.)

A. Implement a top-down approach to fulfill major requirements and then review and fulfill minor requirements.

B. Place all of the requirements in a pile and randomly make a selection.

C. Prioritize the requirements basic on the delivery cost.

D. Ask the customer to prioritize the requirements.

E. Implement major requirements only.

Answer: AD

15. A customer has a Domino application where all documents of the product information database are replicated to three locations world-wide. How would you set up automatic archiving and retrieval with CSLD?

A. Automatic archiving is performed in all three locations; retrieval is available just in the headquarters.

B. Automatic archiving is performed in just in the headquarters; retrieval is available just in the headquarters.

C. Automatic archiving is performed just in the headquarters; retrieval is available in all three locations.

D. Automatic archiving is performed in all three locations; retrieval is also available in all three locations.

Answer: C

16. Which Notes design element determines which logical archive will be used for archival?

A. Notes view

B. Notes action

C. Notes agent

D. Notes form

Answer: D

17. You have a CommonStore policy that archives all e-mail older than 30 days, but the retrievals on the system are very high. It is decided that 30 days is too soon and that all future e-mail should remain on the system 60 days before being archived. What are the correct steps

to change this?

- A. Change the Archive Task in the configuration database/folder.
- B. Add a new logical archive to ArchPro and archive all new mail to this logical archive.
- C. Update the Archiving Policy and restart ArchPro.
- D. Update the Archiving Policy and restart the Archival Task.

Answer: D

18. Your company policy is to delete all stubs in employee mailboxes after two years. The actual e-mails will remain in the repository for an additional year. How will the user be able to search for these older e-mails?

- A. There is no way to see older e-mails.
- B. This type of search is in the existing e-mail client.
- C. It will require a small modification to your existing e-mail client.
- D. Use the Tivoli Storage Manager client.

Answer: C

19. A new desktop application is installed on all desktops in your company. It creates files with the extension *.new that will most likely be e-mailed among employees. Your CommonStore system is set up for attachment archiving. What should you do?

- A. Add a new MIME type in CM and a new Content type mapping in CommonStore.
- B. Add a new Item Type in CM and a new entry in archint.ini.
- C. Add a new archiving policy in CommonStore.
- D. Modify the document mapping settings in CommonStore.

Answer: A

20. Under which scenario will e-mail messages meet the minimum qualifications for CommonStore Single Instance Storing?

- A. E-mail messages that have already been archived into any of the CommonStore supported archive repositories with an archiving type of Entire and which have not been processed by an external application for digital signatures.
- B. E-mail messages that have already been archived into any of the CommonStore supported archive repositories with any archiving type, which have not been modified, and which have not been processed by an external application for digital signatures.
- C. E-mail messages that have already been archived into any of the CommonStore supported archive repositories with an archiving type of Entire, which have not been modified, and which have not been processed by an external application for digital signatures.
- D. E-mail messages that have already been archived into an IBM Content Manager archive with an archiving type of Entire, which have not been modified, and which have not been processed by an external application for digital signatures.

Answer: D

More [000-447 Braindumps](#) Information

Related 000-447 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-255	000-883	000-015	000-669	000-M45
000-205	000-J03	000-315	000-917	000-m13
000-180	000-818	000-M38	000-M36	000-M49
000-716	000-733	000-341	000-060	000-719