



IBM 000-711

Exam Name: U2 UniData V6.1 for UNIX and Windows Administration

Q & A : 164 Q&As

Pdf Demo

Quality and Value for the 000-711 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications II 000-711 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-711 Exam

If you do not pass the IBM certifications II 000-711 exam on your first attempt using our Just4Exams **000-711 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-711 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-711 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-711

Title : U2 UniData V6.1 for UNIX and Windows Administration

1. From the ECL prompt which command displays information about users currently logged in and the number licensed for UniData?

- A. WHO
- B. LISTUSER
- C. LIST.QUEUE
- D. LIST.USERSTATS

Answer: B

2. Which system-level command displays UniData daemons that are currently running?

- A. gstd

- B. showud
 - C. ipcstat
 - D. showconf
- Answer: B

3. If two users in the same UniData account execute the same 'verb' and UserA executes a basic program while UserB receives a 'Not a verb' message, what could cause this problem?

- A. SELECT privileges GRANTED to 'execute' the verb missing for USERB.
- B. UserB does not have the \$UDTHOME environment variable defined the same as UserA.
- C. UserB does not have the same read permissions as UserA on the Basic Program (BP) file.
- D. UserB does not have the same execute permissions as UserA on the Basic Program (BP) file.

Answer: B

4. Which UniData system level command builds a new UniData (udt) executable?

- A. base.mk
- B. makeudt
- C. cfuncdef
- D. createudt

Answer: B

5. Which situation causes index overflows?

- A. BUILD.INDEX has not been run recently.
- B. The available disk space falls below the indexing threshold.
- C. The maximum key length allocated is too small to contain the attributes being indexed.
- D. The modulo and block size of the primary file is not appropriate for the data contents.

Answer: C

6. Which log file displays abnormally terminated UniData processes?

- A. udt.errlog
- B. smm.errlog
- C. sbcs.errlog
- D. cleanupd.errlog

Answer: D

7. The VCATALOG command is used to

- A. catalog a specific program located in the BP file.
- B. verify all compiled code in your local BP file.
- C. verify and catalog all the BP programs in the current BP file.
- D. compare the object file and the compiled program in the global catalog file byte-by-byte.

Answer: D

8. Which log file does an administrator monitor to see messages produced when a UniData process encounters file corruption in a data file during processing?

- A. udt.errlog
- B. smm.errlog
- C. sbcs.errlog
- D. cleanupd.errlog

Answer: A

9. Administrators can view the current ECL stack for the active udt process with pid number 13880, user name stu107, using which option?

- A. From the ECL prompt, enter: PORT.STATUS PID 13880 CALL.STACK
- B. From the ECL prompt, enter: LIST.READU USER_NAME stu107 DETAIL
- C. From the UNIX shell prompt: cd to the home directory for user stu107 enter 'cat .ustk_stu107'
- D. Login to UniData in the same account where user stu107 started their session. From the ECL prompt, enter: .L99

Answer: A

10. To list record and file locks for a specific user which LIST.READU identifier is required?

- A. user id of the user (UID)
- B. user number of the user (UNBR)
- C. terminal device of the user (TTY)
- D. process group ID of the user (PID)

Answer: B

11. Which UniData command displays file and record locks?

- A. READ.LOCKS
- B. LIST.LOCKS
- C. LIST.READU
- D. LIST.QUEUE

Answer: C

12. Which procedure will analyze a UniBasic program to help determine reasons for poor performance?

- A. Compile the program with a -L option and execute the program with a -L option and check the 'list' files.
- B. Compile the program with a -E option and execute the program with a -E option and check the 'error' files.
- C. Compile the program with a -G option and execute the program with a -G option and check the 'profile' files.
- D. Compile the program with a -I option and execute the program with a -I option and check the 'information' files.

Answer: C

13. Which UNIX directory contains the error logs for UniData daemons'?

- A. \$UDTBIN
- B. \$UDTHOME
- C. \$UDTHOME/log
- D. /usr/ud61/include

Answer: A

14. Which command provides information about UniData user and system activity?

- A. udtmon
- B. udtvr
- C. showud
- D. udtconf

Answer: A

15. Which 'log file' is the primary source of information describing what triggered a system crash on a UniData system with Recoverable File System on?

- A. \$UDTBIN/sm.log
- B. \$UDTBIN/smm.log
- C. \$UDTBIN/udt.errlog
- D. \$UDTBIN/smm.errlog

Answer: A

16. Which command can an administrator use to determine if user 'stu017' is waiting for a locked record resulting in a 'frozen' screen?

- A. LIST.LOCKS
- B. PORT.STATUS USER stu017
- C. LIST.QUEUE USERNAME stu017
- D. LIST.READU USERNAME stu017

Answer: C

17. Administrators would inspect which udtconfig parameter in response to the error 'Numra is maxed out in installshmid'?

- A. SHM_MAX_SIZE
- B. SBCS_SHM_SIZE
- C. NUMRA_SHMID_SIZE
- D. INSTALL_SHMID_SIZE

Answer: B

18. Which option describes the result of executing the ECL command "CATALOG BP ProgramName" for the first time?

- A. ProgramName compiled code is copied to the global catalog
- B. VOC entry ProgramName is created to point to the global catalog
- C. VOC entry ProgramName is created that points to the compiled version
- D. ProgramName moved to the CTLG directory in the UniData account where the program was cataloged

Answer: A

19. Which UniData command removes a specific udt process?

- A. stopud [pid]

- B. kill -9 [pid]
- C. deleteuser [pid]
- D. REMOVE.USER [pid]

Answer: C

20. Which action should an administrator take when UniData will not start and \$UDTBIN/smm.errlog contains the error 'smm can't get first GSM errno=22'?

- A. Increase the kernel parameter shmseg
- B. Increase the kernel parameter shmmax
- C. Increase the operating system paging space size
- D. Increase the available space in the /tmp filesystem

Answer: B

More [000-711 Braindumps](#) Information

Related 000-711 Exams

000-331	000-253	000-903	000-926	000-351
000-647	000-833	000-443	000-807	000-806
000-631	000-918	000-284	000-649	000-798
000-971	000-637	000-664	000-484	000-635

Other IBM Exams

LOT-849	LOT-956	LOT-755	000-555	000-834
000-514	LOT-957	000-640	000-180	000-535
000-324	000-150	000-873	COG-105	000-594
000-715	LOT-702	000-439	000-M15	000-236