



IBM 000-734

Exam Name: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

Q & A : 102 Q&As

Pdf Demo

Quality and Value for the 000-734 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications II 000-734 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-734 Exam

If you do not pass the IBM certifications II 000-734 exam on your first attempt using our Just4Exams **000-734 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-734 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-734 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-734

Title : DB2 9 Advanced DB Administrator for Linux, UNIX, and Windows

1. Which statement is true about clustering indexes in a DPF environment?

- A. The partitioning key columns should be added to all indexes with the INCLUDE option.
- B. It is not possible to have a clustering index in a DPF environment.
- C. The index columns should be prefixed by the partitioning key columns.
- D. The partitioning key columns should be added immediately after the column in the index with the highest cardinality.

Answer: C

2. What would indicate intra-partition parallelism in an Optimizer Plan?

- A. BTQ

- B. LTQ
- C. IP
- D. DTQ

Answer: B

3. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1 and C2 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) include (c2);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
- CREATE INDEX xtab2 ON tab1 (c3) INCLUDE (c2);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1);

Answer: A

4. When a database administrator chooses the dimensions for an MDC table, which two characteristics should be considered? (Choose two.)

- A. the query transaction rate
- B. numeric data versus character data
- C. extent size
- D. the cardinality of the candidate columns
- E. prefetch size

Answer: CD

5. A database administrator would like to examine repartitioning options for a partitioned database named PRODDb. A workload has been captured on the system (Windows) and is stored in a file named WORKLOAD.SQL. What is the proper command to run the Design Advisor so that it will evaluate the information stored in the file and give advice on re-partitioning?

- A. db2adviz -d proddb -i workload.sql -P
- B. db2adviz -d proddb -i workload.sql -partitioning
- C. db2adviz -d proddb -i workload.sql -m P
- D. db2adviz -d proddb -i workload.sql -m ALL

Answer: C

6. If the sort heap threshold parameter SHEAPTHRES_SHR is set to a value of 0, what will happen?

- A. All sorts will be done in a temporary table space.
- B. The shared sort memory allocation will be calculated by DB2.
- C. No shared memory is allocated for sorting.
- D. All sorts will be done in shared memory.

Answer: D

7. Which procedure will successfully configure the memory areas within a database, including buffer pools, to use the Self Tuning Memory Manager (STMM)?

- A. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.
2) Set the relevant configuration parameters within the database configuration file to AUTOMATIC.
3) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.
- B. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.
2) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.
- C. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.

Answer: A

8. If the ADD DBPARTITIONNUM command is used to add a new database partition to an existing DB2 instance, which statement is correct?

- A. All existing databases in the instance are expanded to the new database partition but data cannot be stored on the new partition until it has been added to a partition group.
- B. Database partition groups within existing databases will automatically include the new database partition and will redistribute their existing data to the new partition.
- C. Any single partition databases within the instance will automatically become multi-partition databases once the new partition is added to the instance.
- D. A database administrator would need to modify the db2nodes.cfg file to complete the addition of the new partition to the instance.

Answer: A

9. A database administrator needs to create a table with key columns C1 (i.e. YearDay), C2, and C3. This table needs to be partitioned by column C1 with three months per data partition. Additionally, data needs to be organized by columns C2 and C3, so that all rows within any three month date range are clustered together based on 12 months of data. Which CREATE TABLE statement will accomplish this objective?

A. CREATE TABLE tab1

```
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))
```

```
PARTITION BY RANGE (c2) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c2, c3))
```

B. CREATE TABLE tab1

```
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))
```

```
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c2, c3))
```

C. CREATE TABLE tab1

```
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))
```

```
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c2))
```

D. CREATE TABLE tab1

```
(c1 INT,  
c2 CHAR(2),  
c3 INT,  
c4 CHAR(2))
```

```
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)  
ORGANIZE BY DIMENSIONS (c3))
```

Answer: B

10. Given a SHEAPTHRES value of 2560, in which two cases will a SHEAPTHRES_SHR value of 1024 be meaningful? (Choose two.)

A. INTRA_PARALLEL NO

B. MAX_CONNECTIONS 2000, MAX_COORDAGENTS 100

C. MAX_AGENTS 100, MAX_CONNECTIONS 2000

D. MAX_CONNECTIONS 500, MAX_COORDAGENTS 1000

E. INTRA_PARALLEL YES

Answer: BE

11. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1, C2 and C3 together, which statement(s) will create index(es) that will provide optimal query performance?

A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);

```
CREATE INDEX xtab2 ON tab1 (c2) INCLUDE (c3);
```

B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2, c3);

C. CREATE UNIQUE INDEX xtab1 ON tab1 (c3, c2, c1);

D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1, c3);

Answer: B

12. A database administrator needs to update a table named TRANSACT by removing February 2005 data and replacing it with February 2007 data. What are the proper steps, in the correct order, required to accomplish this?

A. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable

2) LOAD FROM transact.del OF DEL REPLACE INTO newtable

3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table

4) SET INTEGRITY FOR transact

B. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable

- 2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
- 3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '01/01/2007' ENDING '02/28/2007' FROM new table
- 4) SET INTEGRITY FOR transact
- C. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
- 2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
- 3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
- 4) RUNSTATS ON TABLE transact
- D. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
- 2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
- 3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
- 4) REORG TABLE transact

Answer: A

13. When is the connection concentrator enabled?

- A. When the value of MAX_CONNECTIONS is greater than the value of MAX_COORDAGENTS.
- B. When the value of MAX_AGENTS is greater than the value of MAX_CLIENTS.
- C. When the value of NUM_AGENTS is greater than the value of MAX_AGENTS.
- D. When the value of NUM_CONNECTIONS is greater than the value of NUM_COORDAGENTS.

Answer: A

14. A database administrator wants to design a multi-partition database that can take advantage of both intra-partition parallelism and inter-partition parallelism. Which configuration will allow the use of these types of parallelism while using the least number of hardware components (servers, processors)?

- A. one server having at least two processors
- B. two servers having one processor and one logical database partition
- C. one server having four processors and two logical database partitions
- D. two servers each having four processors and two logical database partitions

Answer: C

15. Which server houses the database partitions in the AIX BCU V2.1?

- A. IBM System p5 570
- B. IBM System p5 575
- C. IBM System p5 590
- D. IBM System p5 595

Answer: B

16. A batch application executes a large number of update statements. The service level agreement for the application states that the application must complete its work as quickly as possible to ensure that dependent workloads can start on time. What is one way to help the application complete quickly?

- A. Code the application to issue a LOCK TABLE statement.
- B. Code the application to issue a LOCK ROW statement.
- C. Decrease the number of I/O servers.
- D. Increase the locklist parameter.

Answer: A

17. Which registry variable should be set to keep the buffer pools in memory on AIX and Linux?

- A. DB2_KEEP_BP
- B. DB2_PINNED_BP
- C. DB2MEMDISCLAIM
- D. DB2MEMMAXFREE

Answer: B

18. In which two environments would intra-partition parallelism be used? (Choose two.)

- A. Single database partition, single processor
- B. Single database partition, multiple processors
- C. Multiple database partitions, single processor
- D. Multiple database partitions, multiple processors

Answer: BD

19. Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.

- B. Set the table COMPRESS attribute to NO; run REORG against the table.
- C. Set the table COMPRESS attribute to NO; run INSPECTRESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO; run RUNSTATS against the table.

Answer: B

20. Which data organization schemes are supported?

- A. PARTITION BY HASH and ORGANIZE BY
- B. PARTITION BY RANGE and ORGANIZE BY KEY SEQUENCE
- C. PARTITION BY HASH and ORGANIZE BY KEY SEQUENCE
- D. PARTITION BY RANGE and ORGANIZE BY

Answer: D

More [000-734 Braindumps](#) Information

Related 000-734 Exams

000-331	000-253	000-903	000-926	000-351
000-647	000-833	000-443	000-807	000-806
000-631	000-918	000-284	000-649	000-798
000-971	000-637	000-664	000-484	000-635

Other IBM Exams

000-084	000-528	000-351	000-296	000-713
000-926	000-015	000-M22	LOT-720	000-716
000-885	000-750	000-924	000-648	000-427
LOT-702	000-017	000-426	000-892	000-418