



IBM 000-779

Exam Name: *ibm tivoli workload scheduler v8.2 exam*

Q & A : 130 Q&As

Pdf Demo

Quality and Value for the 000-779 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-779 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-779 Exam

If you do not pass the IBM certifications I 000-779 exam on your first attempt using our Just4Exams **000-779 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-779 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-779 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-779

Title : IBM Tivoli Workload Scheduler V8.2 Exam

1. Which action should be taken when receiving the error "Unable to get exclusive access to Symphony" from stageman?

- A. Delete Symphony
- B. Issue a conman "stop;wait"
- C. Increase the parms for mailman in NetConf
- D. Rerun stageman with a -carryforward all flag

Answer: B

2. Which logon ID value should be used for LJuser?

- A. twsuser ID

- B. r3 username
- C. job's streamlogon
- D. root/Administrator

Answer: A

3. Which two IBM Tivoli Workload Scheduler processes run on Windows systems but not UNIX systems? (Choose two.)

- A. netman
- B. JOBMAN
- C. batchup
- D. batchman
- E. tokensrv

Answer: CE

4. Which option in the localopts file specifies the TCP port that IBM Tivoli Workload Scheduler listens on?

- A. nm port
- B. bm port
- C. tcp port
- D. nm ipvalidate

Answer: A

5. You are planning an IBM Tivoli Workload Scheduler environment. Where should you install the connector software?

- A. on any FTA behind a firewall
- B. on any endpoint with JSC 1.3 installed
- C. on any X-agent system with 1 GB of memory
- D. on any managed node or TMR server where the IBM Tivoli Workload Scheduler MDM is installed

Answer: D

6. What steps should you use to install an SAP R/3 X-Agent?

- A. create a host IBM Tivoli Workload Scheduler definition, create the X-Agent definition, and run ISMP to install the SAP R/3 Access method.
- B. create the X-Agent definition, create a host IBM Tivoli Workload Scheduler definition, and select the Access SAP R/3 check box on the host IBM Tivoli Workload Scheduler definition.
- C. create the X-Agent definition, create a host IBM Tivoli Workload Scheduler definition, and edit the existing r3batch.opts file in the mozart directory.
- D. create a host IBM Tivoli Workload Scheduler definition, edit the host IBM Tivoli Workload Scheduler definition with the X-Agent flag, and edit the existing r3batch.opts file in the /usr/unison directory.

Answer: A

7. Which is required to switch to a backup MDM for a short-term period?

- A. The backup MDM is a Full Status FTA.
- B. The MDM's databases exist on the backup MDM.
- C. The Final job stream has been scheduled to run on the MDM.
- D. The backup MDM runs on the same operating system as the MDM.

Answer: A

8. Which two features should you use, given a default IBM Tivoli Workload Scheduler installation and a job requiring a launch window extending from 2 p.m. today until 3 p.m. tomorrow? (Choose two.)

- A. time zone
- B. day offset
- C. carryforward
- D. custom run cycle
- E. multiple job streams with external dependencies

Answer: BC

9. Framework must validate user access for which IBM Tivoli Workload Scheduler component?

- A. JSC 1.3
- B. JSS
- C. oserv process
- D. batchman process

Answer: A

10. Which event causes this error from wmaeutil?

wmaeutil.exe - Unable to Locate DLL

The dynamic link library libtas.dll could not be found in the specified

path c:\win32appmaestrobin;.;C:\WINNTSystem32;C:\WINNTsystem;C:\WINNT;C:\TeamCnlsmsgENU;C:\TeamCdll;
c:\TeamCbin;C:\WINNTSYSTEM32;C:\WINNT;C:\MWW32BIN;C:\MWW32MODEM;C:

Personal Communications;c:\CMVCEXE;c:\win32appmaestro;c:
win32appmaestrobin.

- A. The user does not have a jobmanrc.cmd.
- B. The TWSCconnector was not installed properly.
- C. The Tivoli environment script setup_env.cmd is not sourced.
- D. There are multiple IBM Tivoli Workload Scheduler installations on this host, and the wrong wmaeutil was called.

Answer: C

11. Which two scheduling objects will allow for tighter IBM Tivoli Workload Scheduler security control in the database and improved filtering in the JSC 1.3 by adopting a naming convention? (Choose two.)

- A. Jobs
- B. Files
- C. Users
- D. Calendars
- E. Job Streams

Answer: AE

12. Which file contains home directory and version information for IBM Tivoli Workload Scheduler 8.2 installations in UNIX?

- A. /usr/bin/components
- B. /etc/Tivoli/tws_inst
- C. /etc/TWS/TWSRegistry.dat
- D. <TWShome>/mozart
- E. <TWShome>/localopts

Answer: C

13. A user has logged on to the IBM Tivoli Workload Scheduler MDM using the JSC 1.3 to update a job. The user receives a message, ODIFY on JOB access not granted?

What is the cause for this error?

- A. lack of appropriate permissions in the Security file
- B. lack of appropriate permissions in the Framework
- C. lack of permissions in the /etc/passwd file
- D. ITWS netman process is down

Answer: A

14. A job has a valid return code of 5, 8, or 1 Which return code expression is valid?

- A. (RC = 5) AND (RC = 8) AND (RC = 13)
- B. (RC > 5 AND RC < 13)
- C. (RC = 5) OR (RC > 8 AND RC <= 13)
- D. (RC = 5) OR (RC = 8) OR (RC = 13)

Answer: D

15. How should an IBM Tivoli Workload Scheduler administrator alert operators when a job is running too long?

- A. write a custom script to monitor job runtime
- B. set the Termination Deadline
- C. set the Latest Start Time (UNTIL)
- D. set the Start time

Answer: B

16. How will IBM Tivoli Workload Scheduler handle a carryforward job stream dependent on a non-carryforward job that has not executed by Jnextday run time?

- A. The job is considered as abended.
- B. The dependency is considered as resolved.
- C. The predecessor job will be carryforwarded.
- D. A prompt will be generated for the dependency.

Answer: D

17. In which circumstance should you manually create the IBM Tivoli Workload Scheduler user prior to running the installation?

- A. if installing under the local user on Windows
- B. if installing on a PDC/BDC under a Tivoli ID
- C. if installing under a Windows Domain user, or on any UNIX platform
- D. if installing under a Windows workstation administrator

Answer: C

18. Which command installs IBM Tivoli Workload Scheduler engine patches on Windows?

- A. setup.exe
- B. install_patch
- C. <patchname>.exe
- D. install_patch <patchname>

Answer: A

19. Which three IBM Tivoli Workload Scheduler programs run during Jnextday? (Choose three.)

- A. stopcpu
- B. startcpu
- C. compiler
- D. schedulr
- E. composer
- F. stageman

Answer: CDF

20. Which two conditions will cause a job to enter a FAIL state upon execution? (Choose two.)

- A. The job script returns a non zero exit code.
- B. The script file specified as the job task does not exist.
- C. The .jobmanrc file for the job's logon is not executable.
- D. The logon ID specified in the job definition does not exist.
- E. Execute permission is not granted for the job's logon ID in the IBM Tivoli Workload Scheduler Security file.

Answer: BD

More [000-779 Braindumps](#) Information

Related 000-779 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-646	000-292	000-441	000-435	000-379
000-375	000-908	000-874	000-139	COG-180
000-351	000-M70	000-161	000-920	000-081
000-M10	000-086	000-730	000-378	000-428