



## **IBM 000-857**

**Exam Name:** *iseries windows integration technical solutions v5r3*

**Q & A :** 76 Q&As

**Pdf Demo**

### **Quality and Value for the 000-857 Exam**

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-857 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 000-857 Exam**

If you do not pass the IBM certifications I 000-857 exam on your first attempt using our Just4Exams **000-857 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 000-857 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 000-857 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : IBM 000-857

Title : Iseries Windows Integration Technical Solutions v5r3

1. A customer used the INSWNTSVR command with the Terminal Services parameter \*TSENABLE to allow for off-site monitoring of their server. Four months later the customer can no longer make a Terminal Services connection. What action should be taken to restore the Terminal Services connection?

- A. End and restart Terminal Services on the server.
- B. Reinstall the Terminal Services client on the PC.
- C. Shut down and restart the Integrated Windows Server.
- D. Change the Terminal Services mode to Remote Administration mode.

Answer: D

2. An i825 upgrade to add a 2892-002 (2.0 GHz) IXS with two FC #5701 (1Gb LAN) adapters is being planned. How many PCI slots are required for the IXS and LAN adapters?

- A. 2
- B. 3
- C. 4
- D. 5

Answer: C

3. A customer has a CD with Windows 2000 Service Pack 3 and wants to load it onto their IXS servers. When using Windows Explorer, the CD drive is not shown. Which of the following is the most likely cause of the problem?

- A. The iSeries optical drive is on a shared bus.
- B. The virtual point-to-point interface is not active.
- C. The Windows Computer Browser service is not started.
- D. The iSeries optical drive was not locked using the Windows Integration snap-in.

Answer: D

4. A customer with an i820 wants to replace an existing Migration Tower with a FC #5094 tower and is adding an IXA to the configuration. The customer has specified the IXA will be powered on/off during the week due to processing requirements. What HSL cables will be needed to accomplish this configuration?

- A. 1 HSL cable and 2 HSL-2 to HSL cables
- B. 1 HSL cable, 1 HSL-2 cable, and 1 HSL-2 to HSL cable
- C. 3 HSL cables
- D. 3 HSL-2 cables

Answer: A

5. A customer wants to connect an existing xSeries server to a model i830 server with an IXA adapter. The xSeries server is installed in a rack 60 feet from the i830 server. What is required to configure the xSeries on its own HSL loop?

- A. Order two 25 meter copper HSL cables.
- B. Order two 30 meter optical RIO-G cables.
- C. Order two 15 meter copper HSL2 cables and move the xSeries server closer to the i830 server.
- D. Order two 15 meter copper HSL cables and move the xSeries server closer to the i830 server.

Answer: D

6. A web server needs to be created in a Microsoft cluster and should have all web content stored on a storage space for the clustered web server. Which of the following describes how the storage spaces should be configured?

- A. Each server node will utilize a shared storage space for the quorum resource and a shared storage space for web server content.
- B. Each server node needs to have a dedicated quorum resource disk but will utilize a shared storage space for web server content.
- C. Each server node needs to have a dedicated quorum resource disk and a dedicated web server disk.
- D. Each server node will utilize a shared storage space for web server content, but only the cluster master will have the quorum disk linked.

Answer: A

7. An iSeries administrator has set up user enrollment of the iSeries users into the Windows domain. The users are not being enrolled in the Windows domain. Which of the following is the most likely cause of the problem?

- A. The QAS400NT user profile is not enrolled in the system directory.
- B. The QAS400NT user profile does not have \*SECADM special authority.
- C. The QAS400NT account is not a member of the Windows Domain Admin group.
- D. The QAS400NT account is not a member of the AS400\_Permanent\_Users group.

Answer: C

8. A customer with an i810 server has an IXS installed. The Windows administrator needs to be notified of errors. Which of the following can provide this functionality?

- A. Create an iSeries NetServer file share against the Windows event logs.
- B. Write an program to monitor the errors in the /QIBM/ProdData/NTAP/logs directory.
- C. Set up an iSeries Navigator Management Central monitor for the Windows event logs.
- D. Configure the Windows event log to be mirrored to an iSeries message queue and monitor this queue.

Answer: D

9. A customer is migrating an existing Microsoft Windows 2000 server to an IXS. The existing system has a single 60GB hard drive that is 50% used for user data. When the IXS is installed, the customer would like to allow for 120GB of disk user data. How much iSeries disk space will be required for this drive in the IXS installation?

- A. 30GB
- B. 60GB
- C. 90GB
- D. 120GB

Answer: D

10. A customer with a new i825 and an xSeries 445 with an IXA wants to start loading the Microsoft Windows Server 2003 operating system. Which of the following LPPs are required to be installed on the iSeries to do this?

- A. 5722-TC1 \*BASE TCP/IP Connectivity Utilities
- B. 5722-AC3 Cryptographic Access Provider
- C. 5722-XE1 iSeries Access for Windows
- D. 5722-DG1 HTTP Server for iSeries

Answer: A

11. An IXA-attached xSeries with two LAN cards is configured on two different networks. Client workstations from one network lose connection to the xSeries, and the network administrator suspects the xSeries hardware. How can it be determined whether the xSeries hardware is functioning properly?

- A. Check the light path diagnostic LED's on the xSeries server.
- B. Use the iSeries work problem menus to run diagnostics over the hardware path.
- C. Look in the QVNAVARY job log for error messages relating to the \*NWSD hardware.
- D. Use Hardware Service Manager in Service Tools to determine if the xSeries Ethernet adapter is operational.

Answer: A

12. Domain user enrollment using iSeries Navigator is failing but had been working previously. Which of the following is the most likely cause of the problem?

- A. The QVNAVARY job on the iSeries is not active.
- B. The NetServer guest user profile has been disabled.
- C. The User Administration service on Windows is not active.
- D. The QAS400NT user profile is not enrolled to the local server.

Answer: C

13. An iSeries customer with IXS cards installed in systems at three remote locations has just completed installation of the current Cumulative fix package. A Windows integration code Service Pack is included in this package. Which of the following methods will allow the administrator to install the Windows integration code Service Pack on the remote IXS servers in the least amount of time?

- A. On each system use  
'GO PTF option 8'  
to apply the appropriate PTFs to product 5722WSV
- B. Contact each site and have the local administrator run  
'Start/Programs/IBM iSeries/Integration  
for Windows servers'
- C. Use the Management Central task scheduler to submit a remote command  
'D:AS400NTMASTERSETUP.EXE'  
to each of the IXS servers
- D. Using iSeries Navigator open  
'Network/Windows Administration/Integrated xSeries Servers'  
and select  
'Server Integration Software/Install Latest Service Pack'  
for each of the systems with IXS installed

Answer: D

14. A customer has found an Intel Linux application that they would like to implement. How can this application be integrated with their iSeries and IXA environment?

- A. Use the INSLNXSVR command to install Linux on their IXA and xSeries server.
- B. Create an iSeries guest partition and \*GUEST NWSD for a Linux installation on the iSeries.
- C. Install Windows 2000 and the VMware GSX version to support a Linux partition under the Windows 2000 host operating system.
- D. Install Windows 2000 and install the LINE (Linux Emulator) application to allow Linux programs to run within their Windows 2000 server.

Answer: A

15. A customer has an i810 with one attached I/O tower. They want to add an IXA-attached x236 server to their existing HSL/SPCN configuration. In addition to the IXA card, what hardware will they need to order?

- A. 1 HSL cable and 1 SPCN cable

- B. 1 HSL cable, 1 SPCN cable, and an RSA card
  - C. 2 HSL cables and 2 SPCN cables
  - D. 2 HSL cables, 2 SPCN cables, and an RSA card
- Answer: B

More [000-857 Braindumps](#) Information

**Related 000-857 Exams**

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

**Other IBM Exams**

000-710	000-373	005-002	000-287	000-974
000-643	000-016	000-669	000-715	000-296
000-636	000-647	000-256	000-018	000-139
000-232	000-938	000-M37	000-083	000-872