



IBM 000-891

Exam Name: IBM Tivoli Federated Identity Manager V6.1

Q & A : 140 Q&As

Pdf Demo

Quality and Value for the 000-891 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-891 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-891 Exam

If you do not pass the IBM certifications I 000-891 exam on your first attempt using our Just4Exams **000-891 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-891 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-891 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-891

Title : IBM Tivoli Federated Identity Manager V6.1

1. RBTelco is a large multinational company that outsources health care benefit management to RBBenefits. RBTelco employees access RBBenefits resources through an authenticate-able account at each company. RBBenefit and RBTelco will use SAML V1.0.

Which IBM Tivoli Access Manager for e-business (ITAMeb) and IBM Tivoli Federated Identity Manager (ITFIM) components are required to be installed at RBTelco?

- A. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console
- B. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb WebSEAL Server, ITFIM Runtime and Management Services, ITFIM Management Console, WebSEAL Application Developer Kit
- C. TAMeb Runtime, TAMeb Policy Server, TAMeb Authorization Server, TAMeb Java Runtime Environment, TAMeb WebSEAL Server,

ITFIM Runtime and Management Services, ITFIM Management Console, WebSEAL Application Developer Kit
D. TAMEb Runtime, TAMEb Policy Server, TAMEb Authorization Server, TAMEb Java Runtime Environment, TAMEb WebSEAL Server,
ITFIM Runtime and Management Services, ITFIM Management Console, ITFIM Demonstration Scenarios, WebSEAL Application Developer
Kit

Answer: A

2. Which XSL if statement checks for the existence of a homepage attribute within an STS Universal User XML structure?

- A. <xsl:if test="//stsuuser:AttributeList/stsuuser:Attribute[attr='homepage']">
- B. <xsl:if test="//stsuuser:AttributeList/stsuuser:Attribute[@name='homepage']">
- C. <xsl:if-exists="//stsuuser:AttributeList/stsuuser:Attribute/custom:Homepage">
- D. <xsl:if-exists="//stsuuser:AttributeList/stsuuser:Attribute[@name='homepage']">

Answer: B

3. Which security token may carry user attribute information as part of the defined token format?

- A. Kerberos
- B. RACF Token
- C. SAML Assertion
- D. Username Token

Answer: C

4. Which two software components are prerequisite products for the Common Audit and Reporting Service (CARS) event server? (Choose two.)

- A. IBM DB2 Server
- B. Crystal Enterprise Server
- C. IBM Tivoli Directory Server
- D. IBM WebSphere Application Server
- E. IBM Tivoli Access Manager Authorization Server

Answer: AD

5. What is the default message level configured for IBM Tivoli Federated Identity Manager?

- A. error messages only
- B. disable all messages
- C. error and warning messages only
- D. info, error and warning messages

Answer: D

6. When recovering from a disaster, the backup and restore operation you use is similar to the export/import configuration procedure, with one additional step. Which additional step must you take when recovering from a disaster?

- A. A new WebSphere profile is required to restore the configuration.
- B. The restored system requires the IBM Tivoli Access Manager for e-business (TAMEb) JRTE to be manually configured against the WebSphere's Java Runtime to allow the IBM Tivoli Federated Identity Manager (ITFIM) Runtime to function properly.
- C. The ITFIM Domain needs to be created manually within the Integrated Solution Console.
- D. The ITFIM Runtime instance needs to be re-registered with the TAMEb policy server by running the SvrSslCfg command.

Answer: C

7. What are two functions of a custom mapping module? (Choose two.)

- A. records the token assertion
- B. maps a STSUUSER input to a SAML token
- C. looks up attributes in an external data source
- D. maps a user's alias during the account linkage operation in SAML 2.0 and Liberty 1.2 protocol
- E. maps a GUI XML attributes into UI controls that are used by the IBM Tivoli Federated Identity Manager Console to collect the input data

Answer: AC

8. Click the Exhibit button.

You want to use TCPMON between the two WS-Provisioning Service instances.

How do you configure the endpoint of the partner WS-Provisioning service (i.e., the destination of step 3) so that TCPMON can be used?

- A. modify the ITFIMClientIDL.properties file
- B. modify the ITFIMClientScript.constants file
- C. use the IBM Tivoli Federated Identity Manager Console to modify a custom runtime parameter
- D. use the WebSphere Application Server Administration Console to modify the WS-Provisioning application properties

Answer: C

9. Which two tasks are required to install Service Integration Bus Web Services? (Choose two.)

- A. install the Resource Adapter
- B. configure SOAP listener port
- C. deploy the Service Integration Bus application
- D. install the Service Data Objects (SDO) Repository
- E. create a new WebSphere Application Server profile

Answer: AD

10. Which statement is true about a Dynamic Chain Selection Module instance?

- A. It is the first module in the partner module chain in Web Services Security Management (WSSM).
- B. It is the last module in the partner module chain in WSSM.
- C. It is the first module in the application module chain for partner.
- D. It is the last module in the application module chain for the partner.

Answer: B

11. When designing a system to use WS-Federation, which browser Single Sign-On (SSO) method should be used?

- A. Browser GET
- B. Browser POST
- C. Browser Artifact
- D. Browser Response

Answer: B

12. What must be done after adding a partner to a Federated-Single Sign-On (F-SSO) Federation to allow the partner's users to Single Sign-On (SSO)?

- A. restart WebSEAL
- B. enable the Partner
- C. stop/restart IBM Tivoli Directory Server
- D. restart Integrated Solutions Console (ISC)

Answer: B

13. The configuration of a Web Services Security management (WSSM) Partner allows for the specification of XSL mapping rules. What is the input and output of these XSL mapping rules?

- A. The input to the XSL mapping rules of a WSSM Partner is the binary security token as received on the Web Service request. The output of the mapping rules is a new security token ready for use by the Web Service application.
- B. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is an arbitrary collection of attributes that will be made available to the Web Services application.
- C. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is a new STSUniversalUser XML document that represents the security token required by the application.
- D. The input to the XSL mapping rules of a WSSM Partner is an STSUniversalUser XML document created from the security token received on the Web Service request. The output of the mapping rules is an IBM Tivoli Access Manager for e-business credential that will be used to authorize the partner's access to the Web Service application.

Answer: C

14. Click the Exhibit button.

When planning for secure communications between a partner and the Point of Contact, at what level is the SSL connection defined?

- A. each individual partner within a single federation
- B. all federations configured for an instance of IBM Tivoli Federated Identity Manager (ITFIM)
- C. each individual federation within an instance of ITFIM
- D. all federation functionality fronted by a single instance of IBM Tivoli Access Manager for e-business WebSEAL

Answer: C

15. Click the Exhibit button.

If an invalid username and password is entered on the EchoClient, which log files will be the first to record this (assuming all components have necessary logging and tracing enabled)?

- A. the PDACLD authentication audit log
- B. the EchoClient log during token generation
- C. IBM Tivoli Federated Identity Manager (ITFIM) tracing on AppSr01 during token validation
- D. ITFIM tracing on AppSr03 during an attempted JAAS login

Answer: A

16. You have successfully configured EchoClient and EchoApplication secured by Web Services Security Management (WSSM). You want to test that authorization is correctly being performed on the request. Which technique would allow you to do this?

- A. stop all running instances of PDAACL
- B. log in to the EchoClient as a different IBM Tivoli Access Manager for e-business (TAMeb) user
- C. change the TAMeb ACL policy applying to the Web Services namespace
- D. update the authorization module configuration in the Trust Service using the IBM Tivoli Federated Identity Manager Console

Answer: C

17. What is the default trace file (for Linux) that is used for the initial debugging of IBM Tivoli Federated Identity Manager Runtime?

- A. /opt/IBM/FIM/logs/< ITFIM Domain Name>/tivoli-common/FBT/logs/msg.log
- B. /opt/IBM/FIM/logs/< ITFIM Domain Name>/tivoli-common/FBT/logs/trace.log
- C. /opt/IBM/WebSphere/AppServer/profiles/<servername>/logs/<profile>/trace.log
- D. /opt/IBM/WebSphere/AppServer/profiles/<servername>/logs/<profile>/SystemOut.log

Answer: B

18. What limitations exist for a SAML Partner Provider ID configured at the Identity Provider?

- A. The Provider ID can be any string.
- B. The Provider ID can only include alphanumeric characters.
- C. The Provider ID must match the prefix of Target URLs in SSO requests.
- D. The Provider ID must match the Succinct ID configured at the Service Provider.

Answer: C

19. Which utility is used to configure the WebSEAL Server once the files are installed?

- A. pdadmin
- B. pdconfig
- C. web_config
- D. config_web

Answer: B

20. What are three functions of a WebSphere Node Agent? (Choose three.)

- A. monitors performance
- B. manages JVM memory
- C. serves J2EE applications
- D. manages the deployment manager
- E. manages configuration synchronization
- F. routes administrative requests to servers

Answer: AEF

More [000-891 Braindumps](#) Information

Related 000-891 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-568	000-209	000-833	000-892	000-734
000-920	000-868	000-710	000-574	000-594
000-961	LOT-983	LOT-802	000-529	000-M12
LOT-982	000-288	000-938	000-M49	000-018