



IBM 000-910

Exam Name: *managing and optimizing informix dynamic server databases*

Q & A : 140 Q&As

Pdf Demo

Quality and Value for the 000-910 Exam

[Just4Exams Practice Exams](#) for IBM Solutions Expert 000-910 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-910 Exam

If you do not pass the Solutions Expert 000-910 exam on your first attempt using our Just4Exams **000-910 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-910 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Solutions Expert certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-910 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-910

Title : Managing and Optimizing Informix Dynamic Server Databases

1. Which two happen when the ALTER FRAGMENT statement is run?
 - A. Transaction logging, if present, is suspended.
 - B. The table is locked until the statement is completed.
 - C. The database is locked until the statement is completed.
 - D. For databases with logging, the statement executes as a single transaction.

Answer: BD

2. Which statement correctly changes the next extent size?

A. ALTER TABLE customer MODIFY NEXT SIZE 300

- B. ALTER TABLE customer MODIFY NEXT EXTENT SIZE 300
- C. ALTER TABLE customer MODIFY EXTENT SIZE 300
- D. ALTER TABLE customer NEXT SIZE 300

Answer: A

3. Given that the SQL statement SET LOCK MODE TO WAIT has not been executed, if a statement attempts to alter a row that another process has locked, what happens?

- A. The lock is released.
- B. An error is returned.
- C. The row is immediately updated.
- D. The row is updated after the lock is removed.

Answer: B

4. What is database administration NOT concerned with?

- A. indexing
- B. creating tables
- C. accessing data
- D. application building

Answer: D

5. Which statement fragments a table as round robin?

- A. FRAGMENT AS ROUND ROBIN IN dbspace1, dbspace2.
- B. FRAGMENT TABLE BY ROUND ROBIN IN dbspace1, dbspace2.
- C. FRAGMENT BY ROUND ROBIN IN dbspace1, dbspace2.
- D. FRAGMENT BY ROUND ROBIN

Answer: C

6. What are four valid logical and relational operators that can be used with expression-based distribution?

- A. AND
- B. IN
- C. <
- D. >=
- E. !=
- F. MATCHES

Answer: ABCD

7. Where are table spaces (tblspaces) created?

- A. in dbspaces
- B. in pages
- C. in extents
- D. in chunks

Answer: A

8. Disk space for a table is allocated in one or more units called what?

- A. tblspaces
- B. extents
- C. blobs
- D. chunks

Answer: B

9. Which two types of fragmentation are allowed in a CREATE TABLE statement?

- A. disk striping
- B. dbspace
- C. indexing
- D. round robin
- E. mirroring
- F. tblspace
- G. sorting
- H. expression

Answer: DH

10. Which three can be locked?

- A. a row
- B. a page
- C. a column
- D. a key
- E. shared memory

Answer: ABD

11. Which fragments an index by expression?

- A. `FRAGMENT BY EXPRESSION col_1`
- B. `FRAGMENT BY EXPRESSION col_2 > = 10000 IN dbspace1`
`AND col_2 < 10000 IN dbspace2`
- C. `FRAGMENT BY EXPRESSION col_1 < 10000`
`AND col_2 IN dbspace2`
- D. `FRAGMENT BY EXPRESSION col < 20000 IN dbspace1, col >= 20000 IN dbspace2`

Answer: D

12. What are three advantages of fragmentation?

- A. higher availability.
- B. reduced disk space requirements.
- C. parallel scans are possible with PDQ.
- D. finer granularity of archives and resources.

Answer: ACD

13. With database logging, where are transaction records first placed?

- A. in a temporary database table.
- B. in the logical log buffer.
- C. in the primary chunk
- D. in the physical buffer.

Answer: B

14. What does the ATTACH clause in the ALTER FRAGMENT statement do?

- A. It adds extents to a table.
- B. It attaches a raw data file to a table.
- C. It combines two unfragmented tables.
- D. It combines two fragmented tables.

Answer: C

15. Which isolation level does a database without logging default to?

- A. committed read
- B. dirty read
- C. mode ANSI
- D. repeatable read

Answer: B

16. Why is a hash function advantageous in an expression-based distribution?

- A. Because it creates an even distribution of data.
- B. Because it creates an uneven distribution of data.
- C. Because it does not do expression testing.
- D. Because it places all data in one dbspace.

Answer: AB

17. Where is fragment information stored?

- A. in the system catalog tables.
- B. in the physical logs.
- C. in the reserved pages.
- D. in the first page of the database tblspace.

Answer: A

18. What is the system catalog?

- A. A catalogued set of index criteria.

- B. A set of tables created by the administrator
- C. A set of tables that manage the operating system
- D. A set of tables that describe the structure of the database.

Answer: A

19. In which two situations would you use a round robin fragmentation strategy?

- A. When all fragments must be scanned.
- B. To create uneven data distributions.
- C. When queries perform sequential scans and you have little information about the data being stored.
- D. When tables are accessed with a high degree of selectivity.

Answer: AC

20. What is a chunk when using raw devices?

- A. a contiguous unit of disk space.
- B. a dynamic unit of disk space.
- C. a location in shared memory
- D. a data table.

Answer: A

More [000-910 Braindumps](#) Information

Related 000-910 Exams

000-512 000-910 000-915

Other IBM Exams

000-513	000-996	COG-132	000-710	000-773
000-M16	000-749	000-011	000-964	000-928
000-010	000-702	000-R01	000-435	000-004
000-M05	000-084	LOT-832	000-M11	000-365