



IBM 000-918

Exam Name: System Administration for IBM Informix Dynamic Server V11

Q & A : 282 Q&As

Pdf Demo

Quality and Value for the 000-918 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications II 000-918 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-918 Exam

If you do not pass the IBM certifications II 000-918 exam on your first attempt using our Just4Exams **000-918 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-918 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-918 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-918

Title : System Administration for IBM Informix Dynamic Server V11

1. Given the following message log information:

15:56:29 Physical Recovery Started at Page (1:1210).

15:56:29 Physical Recovery Complete: 147 Pages Examined, 10 Pages Restored.

15:56:29 Logical Recovery Started.

15:56:29 10 recovery worker threads will be started.

15:56:32 Logical Recovery has reached the transaction cleanup phase.

15:56:32 Logical Recovery Complete.

5 Committed, 2 Rolled Back, 0 Open, 0 Bad Locks

What would be the reason for the difference in 'Pages Examined' and 'Pages Restored' during physical recovery?

- A. The database server might physically log a page image multiple times between checkpoints.
- B. The physical recovery restores only the first logged page image.
- C. It is an expected behavior.
- D. The physical log size is too large.

Answer: A

2. What will the setting "SQLTRACE level=LOW,ntraces=2000,size=2,mode=global" within the Informix onconfig file record?

- A. statement statistics, statement text, and list of table names
- B. statement text, host variables, and statement iterators
- C. statement statistics, statement text, and statement iterators
- D. statement text, statement iterators, and database name

Answer: C

3. An IDS server has its LRU_MIN_DIRTY set to 1 and its LRU_MAX_DIRTY set to 2. Occasionally the checkpoint blocks user transactions from doing updates to the database for too long. How should the database administrator correct this situation?

- A. Set onconfig parameter AUTO_CKPT to 1 and follow any advice in online.log.
- B. Increase the number of page cleaners (i.e. flushers).
- C. Increase the buffer pool size.
- D. Set the onconfig parameter RTO_SERVER_RESTART to "on".

Answer: A

4. You are receiving an error when trying to drop a chunk that you think is empty. Which command will show you if any object is still allocating part of the chunk?

- A. oncheck -pe
- B. onstat -d
- C. oncheck -cD
- D. oncheck -cc

Answer: A

5. Both standard and temporary dbspaces are listed in the DBSPACETEMP configuration parameter or environment variable. Which rule applies?

- A. Sort, backup, implicit, and non-logging explicit temporary tables are created in temporary dbspaces if adequate space exists.
- B. Backup, implicit, and non-logging explicit temporary tables are created in temporary dbspaces if adequate space exists. Sort temporary tables are specified by the PSORT_DBTEMP environment variable.
- C. Sort, backup, implicit, and non-logging explicit temporary tables are created in all available dbspaces if adequate space exists.
- D. Explicit temporary tables created without the WITH NO LOG option are created in the root dbspace.

Answer: A

6. Which two protocols are used on a Linux platform for IPC connections? (Choose two.)

- A. fast fiber
- B. shared memory
- C. stream pipe
- D. named pipe
- E. local loopback

Answer: BC

7. Which type of backup and restore (BAR) utility would be suited for restoring a single table from a level 0 backup to a specific point in time?

- A. onbar
- B. ontape
- C. archecker
- D. onarchive

Answer: C

8. When determining the physical log size, what should you consider?

- A. RTO_SERVER_RESTART configuration parameter
- B. DYNAMIC_LOGS configuration parameter
- C. PHYSBUFF configuration parameter
- D. LOGFILES configuration parameter

Answer: A

9. A database administrator uses the following onconfig parameters:

```
TAPEDEV = /foo/resdev
```

How will this affect ontape backup?

- A. ontape will use the directory /foo/resdev if it exists for storage space backup.
- B. ontape will use the definitions for TAPEBLK from the file /foo/resdev.
- C. ontape will write an informational message to the file /foo/resdev.
- D. ontape will use the definitions for TAPESIZE from the file /foo/resdev.

Answer: A

10. The table called "state" has lock mode set to row within an unbuffered logged database. The onconfig file has USELASTCOMMITTED 'COMMITTED READ' set. One user session has run the following:

```
begin work;
```

```
select * from state where code = "AK";
```

```
update state set sname = "ALASKA" where code = "AK";
```

The results from the SQL select statement run by user one was:

```
AK Alaska
```

Session two runs the following (session one is still connected):

```
set isolation to dirty read;
```

```
select * from state where code = "AK";
```

What will session two see when they run the above SQL statements?

- A. AK and Alaska
- B. AK and ALASKA
- C. Error code 244 and isam 107.
- D. The session waits until user one is finished processing.

Answer: B

11. A user wants to save SQL explain output to the file: /tmp/myexplain.out. Which syntax should be used?

- A. set explain on file to /tmp/myexplain.out
- B. set explain on file /tmp/myexplain.out
- C. set explain file /tmp/myexplain.out
- D. set explain file to /tmp/myexplain.out

Answer: D

12. An Informix database server has been configured with the following parameters:

```
BAR_MAX_BACKUP 5
```

```
BAR_NB_XPORT_COUNT 4
```

```
BAR_XFER_BUF_SIZE 10
```

How many data buffers will be created during an onbar parallel backup attempt?

- A. 50
- B. 20
- C. 40
- D. 25

Answer: B

13. You detected excessive memory usage that might be caused by a memory leak in the application. Which two commands would be useful in this scenario? (Choose two.)

- A. onstat -u
- B. onstat -g sql -r 120
- C. onstat -g ses -r 60
- D. onstat -g mgm
- E. onstat -g mem

Answer: CE

14. Click the Exhibit button.

Given the sqexplain output in the exhibit, which SQL statement will make the est_rows column accurate?

exhibit Missing

- A. update statistics high for table
- B. update statistics high for systables
- C. update statistics high for table orders
- D. update statistics high for table customer

Answer: A

15. Which memory area is used for log records for smart objects?

- A. virtual portion of shared memory
- B. logical log buffers
- C. /tmp
- D. DBSPACETEMP

Answer: B

16. Which two statements are true for an hierarchical routing topology when setting up SQLHOSTS server group? (Choose two.)

- A. Root and nonroot servers only need to maintain their leaf node server groups.
- B. Root and nonroot servers must each maintain all server groups within the enterprise.
- C. Enterprise Replication will transmit exactly the SQLHOSTS information, there is no need to maintain them.
- D. Each leaf server must have SQLHOSTS information only for itself and its parent.
- E. SQLHOSTS entries for nodes that do not directly connect are not required.

Answer: BD

17. Which command would be used to monitor disk activity per chunk?

- A. onstat -g iog
- B. onstat -d
- C. onstat -g iof
- D. onstat -F

Answer: C

18. Which two parameters influence the total size of the resident portion of shared memory? (Choose two.)

- A. RESIDENT
- B. BUFFERS
- C. LOCKS
- D. SHMBASE
- E. PHYSBUFF

Answer: CE

19. Given the following 'onstat -g arc' information:

IBM Informix Dynamic Server Version 11.10.FC1 -- On-Line -- Up 45:18:13 -- 38912 Kbytes

num DBSpace Q Size Q Len Buffer partnum size scanner

Dbspaces - Archive Status

name number level date log log-position

rootdbs 1 0 02/11/2007.22:01 43 0x5338c

1 02/14/2007.22:01 66 0x1b2e8

2 02/16/2007.22:01 75 0x1d2e8

dbs1 2 0 02/14/2007.22:01 43 0x5338c

1 02/14/2007.22:01 66 0x1b2e8

2 02/16/2007.22:01 75 0x1d2e8

On February 16, 2007, at 1:00 PM, a chunk in dbspace bs1 encountered hardware failure.

Which method will restore all of the data, to the point of failure, to a replacement disk drive?

- A. a level 0 and 2 restore followed by a logical log restore
- B. a level 0 and 1 restore only
- C. a level 0 and 1 restore followed by a logical log restore
- D. a level 0, 1, and 2 restore followed by a logical log restore

Answer: C

20. Click the Exhibit button.

exhibit Missing

In the exhibit, how does an IDS database administrator or programmer ensure that only committed data will be seen and that no locking errors will occur?

- A. Change user 1 isolation level to dirty read.
- B. Change user 2 isolation level to dirty read.
- C. Change user 1 isolation level to committed read last committed.
- D. Change user 2 isolation level to committed read last committed.

Answer: D

Related 000-918 Exams

000-331	000-253	000-903	000-926	000-351
000-647	000-833	000-443	000-807	000-806
000-631	000-918	000-284	000-649	000-798
000-971	000-637	000-664	000-484	000-635

Other IBM Exams

000-m27	000-818	000-749	000-854	000-228
000-550	000-268	000-288	000-001	000-974
000-094	000-021	LOT-980	000-855	LOT-721
000-020	COG-310	000-971	000-M02	000-017