



IBM 000-920

Exam Name: IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation

Q & A : 109 Q&As

Pdf Demo

Quality and Value for the 000-920 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications II 000-920 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-920 Exam

If you do not pass the IBM certifications II 000-920 exam on your first attempt using our Just4Exams **000-920 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-920 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-920 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-920

Title : IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation

1. What do you do to successfully install ITCAM for Response Time V6.2 agent support files?

- A.You install the support files and check the next day.
- B.You reboot the component, install the support files, configure, and restart.
- C.You stop the Tivoli Monitoring component, install the support files, and restart the component.
- D.You install the support files. The Tivoli monitoring component will be stopped in the process and you will need to restart it.

Answer: C

2. Given the following screen shot of a default ITCAM for Response Time V6.2 workspace:

How would you find this workspace in the physical Tivoli Enterprise Portal Navigator?

- A.click Applications under any Web Response Time node
- B.click any Client Response Time node in the Navigator
- C.click Dashboard under any Robotic Response Time node
- D.click Dashboard under the End User Response Time node

Answer: D

3. What is the name of the ITCAM for End User Response Time Dashboard information file for silent installation of the monitoring agent on a Linux or UNIX platform?

- A.T3V620_Silent_UNIX.txt
- B.T4V620_Silent_UNIX.txt
- C.T5V620_Silent_UNIX.txt
- D.T6V620_Silent_UNIX.txt

Answer: A

4. Which two actions must be completed to enable robotic playback of a Rational Robot scripts? (Choose two.)

- A.set DCOM Config Security permissions
- B.install the Rational Robot application on the robotic monitor host
- C.install the ITCAM for Client Response Time agent on the robotic monitor host
- D.install the ITCAM for Robotic Response Time application support files on the robotic monitor host
- E.configure the Rational Robot parameters on the ITCAM for Rational Response Time Tivoli Enterprise Monitoring Server

Answer: AB

5. How can you determine whether or not the Windows Network Monitor has been installed on a monitored system?

- A.from the CLI, run net start | grep Windows Network Monitor
- B.view the Network Connection Properties
- C.on a Windows system, run the ipconfig /all command
- D.use the netstat a command

Answer: B

6. What is the minimum disk space required for the deployment of the ITCAM for Response Time V6.2 Web Response Time agent for deployment planning purposes?

- A.256 KB
- B.512 MB
- C.1024 KB
- D.1024 MB

Answer: B

7. What is the name of the ITCAM for Client Response Time information file for silent installation of the monitoring agent on a Windows platform?

- A.T3V620_Silent.txt
- B.T4V620_Silent.txt
- C.T5V620_Silent.txt
- D.T6V620_Silent.txt

Answer: B

8. Which type of Tivoli Enterprise Monitoring Server can be selected when installing the ITCAM for End User Response Time Dashboard agent on a remote Tivoli Enterprise Monitoring Server?

- A.Tivoli Enterprise Monitoring Server Master Hub
- B.Tivoli Enterprise Monitoring Server Remote Hub
- C.Tivoli Enterprise Monitoring Server Hot Standby
- D.Tivoli Enterprise Monitoring Server Cold Standby

Answer: C

9. Which parameter must be set when installing the ITCAM for Web Response Time agent in appliance mode?

- A.KFC_OWN_NETWORK_DATA_ONLY=Y
- B.KFC_OWN_NETWORK_DATA_ONLY=N
- C.KFC_CAPTURE_OWN_DEVICE_NAME=Y
- D.KFC_CAPTURE_OWN_DEVICE_NAME=N

Answer: C

10. You are planning for the deployment of ITCAM for Robotic Response Time.

Which three characteristics affect the time that is needed to complete a single iteration of a robotic script? (Choose three.)

- A. script content
- B. script complexity
- C. location of the Tivoli Data Warehouse
- D. the system the script is accessing during playback
- E. operating system of the Tivoli Enterprise Portal Server
- F. version of Rational Performance Administrator used to create the script

Answer: ABD

11. Where are the support files for ITCAM for Response Time V6.2 agents installed on UNIX and Linux by default?

- A. /opt/IBM/ITM
- B. /opt/Tivoli/ITM
- C. /usr/bin/IBM/ITM
- D. /usr/local/IBM/ITM

Answer: C

12. Which ITCAM for Web Response Time component detects and tracks network transactions between the Web server and end users or other machines, and calculates response time for each transaction?

- A. the Analyzer
- B. the Collector
- C. the HTTPS Filter
- D. the Tivoli Enterprise Portal Server

Answer: A

13. Which statement is true about robotic script depots within the enterprise on a Tivoli Enterprise Monitoring Server hub?

- A. There should be two file depots.
- B. There should be three file depots.
- C. There should be only one file depot.
- D. There should be a primary and secondary depot.

Answer: C

14. Which Tivoli Enterprise Monitoring Agent can be used in the customers environment to monitor custom Application Response Measurement (ARM) enabled applications?

- A. ITCAM for Web Response Time
- B. ITCAM for Robotic Response Time
- C. ITCAM for SOA (Service Oriented Architecture)
- D. ITCAM for End User Response Time Dashboard

Answer: B

15. What is an important consideration when designing the placement of the Rational Performance Tester workbench with regard to the ITCAM for End User Response Time Dashboard?

- A. the operating system of the ITCAM for Robotic Response Time agent
- B. the type of database that is used to support the Tivoli Data Warehouse
- C. the operating system of the ITCAM for End User Response Time Dashboard agent
- D. there should be no firewalls between the Rational Performance Tester workbench system and ITCAM for End User Response Time Dashboard

Answer: D

16. What is the host name referring to when reviewing the communication protocol settings for the deployment of the ITCAM for Client Response Time agent?

- A. Tivoli Enterprise Monitoring Console
- B. Tivoli Data Warehouse database
- C. ITCAM for Web Response Time agent
- D. Tivoli Enterprise Monitoring Server

Answer: D

17. Which three communication protocol settings can the ITCAM for Client Response Time agent use to communicate with the Tivoli Enterprise Monitoring Server? (Choose three.)

- A. SNA
- B. SSH
- C. FTP

D.IP.UDP
E.DecNet
F.IP.SPIPE
Answer: ADF

18. Which three communication methods can the ITCAM for Web Response Time agent use to communicate with the Tivoli Enterprise Monitoring Server? (Choose three.)

A.SSH
B.SNA
C.FTP
D.IP.UDP
E.IPX/SPX
F.IP.SPIPE
Answer: BDF

19. During the planning phase of a customer deployment of ITCAM for Response Time V6.2, the customer needs to monitor custom ARM-enabled applications.

Which two Tivoli Enterprise Monitoring Agents provide custom Application Response Measurement (ARM) application response time monitoring? (Choose two.)

A.ITCAM for Web Response Time
B.ITCAM for Client Response Time
C.ITCAM for Robotic Response Time
D.ITCAM for SOA (Service Oriented Architecture)
E.ITCAM for End User Response Time Dashboard
Answer: BC

20. During the planning phase of a customer deployment of ITCAM for Response Time V2, the customer needs to monitor real user 3270 transactions.

Which Tivoli Enterprise Monitoring Agent needs to be deployed in the customers environment?

A.ITCAM for Web Response Time
B.ITCAM for Client Response Time
C.ITCAM for Robotic Response Time
D.ITCAM for End User Response Time Dashboard
Answer: B

21. Which network protocol is preferred if the ITCAM for Web Response Time agent is connecting to a Tivoli Enterprise Monitoring Server via a firewall?

A.SNA
B.IP.UDP
C.IP.PIPE
D.IP.SPIPE
Answer: C

22. When implementing ITCAM for Response Time V6.2, you forgot to add support files for the Tivoli Enterprise Portal Server.

What happens as the result of this omission?

A.Only ITCAM for Response Time V6.2 agent situations will be affected.
B.Only ITCAM for Response Time V6.2 agent workspaces will be affected.
C.ITCAM for Response Time V6.2 situations will only be affected for a day.
D.ITCAM for Response Time V6.2 situations and workspaces will be affected.
Answer: D

23. An operator can only see numbers (not names) for objects in the Tivoli Enterprise Portal workspaces of a particular agent type.

What is the likely solution for this problem?

A.reinstall that agent on the problematic server
B.reinstall that agent type on the monitored servers
C.reinstall the agent support files for that agent type on Tivoli Enterprise Portal
D.reinstall the agent support files for that agent type on Tivoli Enterprise Portal Server
E.reinstall the agent support files for that agent type on the Tivoli Enterprise Console
F.reinstall the agent support files for that agent type on Tivoli Enterprise Monitoring Server
Answer: CDF

24. What is the name of the ITCAM for Web Response Time information file for silent installation of the monitoring agent on a Windows platform?

- A. T3V620_Silent.txt
- B. T4V620_Silent.txt
- C. T5V620_Silent.txt
- D. T6V620_Silent.txt

Answer: C

25. When is historical data collection configuration possible?

- A. when Tivoli Enterprise Portal is up and running as required
- B. when ITCAM for Response Time V6.2 agent is communicating with the Tivoli Enterprise Portal
- C. when ITCAM for Response Time V6.2 agent is communicating with the Tivoli Enterprise Monitoring Server
- D. when Tivoli Enterprise Portal Server is connecting as required with Tivoli Enterprise Monitoring Server

Answer: C

26. What is the port number referring to when reviewing the communication protocol settings for the deployment of the ITCAM for Client Response Time agent?

- A. the port number of the Tivoli Data Warehouse database
- B. the listening port for the Tivoli Enterprise Monitoring Server
- C. the transmission port for the ITCAM for Client Response Time agent
- D. the transaction port name for the Tivoli Enterprise Monitoring Server

Answer: B

27. You are planning the deployment of the ITCAM for End User Response Time Dashboard.

What information is needed with regard to the Tivoli Data Warehouse database configuration options parameters? (Choose two.)

- A. database version
- B. database name or SID name
- C. JMX SOAP connector server port
- D. Tivoli Data Warehouse Schema user login name
- E. operating system of the Tivoli Enterprise Monitoring Server

Answer: BD

28. The Web Response Time remote deployment bundle can be optionally added to which system?

- A. Tivoli Enterprise Console
- B. Tivoli Enterprise Portal Server
- C. Tivoli Enterprise Monitoring Server
- D. Tivoli Enterprise Portal desktop client

Answer: C

29. What is the name of the ITCAM for Robotic Response Time Information file for silent installation of the monitoring agent on a Windows platform?

- A. T3V620_Silent.txt
- B. T4V620_Silent.txt
- C. T5V620_Silent.txt
- D. T6V620_Silent.txt

Answer: D

30. What information is required when installing the ITCAM End User Response Time Dashboard agent on a Windows system?

- A. Tivoli Data Warehouse IP address or host name
- B. Tivoli Enterprise Portal Server IP address or host name
- C. Tivoli Enterprise Monitoring Server IP address or host name
- D. Tivoli Enterprise Portal Desktop Client IP address or host name

Answer: C

More [000-920 Braindumps](#) Information

Related 000-920 Exams

000-331	000-253	000-903	000-926	000-351
000-647	000-833	000-443	000-807	000-806
000-631	000-918	000-284	000-649	000-798
000-971	000-637	000-664	000-484	000-635

Other IBM Exams

000-273	000-340	LOT-801	000-535	000-418
000-889	000-M46	000-M60	000-936	000-020
000-874	000-M09	LOT-959	000-850	000-923
LOT-980	000-R13	000-648	000-012	000-789

