



IBM 000-927

Exam Name: IBM Tivoli Netcool/Proviso V4.4.1 Administration

Q & A : 106 Q&As

Pdf Demo

Quality and Value for the 000-927 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-927 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-927 Exam

If you do not pass the IBM certifications I 000-927 exam on your first attempt using our Just4Exams **000-927 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-927 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-927 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-927

Title : IBM Tivoli Netcool/Proviso V4.4.1 Administration

1. Click the Exhibit button.

What is Generic-Agent in the exhibit?

- A. An element property
- B. A subelement family
- C. A subelement property
- D. An element family name

Answer: D

2. Click the Exhibit button.

What is the number of total actual metric responses coming back as a result of the SNMP queries in the last hour?

- A. 2765
- B. 3054
- C. 3272
- D. 61477

Answer: C

3. There are two DataChannels installed on one machine.

The configuration is:

DataChannel 1 is collecting from two SNMP DataLoads.

DataChannel 2 is collecting from two bulk collectors and one UBA collector.

If the command findvisual is run, how many visual processes should be running, excluding the administrative processes?

- A. five FTE, five CME, two LDR, two DLDR
- B. five FTE, five CME, five LDR, five DLDR
- C. one UBA, two BCOL, five FTE, five CME, two LDR, two DLDR
- D. one UBA, two BCOL, two SNMP, five FTE, five CME, two LDR, two DLDR

Answer: C

4. There have been a few issues when running the network discovery during the inventory process. The collector is running properly, but the discovery portion seems to stop before finishing properly. What would be the next step to diagnose the problem?

- A. Restart the SNMP collector.
- B. Check the TracelInventory.log file for messages.
- C. Use the dccmd tool to check the status of the DataChannel.
- D. Check the proviso.log for messages pertaining to the service DISC.

Answer: D

5. What is the default behavior for a new SilverStream user that you have just created?

- A. No reporting group is assigned by default.
- B. The top group for the current project is assigned.
- C. The NOC Reporting group is assigned by default.
- D. The user is assigned the same reporting group as other users within the same SilverStream group.

Answer: A

6. You have been asked to produce a report that will immediately highlight as critical any device whose utilization exceeds 75%. Which of the following parameter sets is most appropriate?

- A. The threshold mode should be over, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.
- B. The threshold mode should be under, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.
- C. The threshold mode should be over, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.
- D. The threshold mode should be under, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.

Answer: C

7. Which resmgr object type can be used to obtain all of the metric IDs used in a report?

- A. app
- B. agp
- C. appS
- D. LinkGroupAPP

Answer: A

8. What is the name of the SilverStream log file?

- A. Silver.log
- B. catalina.out
- C. agserver.log
- D. SilverServerConsole.log

Answer: D

9. On a UBA-based bulk collector, which Proviso applications should be running?

- A. AMGR, UBA

- B. AMGR, UBA, FTE
- C. UBA, FTE, CMGR
- D. CMGR, AMGR, UBA, FTE

Answer: A

10. Click the Exhibit button.

Proviso has just been installed by user pwuser with group pvgroup. The administrator had created UNIX users with the following command:

```
useradd -g staff -m -d /export/home/user1 -k /etc/skel -s /bin/ksh user1
useradd -g staff -m -d /export/home/user2 -k /etc/skel -s /bin/ksh user2
useradd -g pvgroup -m -d /export/home/user3 -k /etc/skel -s /bin/ksh user3
```

The permissions were assigned through the DataMart GUI in the exhibit.

What additional steps should be carried out so that user1, user2, and user3 can have complete access to the DataMart GUI - Users Configuration?

- A. Assign user2 to group1.
- B. Change UNIX group of user1 and user2 to pvgroup, and assign user2 to group1.
- C. Create a new group group2 with read and write permission to DataMart GUI - Users Configuration, and assign user1, user2, and user3 to group2.
- D. Assuming ~/datamart is the datamart directory, change the ~/datamart/bin/userconf file permission to be executable by others through the UNIX command:

```
chmod o+x ~/datamart/bin/userconf
```

Answer: B

11. Which of the following sequences is the default operational processing logic of Proviso DataChannel components with no error conditions?

- A. The File Transfer Engine, Complex Metric Engine, Loader, and Daily Loader all pick up the files every minute.
- B. The File Transfer Engine picks up the files produced by the DataLoad Server every minute; the Complex Metric Engine and Loader, every hour; and the Daily Loader, once a day.
- C. The File Transfer Engine and Complex Metric Engine pick up the files produced by the DataLoad Server every minute; the Loader, once an hour; and the Daily Loader, once a day.
- D. The File Transfer Engine picks up the the files produced by the DataLoad Server every minute, while the Complex Metric Engine, Loader, and Daily Loader pick up the files once an hour.

Answer: C

12. Given a Proviso solution with multiple DataChannel hosts, where would the proviso.log file be produced?

- A. A single log file would be produced by the DataMart host.
- B. A separate log file would be produced by each DataChannel host.
- C. A single log file would be produced by the Channel Manager host.
- D. All log messages are sent to the syslog daemon, which produces a single log file.

Answer: C

13. You have just installed Proviso, and you are in the process of creating a DataView user. Assuming the SilverStream database instance name is PV, which steps create a DataView user?

- A. On the DataMart server, run `cd ~/datamart/bin`, and then run `./smc`.
- B. Download smc from the SilverStream server, and run the smc.exe command from a Windows workstation.
- C. On the DataMart server, run `cd ~/datamart/bin`, and then run `./SilverJRunner hostname:8080 PV DVUserEditor`.
- D. Download the SilverJRunner client from the SilverStream server, and run the `SilverJRunner.exe hostname:8080 PV DVUserEditor` command from a Windows workstation.

Answer: D

14. What is dbMgr purgePartitions used for?

- A. Delete unwanted Proviso metadata partitions older than a certain number of days.
- B. Delete unwanted Proviso metric data partitions older than a certain number of days.
- C. Delete only NRAW Proviso metric data partitions older than a certain number of days.
- D. Delete unwanted Proviso metadata and metric data partitions older than a certain number of days.

Answer: B

15. Part of a formula is:

```
Dim I1 AS Integer Default * NAME Interface
```

You want to test the formula using the Formula Editor GUI and you want to test only instances 2 through 4. What would you enter in the instance field?

- A. I1<1,2,3>

- B. Interface<1-3>
 - C. Interface<2-4>
 - D. You cannot specify multiple instances.
- Answer: C

16. An issue has been identified with a Complex Metric Engine (CME) formula that is causing the CME to fail. The CME has several days of outstanding data to process. The offending formula has been corrected, but the CME is still failing. What should be done?
- A. Deactivate the collection request for this formula.
 - B. Restart the CME to force it to resynchronize with the database.
 - C. Delete any files in the CME state directory and restart the CME.
 - D. Apply the corrected formula to the historical version of the formula using resmgr and the frmH entity.
- Answer: D

17. ProvisoInfo Browser provides a Database Status tab. What would you expect to see within the tab if the database status is critical?
- A. "The database status is Critical" message
 - B. A list of all the table spaces within Proviso
 - C. A list of all the files that need extending because of critical status
 - D. A list of all the table spaces that have critical utilization within Proviso
- Answer: D

18. When a discovery formula is tested, which part of the result line must be unique?
- A. label
 - B. dbIndex
 - C. invariant
 - D. properties
- Answer: C

19. Which three DataView reports support the use of subelement properties? (Choose three.)
- A. Ratio Chart
 - B. Detail Chart
 - C. Group Summary Table
 - D. Resource Planning Table
 - E. Resource Summary Table
 - F. DataView Analysis Report
- Answer: BDE

20. You have been asked to produce a report that will highlight any device whose availability is less than 100% for more than 1 hour (cumulative) in a single day. Which of the following parameter sets is the most appropriate for the associated period threshold?
- A. The threshold mode should be over, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.
 - B. The threshold mode should be under, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.
 - C. The threshold mode should be over, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.
 - D. The threshold mode should be under, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.
- Answer: D

More [000-927 Braindumps](#) Information

Related 000-927 Exams				
000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams				
000-389	000-M63	000-J01	000-875	000-020
000-743	000-296	LOT-829	000-M18	000-029
LOT-950	000-896	000-703	LOT-836	000-005
000-M24	000-385	000-180	000-839	000-899