



IBM 000-938

Exam Name: IBM Tivoli Netcool Impact V4.0 Implementation

Q & A : 125 Q&As

Pdf Demo

Quality and Value for the 000-938 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-938 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-938 Exam

If you do not pass the IBM certifications I 000-938 exam on your first attempt using our Just4Exams **000-938 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-938 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-938 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-938

Title : IBM Tivoli Netcool Impact V4.0 Implementation

1. Which IBM Tivoli Netcool Security Manager role must be assigned to an IBM Tivoli Netcool Impact user to create policies?

- A. NCMJSER
- B. NCL_ADMIN
- C. IMPACT_USER
- D. IMPACT_ADMIN

Answer: C

2. Click the Exhibit button.

Which IBM Tivoli Netcool Impact function(s) is used for step 3 in the policy, based on this pseudo-code?

- A. GetByKey
- B. GetByRlter
- C. GetByFilter with CountOnly = TRUE
- D. GetByFilter then the Length function to count the number of items returned in the array

Answer: D

3. What is the correct sequence of steps to run a cold redeployment of the GUI server?

- A. stop WASCE, edit the GUI server .conf file, restart WASCE
- B. remove previous GUI server deployment files, edit the GUI .conf file, stop WASCE, restart WASCE
- C. stop WASCE, edit the GUI server EAR file, remove previous GUI server deployment files, restart WASCE
- D. edit the GUI server .conf file, delete the GUI server EAR file, 'kill -HUP1 the GUI server process, which automatically regenerates the EAR file

Answer: C

4. What is the output of the nci_export command?

- A. a tar file
- B. an xml file
- C. a directory
- D. a comma delimited file

Answer: C

5. A customer has a situation occurring on their network. The situation has a defined set of symptom events associated with it that always accompany the situation. The customer wants to make their operators more efficient by creating a synthetic event informing them that the situation is occulging. Which functional category of IBM Tivoli Netcool Impact policy is best used to manage this?

- A. X in Y Policy
- B. Scheduling Policy
- C. Event Enrichment Policy
- D. Event Consolidation/Correlation Policy

Answer: D

6. What happens when an event is created in the ObjectServer from IBM Tivoli Netcool Impact without specifying LastOccurrence?

- A. Nothing happens.
- B. The event does not show up.
- C. The event shows up with a timestamp.
- D. IBM Tivoli Netcool Impact throws an exception.

Answer: C

7. Which IBM Tivoli Netcool Impact utility is used to back up all the data sources, data types, policies, and services in an IBM Tivoli Netcool Impact server?

- A. nci_copy
- B. ncLexport
- C. ncLsystem
- D. nci__backup

Answer: B

8. A customer has a policy that is using the JRExec action to call an external script. The script requires four parameters to function correctly. What can be done to ensure the policy does not call the JRExec action if there are fewer than four parameters?

- A. define the number of parameters in the JRExec configuration file
- B. configure the external script to exit if it receives fewer than four parameters
- C. configure the JRExec action to exit if it receives fewer than four parameters
- D. configure the policy with an exception handler to check for the number of parameters

Answer: D

9. How is the IBM Tivoli Netcool Impact Automated Project Deployment Feature invoked?

- A. automatically, at a pre-defined time
- B. by executing an IBM Tivoli Netcool Impact policy
- C. by running as an IBM Tivoli Netcool Impact service
- D. by executing an IBM Tivoli Netcool Impact command-line utility

Answer: B

10. An IBM Tivoli Netcool Impact policy is being tested by executing it with the ncijrigger script. What is the correct syntax for running a

policy named Test_Policy1 on an IBM Tivoli Netcool Impact server named NCI, as user admin with a password of netcool, and passing runtime parameters for Node and AlertKey ObjectServer fields?

- A. ncijrigger NCI admin/netcool Test_Policy1 @Node "Device1" @AlertKey "1.3.1"
- B. ncijrigger NCI -U admin -P netcool Test_Policy1 \$Node "Device1" \$AlertKey "1.3.1"
- C. ncijrigger NCI -username admin -password netcool -policy Test_Policy1 -Node "Device1" -AlertKey "1.3.1"
- D. ncijrigger NCI -user admin -passwd netcool -policyname Test_Policy1 -var1 "Node=Device1" -var2 "AlertKey=1.3.1"

Answer: A

11. For what is the nclshutdown script used?

- A. to shut down the GUI server, impact, and JRExec server processes
- B. to stop event processing and policy execution in the IBM Tivoli Netcool Impact server
- C. to shut down the IBM Tivoli Netcool Impact server independently from the application server
- D. to gracefully shut down the PostgreSQL database and the IBM Tivoli Netcool Impact server

Answer: C

12. Which service needs to be configured so that IBM Tivoli Netcool Impact is able to receive e-mails?

- A. Email Reader service
- B. Email Sender service
- C. Policy Logger service
- D. Event Listener service

Answer: A

13. Which statement is true about IBM Tivoli Netcool Impact?

- A. A data source needs to be defined for any policy to run.
- B. A Jabber server should be set up in order to run IBM Tivoli Netcool Impact policies.
- C. An e-mail server should be set up in order to run IBM Tivoli Netcool Impact policies.
- D. An ObjectServer data source needs to be defined for policies to update ObjectServer events directly.

Answer: D

14. How is an IBM Tivoli Netcool Impact Operator View created?

- A. by creating a map in IBM Tivoli Netcool Webtop
- B. by clicking New Operator View in the Operator Views tab
- C. by using the Wizards Submenu in the IBM Tivoli Netcool Impact GUI
- D. by using the Filter Director in the Event Reader Configuration window

Answer: B

15. A customer has a policy that is performing SNMP gets on device interfaces to enrich events with the interface name and interface description. When an SNMP query fails, it causes errors. The customer wants to be notified of SNMP failures. How can the customer's requirement be met?

- A. configure the policy to monitor the Failed Events data type
- B. do nothing; failures automatically create new events in IBM Tivoli Netcool OMNIBus
- C. configure the policy with an exception handler and create a new event in IBM Tivoli Netcool OMNIBus
- D. configure the SNMP data source adapter to send events to IBM Tivoli Netcool OMNIBus when a query fails

Answer: C

16. What are the parameters for the ncUimport command?

- A. server name to import into and the directory where the export is located
- B. host, port, and server name of the IBM Tivoli Netcool Impact server to import into
- C. host, port, and server name of the IBM Tivoli Netcool Impact server importing from
- D. server name of server that was exported from and the directory where the export is located

Answer: A

17. A customer has a requirement that IBM Tivoli Netcool Impact should only act upon updated events, and never act upon new events. How would IBM Tivoli Netcool Impact be configured to meet this requirement?

- A. add a field to the ObjectServer that operators can manually update to trigger policies
- B. include a function in every policy that exits immediately if the IDUC value of the event is U
- C. add time stamp filtering to the Event Reader, comparing the StateChange value to FirstOccurrence
- D. select the Get updated events checkbox in the Event Mapping tab of the Event Reader Configuration window

Answer: C

18. In order for administrators to access the IBM Tivoli Netcool Impact GUI, which role must be provisioned in the IBM Tivoli Netcool

Security Manager during the IBM Tivoli Netcool Impact installation?

- A. ADMIN
- B. IMPACT
- C. IMPACTJJSER
- D. IMPACT_ADMIN

Answer: C

19. Which three parameters are required when configuring an Email Reader service? (Choose three.)

- A. POP Host
- B. SMTP Host
- C. Polling Interval
- D. Login Credentials
- E. Data Source Name
- F. IBM Tivoli Netcool Impact Server Name

Answer: ADE

20. Which step is taken in a cold redeployment of the GUI server?

- A. edit NCI_server.props
- B. run \$NCHOME/bin/wasce stop
- C. stop and restart the GUI server
- D. run \$NCHOME/install/ncgui_createear

Answer: B

More [000-938 Braindumps](#) Information

Related 000-938 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-357	000-117	000-994	000-751	000-435
000-706	000-m13	LOT-832	000-665	000-M16
000-371	000-749	000-903	000-774	000-632
000-134	000-101	000-644	000-990	LOT-953