



IBM 000-S02

Exam Name: DR550 Technical Mastery

Q & A : 138 Q&As

Pdf Demo

Quality and Value for the 000-S02 Exam

[Just4Exams Practice Exams](#) for IBM IBM certifications I 000-S02 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 000-S02 Exam

If you do not pass the IBM certifications I 000-S02 exam on your first attempt using our Just4Exams **000-S02 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-S02 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-S02 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : IBM 000-S02

Title : DR550 Technical Mastery

1. In order for a content management application to access System Storage Archive Manager, which two items must be set up in the System Storage Archive Manager server?

- A. A backup schedule
- B. A client node
- C. A database backup schedule
- D. A management class
- E. A tape storage pool

Answer: BD

2. What is required when planning for the network environment for a dual node DR550?

- A. Six LAN cables
- B. Five TCP/IP addresses
- C. Four Ethernet switches
- D. A network protocol converter

Answer: B

3. After modifying the state of a volume using the DRM command "move drmedia", which command would the administrator use to verify the results of the action?

- A. lsvol
- B. query move
- C. query actlog
- D. query tostate

Answer: C

4. When stopping the cluster service on a dual node DR550 system, which of the following statements is true?

- A. Cluster services can be stopped from either node using the AIX command HACMP - stop.
- B. Cluster services can be stopped from either node using the AIX command smitty clstop.
- C. Cluster services must be stopped from both nodes individually using the AIX command HACMP - stop.
- D. Cluster services must be stopped from both nodes individually using the AIX command smitty clstart.

Answer: B

5. System Storage Archive Manager script files are stored in which volume group?

- A. /lib
- B. /usr
- C. TSMApps
- D. TSMDBLogs

Answer: C

6. Which of the following statements is true regarding IBM Content Manager Products?

- A. They address the needs of a small implementation up to a medium size business at only local locations.
- B. They contain APIs that cover some of the content management functionality needed for a localized solution.
- C. They provide all of the repository backend services necessary to address an enterprise content management system.
- D. They provide some of the repository backend services necessary to address an enterprise content management system.

Answer: C

7. Which version of the Tivoli Storage Manager API must be installed and configured on the content management resource server?

- A. TSM API 5.3.2 or later
- B. TSM API 5.2.2 or later
- C. TSM API 5.0.0 or later
- D. DR550 supports all versions of the TSM API

Answer: B

8. Which step is required in the DR550 initial configuration?

- A. Set up Call Home
- B. Zone the SAN switches
- C. Configure network addresses
- D. Assign spare drives in the DS4100

Answer: C

9. How can content management applications retrieve data from the System Storage Archive Manager?

- A. System Storage Archive Manager API calls
- B. System Storage Archive Manager import/export
- C. System Storage Archive Manager server to server connections
- D. Directly from the System Storage Archive Manager disk storage pools

Answer: A

10. Which AIX command changes or modifies networking addresses?

- A. smitty chfs
- B. smitty mkcpcip
- C. ipconfig /c

D. ipconfig /m

Answer: B

11. During the Solution Assurance Review (SAR), a customer expresses plans to attach an unsupported tape library. What is the most appropriate response for the sales team?

- A. Explain to the customer that this unsupported configuration will prevent IBM from completing the order.
- B. Explain that an RPQ is NOT required if the sale of the DR550 was made through a certified Business Partner.
- C. Allow IBM to ship the DR550 with the customer understanding that it is their responsibility to make it work.
- D. Complete the order and ship the DR550 to the customer while waiting for the configuration to be tested and certified.

Answer: A

12. Which of the following components are involved in archiving and retrieving data from the DR550?

- A. IBM DB2 Content Management, System Storage Archive Manager and the DS6000 Storage device disks
- B. IBM DB2 Information Management, System Storage Archive Manager and the DS4100 Storage device disks
- C. A document management system or archive client, IBM DB2 Information Management and the DS4100 Storage device disks
- D. A document management system or archive client, System Storage Archive Manager and the DS4100 Storage device disks

Answer: D

13. How is "DS4000 Service Alert" implemented on the DR550?

- A. Remote Support option uses dial modem to send alerts to IBM.
- B. Storage Manager runs on HMC and uses dial modem to send alerts to IBM.
- C. Remote Support option sends alerts to email addresses supplied by customer.
- D. Storage Manager sends an SNMP alert notification to an SNMP server on the customer network.

Answer: D

14. Which two of the following IBM products enable Information Lifecycle Management?

- A. IBM DB2 Content Manager
- B. IBM DB2 UDB for Data Retention
- C. IBM Lotus Notes for Data Retention
- D. IBM System Storage Archive Manager
- E. IBM WebSphere for Data Retention

Answer: AD

15. How many rack power connections are required in a 28TB "disk only" DR550 configuration?

- A. Two connections on both racks
- B. Four 220 Volt 30 amp connections
- C. Eight 220 Volt 30 amp connections
- D. Eight 110/220 Volt 20 amp connections

Answer: B

16. Which of the following can be used to validate that the DR550 is working properly?

- A. Run AIX configuration manager
- B. Start the DR550 HMC Graphical User Interface
- C. Open the rack door and ensure that the LEDs and lights are on
- D. Run the AIX configuration manager and IBM TotalStorage DS6000 Storage Manager

Answer: B

17. Which of the following is used to create a backup of rootvg?

- A. smit mkdvd
- B. backup
- C. copydvd
- D. lssavevg

Answer: A

18. What must be configured on the content management application machine to communicate with the System Storage Archive Manager server?

- A. Archive client installed, dsmserv.opt configured
- B. TSM backup client installed, dsm.opt or dsm.sys configured
- C. System Storage Archive Manager API installed, dsmserv.opt configured
- D. System Storage Archive Manager API installed, dsm.opt or dsm.sys configured

Answer: D

19. What is the process for setting up the client to enable data to be sent to the DR550?

- A. Create CIFS mapping on each client to map to DR550
- B. Create NFS connection to /archive directory on the DR550 then map this directory to clients
- C. Load System Storage Archive Manager API on each client and edit dsm.sys or dsm.opt and register clients
- D. Load System Storage Archive Manager driver on each client and edit dsm.sys or dsm.opt on server to register clients

Answer: C

20. What should be done when defining tape drives and libraries to System Storage Archive Manager?

- A. First make sure AIX can see the devices
- B. Always dedicate a drive for database backup use
- C. First define the tape drives and then the library
- D. Always use the System Storage Archive Manager device drivers only

Answer: A

More [000-S02 Braindumps](#) Information

Related 000-S02 Exams

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

Other IBM Exams

000-076	000-734	LOT-834	000-991	COG-135
000-646	000-716	000-920	000-M34	000-447
000-486	000-P01	000-M07	000-718	000-633
000-070	000-084	LOT-983	000-M47	000-M71