



## **Novell, Inc 050-705**

**Exam Name:** Novell Open Enterprise Server for Linux+GroupWise

**Q & A :** 136 Q&As

***Pdf Demo***

### **Quality and Value for the 050-705 Exam**

[Just4Exams Practice Exams](#) for Novell, Inc Novell Other Certification 050-705 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 050-705 Exam**

If you do not pass the Novell Other Certification 050-705 exam on your first attempt using our Just4Exams **050-705 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 050-705 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Novell Other Certification certification](#) examination. Details are researched and produced by [Novell, Inc Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 050-705 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Novell 050-705

Title : Novell Open Enterprise Server for Linux+GroupWise

1. Where is the iprint.ini file located on an OES NetWare server?

- A.Sys:Etc
- B.Sys:Etc\print
- C.Sys:Etc\ppdocs
- D.Sys:Apache2Htdocs\print
- E.Sys:Apache2Htdocs\ppdocs

Answer: E

2. You've used the vi text editor on an OES Linux server to modify a configuration file in /etc/sysconfig. You've restarted the service, but the changes you made have not been applied. What is causing this to happen?

- A.You need to reboot the server.
- B.You need to run SuSEconfig to apply the changes.
- C.You shouldn't use a text editor to modify files in /etc/sysconfig.
- D.You need to wait a few minutes while the service reads the new configuration from the file.
- E.You need to force the service to re-read the configuration file by running it with the /force option.

Answer: B

3. Which volume management system must be used if you're installing OES Linux on a single drive system and you plan use NSS?

- A.Linux Volume Manager
- B.Logical Volume Manager
- C.Logical Volume Manager 2
- D.Extended Volume Management System
- E.Enterprise Volume Management System

Answer: E

4. Which utility is used to prepare an existing network for an upgrade to OES NetWare?

- A.iManager
- B.Remote Manager
- C.Deployment Manager
- D.Novell Server Upgrade Utility
- E.Novell Server Consolidation Utility

Answer: C

5. You are working with a customer who wants to implement OES NetWare in her network. Users will connect to the network using Windows XP workstations running the Novell Client. She needs the OES NetWare servers to provide network printing and distributed storage. In addition, the servers must automatically keep older versions of any user file that is deleted or modified in any way. Which services should be configured on the server to accomplish this? (Choose 3.)

- A.DFS
- B.CIFS
- C.iSCSI
- D.MySQL
- E.iPrint
- F.eGuide
- G.Identity Manager
- H.File Edition Manager
- I.Novell Cluster Services
- J.Archive and Version Services

Answer: AEJ

6. You are working with a customer who wants to implement OES Linux in his network. He needs the OES Linux server to support Windows workstations using the Novell Client. In addition, the server must host an internal web site that serves web pages dynamically generated from a database that will also run on the server. Which services should be installed on the server? (Choose 3.)

- A.DNS
- B.NFS
- C.DFS
- D.MySQL
- E.Samba
- F.iSCSI
- G.MS SQL
- H.NCP Server
- I.Apache Web Server
- J.Archive and Version Services

Answer: DHI

7. Which NLM enables an OES NetWare server to provide file and printer sharing using the Server Message Block protocol on TCP/IP?

- A.SBM.NLM
- B.CIFS.NLM
- C.SAMBA.NLM
- D.SMBTCP.NLM

E.CIFSTCP.NLM

F.CIFSINIT.NLM

Answer: B

8. Which directory attributes are used to create an organizational chart in eGuide? (Choose 2.)

A.Report

B.Manager

C.isReport

D.Director

E.isManager

F.Supervisor

G.isSubordinate

Answer: BE

9. You're working with a customer who is upgrading his NetWare 6.5 server to OES NetWare. The customer previously purchased upgrade protection for his server. Will he be required to purchase new user licenses for OES NetWare?

A.No, he does not need to purchase new licenses.

B.Yes, he must purchase new OES NetWare licenses.

C.He must purchase a new key file (\*.NFK), but his existing license file (\*.NLF) will continue to work with OES NetWare.

D.He must purchase a new license file (\*.NLF), but his existing key file (\*.NFK) will continue to work with OES NetWare.

Answer: A

10. You are working with a customer who wants to implement Novell Open Enterprise Server-Linux (OES Linux) in her network. The OES Linux servers must support log-ins from Windows XP workstations running the Novell Client via the NCP Server service. The servers must provide users with extensive file storage using Novell Storage Services (NSS). This storage must be distributed among the various OES Linux servers using Distributed File Services (DFS) junctioning. Can this be done?

A.Yes, OES Linux supports all of the required services.

B.No, OES Linux doesn't support distributed storage with DFS junctions.

C.No OES Linux can't be configured to provide user file storage services.

D.No, OES Linux doesn't support NSS. You must use the native Reiser file system instead.

E.No, OES Linux can't support Windows XP workstations running the Novell Client. Samba must be implemented on the server and the Client for Microsoft Networks on the workstations.

Answer: B

11. A customer currently has four NetWare 5.1 servers implemented in her network. She is considering implementing OES Linux; however, she is concerned that doing so will require her to remove her NetWare servers and replace them with the OES Linux servers. Which statement is true?

A.She can integrate a new OES Linux server directly into her directory tree without replacing the existing NetWare servers.

B.An OES Linux server can't co-exist in the same directory tree with Linux servers. You must use Identity Manager to synchronize data between the two trees.

C.She must first upgrade her NetWare 5.1 servers to NetWare 6.5 before she can integrate an OES Linux server into the existing directory tree.

D.OES Linux servers can't co-exist in the same directory tree with NetWare 5.1 servers. To implement OES Linux, she must maintain two separate directory trees.

E.She must first upgrade her NetWare 5.1 servers to OES NetWare before she can integrate an OES Linux server into the existing directory tree.

Answer: A

12. You're working with a customer who wants to upgrade his NetWare 5.1 servers to OES NetWare. His servers have Support Pack 5 installed and are running eDirectory 8.6. The servers use dual Pentium 4 CPUs and have 2 GB of RAM installed. Can he upgrade these servers to OES NetWare?

A.Yes, the servers meet the prerequisites for upgrading to OES NetWare.

B.No, OES NetWare doesn't support upgrades on systems with more than one CPU.

C.No, the server must have at least 4 GB of RAM to complete the upgrade to OES NetWare.

D.Yes, but you must disable the second CPU until the upgrade to OES NetWare is complete.

E.Yes, but you must run Deployment Manager on the servers before upgrading to OES NetWare.

F.No, the servers must be running eDirectory 8.7.5 or later to be upgraded to OES NetWare.

G.No, the servers must have Support Pack 6 or later applied before upgrading to OES NetWare.

Answer: G

13. You've used the NCP Server service on your OES Linux server to create an NCP volume named HOME that points to the /home

directory. You've configured file system trustee assignments to control access to the data on the NCP volume. Where are the trustee assignments saved?

- A. On the SYS NCP volume.
- B. On the HOME NCP volume.
- C. In your eDirectory tree.
- D. In /home/.trustee\_database.xml.
- E. In /var/log/.home\_trustees.xml.
- F. In /var/opt/NCP/HOME/.trustees.xml.

Answer: D

14. You're working with a customer who wants to upgrade his NetWare 5 servers to Novell Open Enterprise Server-NetWare (OES NetWare). His servers have Support Pack 6a installed. The servers use dual Intel Xeon CPUs and have 1 GB of RAM installed. Can he upgrade these servers to OES NetWare?

- A. Yes, the servers meet the prerequisites for upgrading to OES NetWare.
- B. No, OES NetWare doesn't support upgrades on servers using Xeon CPUs.
- C. No, OES NetWare doesn't support upgrades on systems with more than one CPU.
- D. No, the server must have at least 2 GB of RAM to complete the upgrade to OES NetWare.
- E. No, the servers must have Support Pack 7 or later applied before upgrading to OES NetWare.
- F. No, the servers must first be upgraded to NetWare 5.1 or later to be upgraded to OES NetWare.

Answer: F

15. A customer currently has three Windows NT Servers in his network. One functions as a Primary Domain Controller (PDC); the others as Backup Domain Controllers (BDCs). He wants to integrate OES Linux and eDirectory into his network. Which statement is true?

- A. The PDC and the BDCs can be imported into the eDirectory tree hosted by an OES Linux server.
- B. The OES Linux server running eDirectory can be imported directly into the Windows NT Server domain.
- C. The existing Windows NT Servers must be migrated to OES NetWare before installing an OES Linux server into the network.
- D. Domains using BDCs are incompatible with OES Linux and can not be configured to work with an eDirectory tree. They must be removed to implement OES Linux.
- E. Identity Manager Bundle Edition can be used to synchronize information between the Windows NT domain controllers and an eDirectory tree hosted by an OES Linux server.

Answer: E

16. A customer currently has three Windows Server 2003 servers in her network that host an Active Directory tree. She wants to integrate OES Linux and eDirectory into the network. Which statement is true?

- A. The Active Directory tree can be imported into an eDirectory tree hosted by an OES Linux server.
- B. The OES Linux server running eDirectory can be imported directly into the Active Directory tree.
- C. Active Directory is incompatible with OES Linux and can not be configured to work with an eDirectory tree. The Windows servers must be removed to implement OES Linux.
- D. The existing Windows servers must be migrated to OES NetWare before installing an OES Linux server into the network.
- E. Identity Manager Bundle Edition can be used to synchronize information between the Active Directory tree and an eDirectory tree hosted by an OES Linux server.

Answer: E

17. You are ready to start an in-place upgrade of a NetWare 5.1 server to OES NetWare. You've inserted the OES NetWare Operating System CD in the DVD drive of your server. What command do you need to enter at the server console to mount the disc?

---

Answer: LOAD CDROM or LOAD CDROM.NLM or CDROM CDROM.NLM

18. You are working with a customer who wants to implement Novell Open Enterprise Server-Linux (OES Linux) in her network. She needs the OES Linux servers to authenticate users from Windows XP client systems using the Novell Client, to provide network printing, to provide network storage of user files, and to support a Storage Area Network (SAN) using off-the-shelf Ethernet hardware. Which services should be configured on the server to accomplish this? (Choose 2.)

- A. AFP
- B. NFS
- C. FCIP
- D. iSCSI
- E. Tomcat
- F. EtherSAN
- G. NetStore
- H. NCP Server
- I. PostgreSQL

Answer: DH

19. Which version of eDirectory is installed by default after a NetWare 5.1 server is upgraded to OES NetWare?

- A.eDirectory 8.9
- B.eDirectory 8.8
- C.eDirectory 8.5.7
- D.eDirectory 8.7.3
- E.eDirectory 8.6.5

Answer: D

20. A customer wants to use their OES NetWare 100-user license to install 10 OES NetWare servers into their eDirectory tree. Can he do this?

- A.Yes, but the maximum number of servers he can install is 10.
- B.Yes, he can install as many OES NetWare servers as they want in the tree using the same license.
- C.No, he can only install a single OES NetWare server no matter how many user licenses are purchased.
- D.No, he is only allowed to install two OES NetWare servers (one production server; one hot-spare backup server) with a 100-user license.
- E.No, he may install up to 5 OES NetWare servers with a 100-user license, but each one must reside in a different eDirectory tree.

Answer: B

More [050-705 Braindumps](#) Information

**Related 050-705 Exams**

|                    |                    |                   |                                  |                               |
|--------------------|--------------------|-------------------|----------------------------------|-------------------------------|
| 050-858-<br>(580A) | 050-708            | 050-665-<br>(370) | 050-710<br>050-876-<br>CNI(3000) | 050-696<br>050-703<br>050-714 |
| 050-702            | 050-863-<br>556    | 050-705           | 050-650-<br>770b                 | 050-848-<br>991               |
| 050-877            | 050-654-<br>(570A) | 050-884           | 050-707                          | 050-664-<br>(575b)            |
| 050-700            | 050-701            |                   |                                  |                               |

**Other Novell, Inc Exams**

|                  |                  |                    |                       |                    |
|------------------|------------------|--------------------|-----------------------|--------------------|
| 050-701          | 050-653-<br>560b | 050-676-<br>(3000) | 050-876-<br>CNI(3000) | 050-884<br>050-718 |
| 050-805          | 050-712          | 050-703            | 050-688               | 050-848-<br>991    |
| 050-661-<br>995b | 050-888          | 050-849-<br>660a   | 050-854-<br>(570A)    | 050-694<br>050-692 |
| 050-891          | 050-704          | 050-863-<br>556    |                       |                    |