



Novell, Inc 050-858-(580A)

Exam Name: *cni-service and support*

Q & A : 120 Q&As

Pdf Demo

Quality and Value for the 050-858-(580A) Exam

[Just4Exams Practice Exams](#) for Novell, Inc Novell Other Certification 050-858-(580A) are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 050-858-(580A) Exam

If you do not pass the Novell Other Certification 050-858-(580A) exam on your first attempt using our Just4Exams **050-858-(580A) testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 050-858-(580A) Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Novell Other Certification certification](#) examination. Details are researched and produced by [Novell, Inc Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 050-858-(580A) Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Novell 050-858-580A

Title : CNI-Service and Support

1. Which cable standards can be implemented for a 10BASE5 network installation? (Choose 2.)

- A. RG-8
- B. RG-11
- C. RG-58
- D. RG-59
- E. RG-62

Answer: AB

2. When should the Novell NDPS gateway be used? (Choose 3.)

- A. The printer is attached directly to the network
- B. Users will be printing from 16 bit applications
- C. The printer is attached directly to the file server
- D. Users will be printing from different operating systems
- E. The printer is attached to a workstation running NPRINT
- F. The printer manufacturer has not written a gateway of its own

Answer: CEF

3. What are advantages of using twisted pair cabling in a network installation? (Choose 3.)

- A. It is lightweight.
- B. It is easy to install.
- C. It uses mature technology.
- D. It is protected from electronic eavesdropping.
- E. It is insensitive to EMI (electromagnetic interference).

Answer: ABC

4. A user's workstation hangs intermittently. You are assigned to work with him to resolve the problem and have taken the following steps:

- 1: Checked user and system records to gather information to assess what might be wrong.
- 2: Worked on the system to eliminate one possibility at a time until the answer was found.
- 3: Wrote a complete description of the problem and its solution in the system logs.
- 4: Explained the problem and its solution to the user. Observed the user while he worked until he was convinced that the problem would not recur.

How many of these steps are an appropriate part of the troubleshooter's role?

- A. 1
- B. 2
- C. 3
- D. 4
- E. None

Answer: D

5. What can be used to test for a break on a FDDI cable segment?

- A. An MSAU
- B. A flashlight
- C. A volt meter
- D. An ohm meter

Answer: B

6. A user complains that he cannot connect to the network. He receives a "File Server Not Found" message. He had no trouble logging in yesterday. No hardware or software has been changed on his workstation since yesterday. LANalyzer shows the Network Alarm indicator is red and the scrolling message indicates a CRC error rate beyond the acceptable threshold. Sorting the errors reveals the CRC errors are accumulating for several different workstations. Other users on the same server have no problem. What is the most likely cause of the problem?

- A. There is a local cabling problem.
- B. The network is severely congested.
- C. The router is fragmenting packets.
- D. The local router or switch is overloaded.
- E. The file server's network board has a problem.

Answer: A

7. What is the minimum twisted-pair cable specification for a 4 Mbps token ring network installation?

- A. Category 1
- B. Category 2
- C. Category 3
- D. Category 5

Answer: C

8. You are installing a hard drive and have just created a DOS partition. What is the next step?

- A. Copy system files.
- B. Create a DOS boot sector.
- C. Scan the disk and identify bad sectors.

D. Perform a high-level format of the partition.

Answer: D

9. Which NDPS support service allows printers to send users and operators customized notifications about printer events and print job status?

- A. Printer Manager Services
- B. Service Registry Services
- C. Event Notification Services
- D. Resource Management Services

Answer: C

10. How many nodes can you install on a token ring network that is installed with IBM type 3 cabling?

- A. 35
- B. 64
- C. 72
- D. 127

Answer: C

11. Which type of fiber-optic cable has the greatest bandwidth?

- A. Dual mode
- B. Single mode
- C. Multimode graded index
- D. Multimode stepped index

Answer: B

12. A user complains of slow performance on his NetWare network. What type of bottleneck should you suspect after viewing a large number of dirty cache buffers and current disk requests in the MONITOR utility?

- A. CPU
- B. Bus I/O
- C. Disk I/O
- D. Network I/O

Answer: C

13. What are valid considerations when installing twisted-pair network wiring? (Choose 2.)

- A. Consider using the same wire for voice and data.
- B. Keep the twist in the wire up to the point of termination.
- C. Never bend a cable tighter than a bend radius of 10 times the cable diameter.
- D. It is recommended to use category 5 termination equipment on all category 3 installations.

Answer: BC

14. Which locations contain information or links that can be helpful when troubleshooting Novell networks? (Choose 2.)

- A. <http://www.novell.com>
- B. <http://info.novell.com>
- C. <http://www.novellhelp.com>
- D. <http://support.novell.com>
- E. <http://troubleshooting.novell.com>

Answer: AD

15. How are file caching and the tracking of network resources implemented in the Novell Client for Windows NT?

- A. As a set of NLMs
- B. As a virtual device driver
- C. As a NetWare I/O subsystem (NIOS)
- D. As a redirector/file system driver

Answer: D

16. A user cannot get a new application to print on a NetWare network even though the application is advertised as network-aware. Print jobs that the user sends from the application are not arriving in the print queue. These print jobs also do not print successfully from a workstation that is attached directly to a local printer. What is the probable cause of the network printing problem?

- A. The printer or its setup
- B. The application or its setup
- C. The print queue or its setup

- D. The print server or its setup
- E. The NPRINT or CAPTURE settings

Answer: B

17. The SYS volume of a NetWare 4.11 server will not mount so you decide to run VREPAIR. Which step would you perform?

- A. Run VREPAIR.NLM by loading it from the DOS partition.
- B. Load MONITOR and set Automatically Repair Bad Volumes to OFF.
- C. Add another hard drive to the server and span the SYS volume to the new disk.
- D. Use MOUNT SYS /F to force the volume to mount, load VREPAIR, then dismount SYS and run VREPAIR.

Answer: A

18. When setting up mirroring in NetWare, what data storage unit is actually being configured and mirrored?

- A. Disk
- B. Volume
- C. Partition
- D. Disk segment

Answer: C

19. To enable manual recovery from an abend, what value would you assign to the Auto Restart After Abend SET parameter?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: A

20. Which NDPS component is used to manage non-NDPS-aware printers?

- A. NDPS broker
- B. NDPS manager
- C. NDPS gateway
- D. Printer agent

Answer: C

More [050-858-\(580A\) Braindumps](#) Information

Related 050-858-(580A) Exams

050-858-(580A)	050-708	050-665-(370)	050-710 050-876- CNI(3000)	050-696 050-703 050-714
050-702	050-863-556	050-705	050-650-770b	050-848-991
050-877	050-654-(570A)	050-884	050-707	050-664-(575b)
050-700	050-701			

Other Novell, Inc Exams

050-683-3006	050-853--560b	050-892	050-728	050-854-(570A)
050-653-560b	050-700	050-688	050-701	050-721
	050-858-(580A)	050-869-555c	050-710	050-877
			050-696	050-654-(570A)
050-863-556	050-726	050-649-(606A)	050-689	