



RSA 050-V710-SESECURID

Exam Name: CSE RSA SecurID 7.1

Q & A : 120 Q&As

Pdf Demo

Quality and Value for the 050-V710-SESECURID Exam

[Just4Exams Practice Exams](#) for RSA RSA Security 050-V710-SESECURID are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 050-V710-SESECURID Exam

If you do not pass the RSA Security 050-V710-SESECURID exam on your first attempt using our Just4Exams **050-V710-SESECURID testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 050-V710-SESECURID Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [RSA Security certification](#) examination. Details are researched and produced by [RSA Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 050-V710-SESECURID Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : RSA 050-V710-SESECURID

Title : CSE RSA SecurID 7.1 Languages Offered

1. What two files are required when installing RSA SecurID Quick Admin?

- A. server.cer and sdti.cer
- B. sdconf.rec and sdti.cer
- C. server.cer and sdconf.rec
- D. server.key and sdconf.rec

Answer: A

2. What types of events are recorded by default in the Authentication Activity Report? (Choose two)

- A. file mappings

- B. time of logout
- C. login requests
- D. network failures
- E. administrative logins

Answer: CE

3. In an RSA Authentication Manager version 7.1 environment, data replication to provide failover capability can take place between (choose two)

- A. Server Nodes
- B. RADIUS servers
- C. Database servers
- D. Offline data stores
- E. Authentication Agents

Answer: BC

4. If the option to sign RSA Authentication Manager log archives is not enabled during installation,

- A. audit logs will be created to track system activity but can not be archived.
- B. the signing function can only be enabled by a Super Admin administrator.
- C. Authentication Manager must be re-installed to enable the signing function.
- D. the signing function must be applied manually whenever archive files are created.

Answer: C

5. RSA Authentication Manager installation on a UNIX platform is similar to installation on a Linux platform because both platforms require

- A. an Enterprise license
- B. the installer to run as 'root'
- C. internet access to download security patch files
- D. the use of a command line console during installation

Answer: B

6. What is the maximum number of RSA SecurID tokens that can be simultaneously assigned and enabled on one RSA Authentication Manager user account?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

7. Which are essential requirements for successful communication between the RSA Authentication Manager server and RSA Authentication Agents? (Choose two)

- A. TCP/IP
- B. NETBIOS
- C. Ethernet LAN
- D. DNS or hosts files
- E. WINS or LMHOSTS

Answer: AD

8. Results output from report queries in RSA Authentication Manager version 7.1 are customized

- A. through creating SQL statements using the SQL Wizard.
- B. by modifying report templates in the administrative console.
- C. by editing the Events database files and digitally re-signing them.
- D. through use of the Report Manager utility in the Operations Console.

Answer: B

9. RSA Authentication Manager Replica servers

- A. can be promoted to a Primary server through a command line utility.
- B. require that promotion to a Primary server be initiated on the Replica.
- C. allow the Super Admin administrator to perform user account changes if the Primary server is offline.
- D. can be configured to take over as a Primary server if x number of heartbeat signals are not detected within a specified time interval t.

Answer: B

10. The Offline Authentication feature is intended to allow

- A. the capability for a user to temporarily disable the Agent software while the user is working offline.
- B. an RSA SecurID authentication to be processed by a Replica server when the Primary server is offline.
- C. a user to complete an RSA SecurID authentication through the local Agent if the local Agent computer is offline.
- D. several users to use a single RSA SecurID token so that they can share another user's computer if their own computer is offline.

Answer: C

11. The RSA Authentication Agent for Web is intended to

- A. prevent designated web content from being downloaded to an end user's computer.
- B. challenge a user for authentication if the user attempts to access a protected web resource.
- C. challenge a user for authentication if the user attempts to log on locally to the web server host computer.
- D. allow users to access low risk resources using a password and high risk resources using two factor authentication.

Answer: B

12. In Authentication Manager version 7.1 terminology, a "Server Node" is used to

- A. Replicate the database in either a Primary or Replica instance cluster.
- B. Gather and re-direct authentication requests from Agents to an available server.
- C. Provide a stand-alone database available to either a Primary or Replica instance.
- D. Provide additional authentication services in either a Primary or Replica instance cluster.

Answer: D

13. To activate a Group on an Agent Host in another RSA ACE/Server Realm, you would

- A. enable External Authorization.
- B. edit the Realm Secret of the Agent Host.
- C. mark the Agent Host "Open to All Locally Known Users".
- D. duplicate the Agent Host record in the Group's home Realm.

Answer: D

14. After Installing the RSA ACE/Agent on Windows NT, what should be done to make sure the ACE/Agent will communicate with the RSA ACE/Server?

- A. test authentication
- B. clear node secret
- C. change system parameters
- D. add ACE/Agent to a domain group

Answer: A

15. Which of the following is NOT a component of the technology used within an RSA SecurID token?

- A. algorithm
- B. private key
- C. time source
- D. seed record

Answer: B

16. Designating an " Alternate IP Address " value in an Agent record in the Authentication Manager Security Console allows

- A. an Authentication Agent to use multiple node secret files.
- B. an Authentication Agent to seek the fastest responding server.
- C. an Authentication Agent to communicate with multiple servers simultaneously.
- D. Authentication Manager to recognize IP addresses for Agent authentication requests.

Answer: D

17. In a Primary/Replica environment, administrative changes can be made only on a server in the Primary instance.

- A. True
- B. False

Answer: A

18. Enabling the system parameter option "Store time of last login in token records"

- A. increases authentication performance.
- B. is required in order for Lock Manager to prevent replay attacks.
- C. is required for accurate "Last Login" information in a Token Report.
- D. only applies if the Agent Host is using the RSA ACE/Agent 5.0 Authentication Protocol.

Answer: C

19. The ACME Company has a Primary server instance located in New York and a Replica server instance located in Los Angeles. How is a new user in the Los Angeles office added to the RSA Authentication Manager database?

- A. The user must be manually added to both the Los Angeles and the New York instances.
- B. The Administrator adds the user to the New York instance, which replicates the data to the Los Angeles instance.
- C. The Administrator adds the user locally to the Los Angeles instance, which replicates the data to the New York instance.
- D. The user is automatically added to both the Los Angeles and New York instances when they first authenticate with a token.

Answer: B

20. Which are standard Activity Monitor menu options for RSA Authentication Manager version 7.1? (Choose three)

- A. Error
- B. System
- C. Incident
- D. Accounting
- E. Administrator
- F. Authentication

Answer: BEF

More [050-V710-SESECURID Braindumps](#) Information

Related 050-V710-SESECURID Exams

050-V37- ENVCS01 050-V710- SESECURID 050-V60X- CSEDLPS 050-V70- CSEDLPS

Other RSA Exams

050-V60X- CSEDLPS 050-V37- ENVCS01 050-V70- CSEDLPS 050-V710- SESECURID