



## **BEA 0B0-103**

**Exam Name:** BEA8.1 Certified Developer: Integration Solutions

**Q & A :** 67 Q&As

**Pdf Demo**

### **Quality and Value for the 0B0-103 Exam**

[Just4Exams Practice Exams](#) for BEA 8.1 Certified Developer 8.1 Certified Architect 0B0-103 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 0B0-103 Exam**

If you do not pass the 8.1 Certified Developer 8.1 Certified Architect 0B0-103 exam on your first attempt using our Just4Exams **0B0-103 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 0B0-103 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [8.1 Certified Developer certification 8.1 Certified Architect certification](#) examination. Details are researched and produced by [BEA Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 0B0-103 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : BEA Systems 0B0-103

Title : BEA8.1 Certified Developer: Integration Solutions

1. Consider this XML Schema:

Which XMLBean interface is generated from this Schema?

- A. org.example.customer.CustomerData.Name
- B. org.example.customer.customerData.Name
- C. org.example.customer.CustomerDataDocument
- D. org.example.customer.CustomerData.Address
- E. org.example.www.customer.CustomerData.Address

Answer: C

2. A developer successfully builds a Web service that publishes this operation: `public double getQuote(String ticker) { /* code */ }` The developer attempts to enable multiple protocols in the property editor. The subsequent build attempt fails, with this message: The operation `bizMethod` should return void. This error would be caused by attempting to enable which protocol?

- A. http-xml
- B. form-get
- C. jms-soap
- D. http-soap
- E. https-soap

Answer: C

3. Click the Exhibit button at the bottom of the screen. Use this process definition in the exhibit to answer the following question. If the exception handler's after execute property is set to resume and `ConvertPriceListToPriceQuoteXML` throws an exception, what happens?

- A. The Recover Failed Data node executes and the process resumes at the first node after the group.
- B. The Recover Failed Data node executes and the process resumes at `ConvertAvailListToAvailQuoteXML`.
- C. The Recover Failed Data node executes and the process resumes at `WriteQuotetoFile`, because the exception handler skips any nodes in a sequence that are the same type as the one that threw the exception.
- D. The Recover Failed Data node does not execute and the process resumes at the first node after the group.
- E. The Recover Failed Data node does not execute and the process resumes at `ConvertAvailListToAvailQuoteXML`.

Answer: B

4. Conglomo Communications, the nation's second leading cable TV provider, plans to provide application integration with an existing program directory. Conglomo will automate the service and sell it to subscribers. Conglomo has a business requirement to notify all content subscribers when listings are added, removed or changed in the programming database. What is one advantage of using an Application View provided by the WebLogic RDBMS adaptor, rather than a Database control, to satisfy this requirement?

- A. There is no advantage; it would be more complex to create and call the Application View than to use direct database access.
- B. The Application View can define INSERT, UPDATE and DELETE events that can be automatically handled by the workflow and generate the notification.
- C. The Application View can work directly with the XML Schema that is used by the node-handling notification.
- D. You must create an Database Control Application View, because this is the only way the workflow can use a database.
- E. An RDBMS Application View is more reusable, because it can also be called by other JPDs and Web services in the application.

Answer: B

5. Which annotation is used to apply a WS-security file to a Web services control?

- A. `@jc:ws-security-file`
- B. `@jc:ws-security-service`
- C. `@jc:wls-security-service`
- D. `<ws-secure-doc file=XX?> <ws-secure-doc file=?XX?>`
- E. It is not required, because the WS-security definition is already included in the `web-services.xml` file.

Answer: B

6. A mainframe batch process extracts sales information from a legacy point-of-sale system, nightly. The batch process deposits this information in a binary file in the directory `/usr/local/POS/salesdata/ftp_report_sales_daily`. What is the best way to access the data in your process definition?

- A. Use an FTP control that is called synchronously from the process definition.
- B. Create an Application View to access a J2CA adaptor that integrates with the legacy mainframe application, and call an Application View control from your process.
- C. Use a File control that is configured to read `ftp_report_sales_daily` from the directory `/usr/local/POS/salesdata`.
- D. Create an Application View to integrate with the FTP server and call an Application View control from your process.
- E. Use an FTP control that is called asynchronously from the process definition.

Answer: C

7. The Olivari Group, an electronic-components broker, has a business requirement to exchange complex business documents with suppliers and brokers. It currently uses some sophisticated manual processes for exchanging information; its goal is to automate the processes as much as possible, to free its employees to focus on more meaningful tasks. The Olivari Group wants to use well-defined, industry-standard partner interface processes. Which protocol would be the best choice?

- A. ebXML
- B. An asynchronous message broker control
- C. RosettaNet
- D. SOAP 1.2 with attachments
- E. Open Collaborate

Answer: C

8. Consider this code snippet:

What information does the code provide?

- A. Runtime information about all Servlet Sessions
- B. Runtime invocation totals for a Servlet
- C. Runtime information for all Servlets on a specific server
- D. Configuration information defined in the deployment descriptors of all Servlets
- E. Runtime information for all Servlets that have been invoked at least once

Answer: B

9. Click the Exhibit button at the bottom of the screen. Consider this process: Two nodes are running in the same transaction. The first node writes to a file (non-transactional) and the second node updates a database (transactional). Both nodes are within a group with an exception handler. The exception handler's execute on rollback property is set to true. Which statement is true?

- A. If the database update fails and marks the transaction for roll back only, the file is deleted before the transaction rolls back.
- B. If the database update fails and marks the transaction for roll back only, the file is deleted after the transaction rolls back.
- C. Because the file was not written to with an XA transactional driver, it cannot be deleted from the exception path. Therefore the attempt to do so in the exception path always generates an exception.
- D. Because transaction demarcation is implicit, failure of the database update cannot result in deletion of a file that was successfully written by the previous node. Therefore the attempt to do so in the exception path always generates an exception.
- E. It cannot be known which statement is true, unless the value of the exception path's after execute property is known.

Answer: A

10. Which is NOT a valid setting for the conversation phase of a Web service operation?

- A. none
- B. start
- C. finish
- D. suspend
- E. continue

Answer: D

11. In Workshop, inserting a control that invokes a Web service requires specifying one of two files. Which item is one of them?

- A. An XSD file
- B. A WSDL file
- C. A DTF file
- D. A SOAP configuration file
- E. An application configuration file

Answer: B

12. Click the Exhibit button at the bottom of the screen. Consider this JPD diagram: All transaction demarcation is performed by WLI (not by the control code). Successful execution of this process results in how many transactions?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 0

Answer: B

13. You have finished creating your process definition. The definition is somewhat complex, and it involves multiple entry points and branches; you want to step through the definition to test for correct execution and flow. You created a complex XQuery that maps a purchase order XML document onto arguments of a Web service method. In WebLogic Workshop, what is the easiest way to test the validity of this XQuery expression?

- A. In Format Builder, set a breakpoint on the first line of the MFL file.
- B. Display the transformation control in Design View, and select the Test View tab of the XQuery method.
- C. Set a breakpoint on the XQuery method when displaying the transformation control in Design View.
- D. You cannot test an XQuery expression in Workshop.
- E. Set a breakpoint on the called method of the Web service and use the service's test page to verify that data was converted correctly by the XQuery expression.

Answer: B

14. Which statement about the use of Application Views is correct?

- A. Publishing an Application View results in the creation of an EAR file.
- B. Publishing an Application View results in the creation of an EJB JAR file.
- C. The control must be created in the Application Integration Design Console.
- D. The Application View must be created in Workshop before the control can be created.
- E. The Application View must be created in the Integration Administration console before the control can be created.

Answer: B

15. Programming information for each movie to be shown each day is currently stored in Conglomo's application, in the following format:

R:Rowdy Rides Again:The crazy antics of Rowdy and his friends continue in the funny sequel to the original:1992:3:1200p:100a:500a The first field is the movies rating. The second field is the title. The third field is a short movie description. The fourth field is the year the movie was produced. The fifth field is the number of times the movie is to be shown that day. The rest of the fields are the daily show times. Wich Field Occurrence option should be selected in Format Builder to handle the instances of the show times field?

- A. Once
- B. Repeat Field , with the value set to the field name of the number of showings
- C. Repeat Delimiter , with the value set to a colon ( : )
- D. Repeat Number , with the value set to the number of showings
- E. Unlimited

Answer: B

More [OB0-103 Braindumps](#) Information

**Related OB0-103 Exams**

OB0-103    OB0-101    OB0-102

**Other BEA Exams**

OB0-105    OB0-401    OB0-104    OB0-410    OB0-103  
 OB0-107    OB0-109    OB0-101    OB0-102    OB0-108  
 OB0-106    OB0-110    OB0-400