



[Lpi 117-302](#)

Exam Name: LPI 302 Mixed Environment Exam

Q & A : 146 Q&As

Pdf Demo

Quality and Value for the 117-302 Exam

[Just4Exams Practice Exams](#) for Lpi LPIC Level 3 117-302 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 117-302 Exam

If you do not pass the LPIC Level 3 117-302 exam on your first attempt using our Just4Exams **117-302 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 117-302 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [LPIC Level 3 certification](#) examination. Details are researched and produced by [Lpi Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 117-302 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : LPI 117-302

Title : LPI 302 Mixed Environment Exam

1. Which file contains the information that is retrieved by the following command:

```
# net getlocalsid SID for domain SERVER is: S152120043211811294720513754763961
```

A./etc/samba/secret.tdb

B./var/lib/samba/winbind_idmap.tdb

C./var/cache/localsid.tdb

D./var/cache/sid.tdb

Answer: A

2. For Samba to be able to work as a PDC, some modifications are needed in its main configuration file. Select the THREE options below

that show the required actions for this task.

- A. The Samba server has to be a logon server. This can be configured by the domain logons directive.
- B. The Samba server needs to have the logon and the account creation scripts, to properly setup the PDC environment.
- C. The Samba server must be a Domain Master Browser. To configure this, the domain master directive must be set to yes.
- D. The time server = yes directive needs to be configured, so Samba will behave as a WINS server and also a Time server.
- E. The security = user directive must be set.

Answer: ACE

3. After installing a network with one Samba server and several clients, users are complaining that they receive an Unable to browse the network error when trying to visit a public share. What is the most likely cause of this?

- A. The user entered the wrong username and/or password.
- B. The nmbd process is not running on the Samba server.
- C. The user hasn't mapped the share to a local drive letter yet.
- D. The Samba server is not configured as a Domain Master Browser.

Answer: B

4. When migrating files from a Windows server A to a Samba server B with the command 'net rpc share migrate files S A destination=B acs attrs U administrator', some files that originally belong only to a Windows group (no user) will generate errors during the migration. Which option in smb.conf will force such files to be mapped to the correct UNIX UID and GID?

- A. use acl = yes
- B. map group acs = yes
- C. force unknown acl user = yes
- D. inherit acs = no

Answer: C

5. Which command will import an smbpasswd file located in /etc/samba to a TDB data file?

_____ i smbpasswd:/etc/samba/smbpasswd

Answer: pdbedit

6. In which section of the smb.conf configuration file is the logon script declared?

- A. [homes]
- B. [netlogon]
- C. [global]
- D. [profiles]

Answer: C

7. Which of the following are true of CIFS? (Choose TWO correct Answers)

- A. Filenames can be in any character set.
- B. Filenames can have a maximum length of 127 characters.
- C. Unlike SMB, CIFS is not optimized for slow network connections.
- D. Opportunistic Locks are supported.

Answer: AD

8. A Samba server needs to determine the SID of an existing domain called FOO. Complete the command below which on the Samba server that will achieve this result:

net rpc _____ FOO

Answer: getsid

9. Which of the following development libraries are used to make Samba compatible with ADS? (Select TWO correct Answers.)

- A. Kerberos
- B. CUPS
- C. LDAP
- D. Win32
- E. IMAP

Answer: AC

10. A default user profile can be stored in a subdirectory of profiles/ called _____.

Answer: Default User

11. In which section of smb.conf should the path to the domain policy file be declared?

- A. [netlogon]

B.[homes]
C.[profiles]
D.[policy]
Answer: A

12. Which command typed on a Samba 3 server will print out the local SID?

A.net get sid localhost
B.net getlocalsid
C.net getsid
D.net rpc get localsid

Answer: B

13. The command _____ is used on a Samba 3 server to modify the SSID in an existing NT profile file called NTUser.DAT.

Answer: profiles

14. The command _____ x foo will delete the user foo from the Samba database. (Specify the command only, no path information.)

Answer: pdbedit smbpasswd

15. What does the following command below do?

smbclient //server/Reports U func

A.The Samba server administrator is providing access permissions to the Reports share to user func.
B.User func is downloading the content located in the Reports share of Samba server.
C.Computer func is trying to make a connection with a Samba server share, and the command will prompt for the username and password.
D.User func is trying to connect to the Reports share in the Samba server.

Answer: D

16. What DHCP option can be set on a ISC DHCP server to tell NETBIOS clients that the WINS server has the IP address 192.168.1.2?

A.option netbioswinservers 192.168.1.2;
B.option winsnetbiosservers 192.168.1.2;
C.option winsnameservers 192.168.1.2;
D.option netbiosnameservers 192.168.1.2;

Answer: D

17. The SAMBADOM domain has been added as a trusted account to an existing domain called WIN3K. Which command should be run on the Samba server in order to establish the trusted relationship to the WIN3K domain?

A.net rpc trustdom add WIN3K
B.net rpc addtrust WIN3K
C.net rpc trustdom establish WIN3K
D.net rpc trustdom establish SAMBA

Answer: C

18. Which smbclient option is used when connecting to a server as an authenticated user? (Select TWO correct Answers.)

A.user
B.u
C.guest
D.password
E.U

Answer: AE

19. Which smb.conf configuration keyword determines the hostname resolution order?

A.use ads
B.name resolve order
C.use nsswitch.conf
D.use resolv.conf

Answer: B

20. The command smbldapuseradd _____ will add the domain FOO as a trusted domain. (Specify the options and arguments ONLY.)

Answer: -i FOO

Related 117-302 Exams

117-303	117-301	117-302
---------	---------	---------

Other Lpi Exams

117-102	117-202	117-302	117-303	117-301
117-201	117-151	117-199	117-101	