



[Lotus 190-513](#)

Exam Name: Lotus Using JavaScript in Domino R5 Applications

Q & A : 90 Q&As

[Pdf Demo](#)

Quality and Value for the 190-513 Exam

[Just4Exams Practice Exams](#) for Lotus CLP 190-513 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 190-513 Exam

If you do not pass the CLP 190-513 exam on your first attempt using our Just4Exams **190-513 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 190-513 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [CLP certification](#) examination. Details are researched and produced by [Lotus Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 190-513 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Lotus 190-513

Title : Lotus Using JavaScript in Domino R5 Applications

1. Look at the following JavaScript code:

```
var textvalue = "This video stars Steve M....";
```

Which one of the following code lines will return the index of the first occurrence of the substring "Steve"?

- A. indexOf ("Steve");
- B. textvalue.mid("Steve");
- C. textvalue.indexOf ("Steve");
- D. textvalue.substring ("Steve");

Answer: C

2. Look at the following button code:

```
var x = 42;  
x = "this is a string";  
alert ("The value of x is " + x);
```

Which one of the following will happen when this code is run?

- A. A "Type Mismatch" error will occur when the button is clicked.
- B. A run-time JavaScript error will occur when the button is clicked.
- C. The Domino Designer will not save the form since there is an error.
- D. An alert will appear with the message "The value of x is this is a string".

Answer: D

3. Which one of the following designated lines has incorrect code?

```
// initialize the variables  
secsPerMin = 60; // <LINE A>  
var minsPerHour = 60;  
var hoursPerDay = 24;  
var daysPerYear = 365;  
// perform calculations  
var secsPerDay = secsPerMin * minsPerHour * hoursPerDay; //<LINE B>  
var secsPerYear = secsPerDay * daysPerYear;  
document.writeln("<b>There are ");  
document.writeln(secsperYear); //<LINE C>  
document.writeln(" seconds per year.</b><p>"); //<LINE D>
```

- A. <LINE A>
- B. <LINE B>
- C. <LINE C>
- D. <LINE D>

Answer: C

4. Look at the following application specification. An application's data is entered via either a Web or Notes client. Both clients must have similar functionality. There is a form which displays/allows for data entry of the video. Its name is "Product Description," with the alias "PD." The form also has a facility to make the video available once inventory is checked. When placed in the browser, which one of the following is the NAME attribute of the <FORM> tag for the Product Description form?

- A. "PD"
- B. "_PD"
- C. "_DominoForm"
- D. "Product Description"

Answer: B

5. The following code will produce a run-time error:

```
Line 1 {  
Line 2 path=location.pathname.toLowerCase( );  
Line 3 nsfPos=path.indexOf(".nsf");  
Line 4 path=path.substring(0, nsfpos+5);  
Line 5 }
```

Which one of the following lines is incorrect?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

6. Look at the following JavaScript function:

```
function clickButton  
{  
document.forms[0].submitMe.onClick( )  
}
```

Which one of the following will this function do?

- A. Run a global JavaScript function named onClick().
- B. Run the onClick event of an object named submitMe.
- C. Place the cursor in an input on the form named submitMe.

D. Run a JavaScript function named `onClick()` that is on a form object named `submitMe`.

Answer: B

7. Phil has some JavaScript code that he wants to add to a new form he is designing. In R6, he would have put this code in a field named `$$HTMLHEAD`. In which one of the following should he put it using the R5 Designer?

- A. In the same place
- B. In a field named `$$JSHEADER`
- C. In the JS Header event of the Form object
- D. In the HTML Head Content section of the Form object

Answer: C

8. Jon used the `@IsMember @Function` in his Notes application to search for the word "member" in a line of text. Which one of the following JavaScript string methods would allow him to do a similar thing?

- A. `find()`
- B. `split()`
- C. `substr()`
- D. `indexOf()`

Answer: D

9. The following statements appear in a function Pat is writing to calculate how many weeks before a video is released.

```
if (numDays <= 7) // First Condition
{ varMsg = "The video will be released this week";
}
else if((numDays > 7) && (numDays <=14)) // Second Condition
{varMsg = "The video will be released in 2 weeks";
}
else if((numDays > 14) && (numDays <=21)) // Third condition
{varMsg = "The video will be released in 3 weeks";
}
else if((numDays > 21) && (numDays <=28)) // Fourth condition
{varMsg= "The video will be released in 4 weeks";
}
else {varMsg="The video will be released next month";
}
alert(varMsg);
```

When Pat tests the button that calls the function, which one of the following will occur?

- A. If `numDays = 7`, the first condition will be true, `varMsg` will equal "The video will be released this week", and the alert statement will execute.
- B. If `numDays = 7`, the first condition will be true, `varMsg` will equal "The video will be released this week", and then the following conditions will be tested before the alert statement is executed.
- C. If `numDays = 14`, the third condition will be true, `varMsg` will equal "The video will be released in 3 weeks", and then the following conditions will be tested before the alert statement is executed.
- D. If `numDays = 21`, the third condition will be true, `varMsg` will equal "The video will be released in 3 weeks", and then the following conditions will be tested before the alert statement is executed.

Answer: A

10. Harvey has three numeric, editable fields on his form: `unitprice`, `quantity`, and `total`. He wants to have a button to compute the total. So far he has written:

```
theForm = document.forms[0];
theForm.total.value = theForm.quantity.value + theForm.unitprice.value;
```

Which one of the following will happen when the user enters 10 in the `unitprice` field and 30 in the `quantity` field and the button is pressed?

- A. A JavaScript error will occur.
- B. 300 will be placed in the `total` field.
- C. 3010 will be placed in the `total` field.
- D. The Domino Designer will not let Harvey save the form since the above code has an error.

Answer: C

11. Bahar is creating a form that will open a new window with a location object. Which one of the following describes the location object?

- A. It contains the URL of a hypertext link.
- B. It is an object under the history object.
- C. It is an object under the document object.

D. It contains the URL of the current document.

Answer: D

12. Given the following code:

```
var x = document.forms[0];
```

Which one of the following is contained in the variable x?

- A. A form object for the current page.
- B. A document object with the form referrer.
- C. A string that represents the form of the current page.
- D. A string that contains the form name of the current page.

Answer: A

13. Marjorie created the following JavaScript code segment to check whether data had been entered into a required field:

```
var frm=document.forms[0];
```

```
if(frm.LastName.value <missing code> "")
```

Which one of the following operators should she have used for the <missing code>?

- A. =
- B. ==
- C. :=
- D. is

Answer: B

14. Which one of the following describes how variables are declared and typed in JavaScript?

- A. explicit initialization
loosely typed
- B. implicit declaration
loosely typed
- C. implicit declaration
strongly typed
- D. explicit declaration
strongly typed

Answer: B

15. When a user clicks on a button and a new window is opened, which one of the following properties refers to the parent window that has generated the new window?

- A. window.top
- B. window.self
- C. window.opener
- D. window.parent

Answer: C

16. Consider the following:

```
<INPUT TYPE=button NAME="submitBtn" VALUE="Submit" onClick  
="submitMe(this.form)">
```

Which one of the following does the JavaScript event handler do?

- A. It submits the current HTML form.
- B. It submits the current HTML page.
- C. It calls a JavaScript function called submitMe() and passes the form object for the current page.
- D. It calls a JavaScript function called submitMe() and passes the form object for the button object to the function.

Answer: D

17. Danielle has written the following function, which appears in the JS Header of the ShipTo form.

```
function getkeyval()  
{  
<code segment>  
}
```

It opens when the client clicks on the Alternate Ship To address in the Video Order form. The ShipTo form appears in a smaller window allowing the user to select a different ShipTo address for the current order.

Which one of the following best describes how to trigger the function in the ShipTo form and then close the open window?

- A. In the OnChange event of the ShipToAddress field, enter "getkeyval()".
- B. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Other field: onClick="getkeyval()"

C. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Class field: onClick="getkeyval()"

D. Create a close link on the form using passthru HTML as follows:

Close

Answer: D

18. Edith wants to change a graphic whenever the user passes the cursor over the graphic in a Web browser. Which one of the following describes how she can do this?

A. She cannot do this; images cannot be changed.

B. She should write the location (URL) of the new image to the src property of the image in the onSelect event and set it back to the original image in the onMouseUp event.

C. She should write the location (URL) of the new image to the src property of the image in the onMouseOver event and set it back to the original image in the onMouseOut event.

D. She should write the location (URL) of the new image to the value property of the image in the onMouseOver event and set it back to the original image in the onMouseUp event.

Answer: C

19. Ann has written the following code in the Submit button onClick event:

```
if(window.document.forms[0].Email.value=="")
```

```
{
```

```
  alert("Please enter an email we can use to reply to your question.");
```

```
  window.document.forms[0].Email.focus()
```

```
}
```

```
else
```

```
{
```

```
  window.document.forms[0].submit()
```

```
}
```

When she runs it, the else statement is never executed. Which one of the following code changes will correct the error?

A. if(Email.value=="")

B. if(window.document.forms[0].email.value=="")

C. if(window.document.forms[0].Email.value=="")

D. The code is correct. It needs to be moved to the onBlur event of the Email field.

Answer: C

20. Which one of the following would Jim do to set up a global variable that will hold the initial value of a field on the page?

A. Declare and set the variable in the onClick event of the field.

B. Declare and set the variable in the JS Header event of the form.

C. Declare the variable in the JS Header event of the form and set the value in the onClick event of the field.

D. Declare the variable in the JS Header event of the form and set the variable in the onLoad event of the form.

Answer: D

More [190-513 Braindumps](#) Information

Related 190-513 Exams

190-959	190-980	190-956	190-847	190-955
190-701	190-801	190-542	190-952	190-722
190-737	190-720	190-802	190-849	190-710
190-840	190-834	190-838	190-621	LOT-951

Other Lotus Exams

190-848	190-621	190-721	190-803	190-950
190-838	190-562	190-738	190-800	190-951
190-956	190-702	190-755	190-805	190-513
190-959	190-756	190-833	190-952	190-827