



## [Lotus 190-753](#)

**Exam Name:** *Using JavaScript IBM Lotus Domino 7 Applications*

**Q & A :** 90 Q&As

***Pdf Demo***

### **Quality and Value for the 190-753 Exam**

[Just4Exams Practice Exams](#) for Lotus CLP 190-753 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 190-753 Exam**

If you do not pass the CLP 190-753 exam on your first attempt using our Just4Exams **190-753 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 190-753 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [CLP certification](#) examination. Details are researched and produced by [Lotus Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free 190-753 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Lotus 190-753

Title : Using JavaScript in IBM Lotus Domino 7 Applications

1. Inga wants to determine in her JavaScript if the user is using the Notes client or a Web browser. Which one of the following JavaScript properties will give her that information?

- A. window.version;
- B. navigator.appName;
- C. navigator.clientType;
- D. You cannot determine this using JavaScript.

Answer: B

2. The following code will produce a run-time error:

```
{ // Line 1
path=location.pathname.toLowerCase( ); // Line 2
nsfPos=path.indexOf(".nsf"); // Line 3
path=path.substring(0, nsfPos+5); // Line 4
}
```

Which one of the lines is incorrect?

- A. Line 1
- B. Line 2
- C. Line 3
- D. Line 4

Answer: D

3. Karl is creating a JavaScript program in the JS Header of a form to input new video releases. Which one of the following comment delimiters would NOT be allowed?

- A. //
- B. /\* and \*/
- C. <!-- and -->
- D. All of the above are allowed.

Answer: C

4. Jose has been asked to add a button to his Check Request form that will change the color of the form to red if the user wants to expedite the request. What line of JavaScript code would accomplish this requirement for Jose?

- A. bgColor == "red";
- B. document.bgColor = "red";
- C. forms[0].backgroundColor = "red";
- D. document.forms[0].bgColor = "red";

Answer: B

5. Dan is writing a JavaScript statement to display a message about the movie of the week. Which one of the following strings would NOT be properly interpreted by JavaScript in an alert dialog box?

- A. alert("My brother said, 'I like this movie.'")
- B. alert("This week's movie is my brother's favorite")
- C. alert("This is my brother's favorite movie of the week.")
- D. alert("The movie of the week is my brother's favorite.")

Answer: C

6. Edith wants to change a graphic whenever the user passes the cursor over the graphic in a Web browser. Which one of the following describes how she can do this?

- A. She cannot do this; images cannot be changed.
- B. She should write the location (URL) of the new image to the src property of the image in the onSelect event and set it back to the original image in the onMouseUp event.
- C. She should write the location (URL) of the new image to the src property of the image in the onMouseOver event and set it back to the original image in the onMouseOut event.
- D. She should write the location (URL) of the new image to the value property of the image in the onMouseOver event and set it back to the original image in the onMouseUp event.

Answer: C

7. Ann has written the following code in the Submit button onClick event:

```
if(window.document.forms[0].Email.value=="")
{
alert("Please enter an email we can use to reply to your question.");
window.document.forms[0].Email.focus()
} else {
window.document.forms[0].submit()
}
```

When she runs it, the else statement is never executed. Which one of the following code changes will correct the error?

- A. if(Email.value=="")
- B. if(window.document.forms[0].email.value=="")
- C. if(window.document.forms[0].Email.value=="")
- D. The code is correct. It needs to be moved to the onBlur event of the Email field.

Answer: C

8. Marie is getting an error in the following line of JavaScript code that is attached to a button on a Notes form:

```
totalAttempts[0] = 1;
```

How can she add error checking to this code to handle the error?

A. `if (isNaN(totalAttempts[0] = 1)) {`

```
  alert ("totalAttempts not defined");
```

```
}
```

B. `try {`

```
  totalAttempts[0] = 1;
```

```
} catch (e) {
```

```
  alert ("totalAttempts not defined");
```

```
}
```

C. `errorHandle messageAlert;`

```
totalAttempts[0] = 1;
```

```
messageAlert: alert ("totalAttempts not defined");
```

D. `onError GoTo messageAlert;`

```
totalAttempts[0] = 1;
```

```
messageAlert: alert ("totalAttempts not defined");
```

Answer: B

9. A JavaScript code segment was placed in the JS Header event of a form object. The beginning of that segment looked like the following:

```
function validate(field)
```

```
{
```

```
  if(validateRunning)
```

```
  {
```

```
    validateRunning=false;
```

```
    return;
```

```
  }
```

```
}
```

When the function was called, it did not work correctly. Which one of the following would prevent this function from working properly?

A. `validateRunning` was defined earlier as a number, not a boolean.

B. `validateRunning` was declared and initialized in the calling event.

C. `validateRunning` was declared and initialized in the JS Header event.

D. `validateRunning` was declared in the JS Header event and initialized in the calling event.

Answer: B

10. Ann created the following code segment:

```
function checksubject()
```

```
{
```

```
  if(window.document.forms[0].Subject.value=="")
```

```
  {
```

```
    alert("Please enter a subject.");
```

```
    window.document.forms[0].Subject.focus()
```

```
  }
```

```
  else
```

```
  {
```

```
    window.document.forms[0].submit()
```

```
  }
```

```
}
```

Which one of the following could Ann place between the function name and the if statement to prevent the need to type `window.document.forms[0]` each time it is needed?

A. `function checksubject()`

```
{
```

```
(this)
```

```
{
```

```
  if(Subject.value=="")
```

B. `function checksubject()`

```
{
```

```
  with(this)
```

```
{
```

```
  if(Subject.value=="")
```

```
C. function checksubject()
{
(window.document.forms[0])
{
if(Subject.value=="")
```

```
D. function checksubject()
{
with(window.document.forms[0])
{
if(Subject.value=="")
Answer: D
```

11. Which one of the following designated lines has incorrect code?

```
// initialize the variables
secsPerMin = 60; // <LINE A>
var minsPerHour = 60;
var hoursPerDay = 24;
var daysPerYear = 365;
// perform calculations
var secsPerDay = secsPerMin * minsPerHour * hoursPerDay; //<LINE B>
var secsPerYear = secsPerDay * daysPerYear;
document.writeln("<b>There are ");
document.writeln(secsperYear); //<LINE C>
document.writeln(" seconds per year.</b><p>"); //<LINE D>
```

- A. <LINE A>
- B. <LINE B>
- C. <LINE C>
- D. <LINE D>

Answer: C

12. The following JavaScript code was placed in the onChange event for a listbox:

```
var frm = document.forms[0];
var sc = frm.SelectedVacation;
var vacation = this;
sc.value = "";
<MISSING CODE>
{
if(vacation.options[i].selected)
{
sc.value = sc.value + vacation.options[i].text + "n";
}
}
```

Which one of the following is the missing line of code?

- A. until (i=0, i > vacation.length, i--)
- B. for (i = 0; i < vacation.length; i++)
- C. for (i = 0; index < vacation.length; i++)
- D. while (i !=0; index < vacation.length; i--)

Answer: B

13. Clara used three Domino subforms to create a page on the Web. How many HTML form tags were rendered when it was opened in edit mode?

- A. None
- B. One
- C. Two
- D. Three

Answer: B

14. Look at the following JavaScript function:

```
function clickButton
{
document.forms[0].submitMe.onClick( )
```

```
}
```

Which one of the following will this function do?

- A. Run a global JavaScript function named `onClick()`.
- B. Run the `onClick` event of an object named `submitMe`.
- C. Place the cursor in an input on the form named `submitMe`.
- D. Run a JavaScript function named `onClick()` that is on a form object named `submitMe`.

Answer: B

15. Georgi has created the `SalesOrder` Web form. He has included several checkbox fields on the form listing various parts that a customer may want to add to an order. At the bottom of the form is the `addOptions` listbox field. Georgi has placed this code in the `onClick` event of each checkbox field:

```
var fldOptions = document.forms[0].addOptions;
var newIndex = fldOptions.length;
fldOptions.length = fldOptions.length+1;
fldOptions.options[newIndex].text = this.value;
```

What is the result of this code?

- A. Each selected checkbox item replaces the current last choice available in the `addOptions` field.
- B. Each item that is selected by clicking in a checkbox is added to the list of choices available in the `addOptions` field.
- C. If the first choice of a checkbox field is selected, it will replace the current last choice available in the `addOptions` field.
- D. If the first choice of a checkbox field is selected, it will be added to the list of choices available in the `addOptions` field.

Answer: B

16. Look at the following code for the `onClick` event of a button:

```
function printvar()
{
  var1 = 20;
  alert( 'the value of var1 is ' + var1 );
}
var var1 = 10;
printvar();
```

Which one of the following will be the value of `var1` in the alert message?

- A. 10
- B. 20
- C. "10"
- D. undefined

Answer: B

17. Rashida needs to display the current date, in `dd-mmm-yyyy` format, in an alert message. For example, the first day of the 2007 should be displayed as `01-Jan-2007`. So far, she has written these lines in a new function that she will use to create the date string:

```
function getDateDMY() {
  var months = new Array("Jan", "Feb", "Mar", "Apr", "May", "Jun", "Jul", "Aug", "Sep", "Oct", "Nov", "Dec");
  var dt = new Date();
  <MISSING CODE>
}
```

What should Rashida add in place of the `<MISSING CODE>`?

- A. 

```
var dd = dt.getDay();
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return dd + "-" + months[mmm] + "-" + yyyy;
```
- B. 

```
var dd = dt.getDay();
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return = dd + "-" + months.options[mmm] + "-" + yyyy;
```
- C. 

```
var dd = dt.getDate();
if (dd < 10) { dd = "0" + dd }
var mmm = dt.getMonth();
var yyyy = dt.getFullYear();
return dd + "-" + months[mmm] + "-" + yyyy;
```
- D. 

```
var dd = dt.getDate();
if (dd < 10) { dd = "0" + parseInt(dd) }
var mmm = dt.getMonth();
```

```
var yyyy = dt.getFullYear();
return = dd + "-" + months[mmm] + "-" + parseInt(yyyy);
```

Answer: C

18. Which JavaScript location property could you use to determine whether or not you were using an https:// connection on the current page?

- A. location.port
- B. location.host
- C. location.secure
- D. location.protocol

Answer: D

19. Murray designed a Web document that has a <SELECT> list, which allows the user to choose who the next signer in a workflow should be. The HTML for the field looks something like this:

```
<select name="NextSigner" size=1>
<option value="John Jones">John Jones</option>
<option value="Barry Allen">Barry Allen</option>
<option value="Hal Jordan">Hal Jordan</option>
```

Murray wrote a function called "ConfirmSignerName" that confirms that the selected name is the correct one. How does the function get the value that was selected in that field?

- A. document.forms[0].NextSigner.text
- B. document.forms[0].NextSigner.value
- C. document.forms[0].NextSigner.selected
- D. document.forms[0].NextSigner.options[document.forms[0].NextSigner.selectedIndex].value

Answer: D

20. Devon has placed the following code in the JS Header event of a form:

```
function userConfirm( )
{
if( confirm( "Do you wish to continue" ))
{
promptUser( );
}
function promptUser( )
{
x = prompt( "Please enter some text", "" );
alert( x );
}
```

There is a button on the form where the onClick event is: userConfirm( ).

Which one of the following will happen when the user chooses "Yes" in the confirmation prompt?

- A. The promptUser( ) function will run and display an error message, "Please enter some text".
- B. The promptUser( ) function will run and ask the user to input a value, which will then be posted in a confirm prompt.
- C. A run-time error will appear, stating that the promptUser( ) function is undefined, since it was defined after the userConfirm( ) function.
- D. The promptUser( ) function will run with an input prompt asking the user to input a value, which will then be posted in an alert prompt.

Answer: D

More [190-753 Braindumps](#) Information

#### Related 190-753 Exams

190-959	190-980	190-956	190-847	190-955
190-701	190-801	190-542	190-952	190-722
190-737	190-720	190-802	190-849	190-710
190-840	190-834	190-838	190-621	LOT-951

#### Other Lotus Exams

190-982	190-533	190-848	190-835	190-721
190-831	190-805	190-516	190-563	190-952
190-622	190-620	190-701	190-273	190-841
190-513	190-833	190-572	190-980	190-712