



## [Lotus 190-821](#)

**Exam Name:** *Impl+Admin IBM Workplace Collaboration Services 2.5:Messaging*

**Q & A :** 88 Q&As

***Pdf Demo***

### **Quality and Value for the 190-821 Exam**

[Just4Exams Practice Exams](#) for Lotus CLP 190-821 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 190-821 Exam**

If you do not pass the CLP 190-821 exam on your first attempt using our Just4Exams **190-821 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 190-821 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [CLP certification](#) examination. Details are researched and produced by [Lotus Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free 190-821 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Lotus 190-821

Title : Impl+Admin IBM Workplace Collaboration Services 2.5:Messaging

1. Which one of the following policy methods offers greater flexibility in assigning users to policies in IBM Workplace?

- A. Person policy
- B. MailUser policy
- C. DN scope matching
- D. WebSphere Member Manager

Answer: D

2. Karl, the IBM Workplace Messaging administrator, has noticed that the server is accepting numerous commands on anonymous connections, slowing the receipt of SMTP inbound mail. Which one of the following settings may he modify to reduce these commands

from being received by the server?

- A. Maximum recipients
- B. Maximum inbound message size
- C. Allow the sending of delivery confirmations
- D. Maximum meaningless commands before termination

Answer: D

3. In a Network Deployment, you run the IBM Workplace installation program on every server in the deployment except for which one of the following?

- A. The database server and LDAP server
- B. The LDAP server and the remote HTTP server
- C. The remote HTTP server and WebSphere Portal Server
- D. The WebSphere Portal Server and WebSphere Application Server

Answer: B

4. Karen, the IBM Workplace Messaging administrator, notices that attempts to deliver mail between failures is taking longer than desired. Which one of the following settings should Karen adjust to reduce the amount of time between attempts?

- A. Retry timeout
- B. Retry interval
- C. Delivery timeout
- D. Delivery interval

Answer: B

5. The "maximum number of received headers" setting controls which one of the following options?

- A. This setting specifies the maximum number of inbound sessions allowed to the server.
- B. This setting specifies the maximum number of recipients allowed on an inbound mail message.
- C. This setting specifies how much information should be displayed in the received header when viewing the message.
- D. This setting specifies the maximum number of received headers allowed before the message is considered looping and sent to the dead letter queue.

Answer: D

6. By default, IBM Workplace Collaboration Services assigns users to policies by matching the user's Distinguished Name to what?

- A. A Distinguished Name scope you specify in a policy
- B. A UN scope you specify in a policy
- C. A Name scope you specify in a policy
- D. A User scope you specify in a policy

Answer: A

7. To set the postmaster and dead letter addresses for IBM Workplace Messaging, where must the administrator navigate to in the WebSphere Administrative Console?

- A. Lotus Workplace>Cell Settings>Mail Properties
- B. Lotus Workplace Messaging>Mail Services>Properties
- C. Lotus Workplace>Mail Cell-Wide Settings>General Properties
- D. Lotus Workplace Messaging>Cell Services>Administrative email

Answer: C

8. Troy, the IBM Workplace Messaging administrator, wishes to assign multiple e-mail aliases to users. Which one of the following attributes may be populated to support the aliases?

- A. InetMail
- B. otherEmail
- C. AliasMail
- D. ibm-otherEmail

Answer: D

9. Part of enabling security between WebSphere Portal and an LDAP directory involves modifying properties in which one of the following files?

- A. <wp\_root>ldapwpconfig.properties
- B. <wp\_root>configwpconfig.properties
- C. <wp\_root>configldaphost.properties
- D. <wp\_root>ldapldaphost.properties

Answer: B

10. Smart host mail routing provides which one of the following results?

- A. All received messages are prioritized based on policies.
- B. All messages destined for the Internet are sent to the most available server.
- C. All received messages are spooled and sent in batches to users for bandwidth savings.
- D. All messages addressed to unknown recipients in the local Internet domain are sent to this configured host.

Answer: D

11. For messages that originate from outside the mail cell, delivery confirmations are sent by default to which one of the following connections?

- A. Trusted, and suspect connections
- B. Authenticated, and trusted connections
- C. Authenticated, suspect, and anonymous connections
- D. Authenticated, trusted, and anonymous connections

Answer: B

12. Which one of the following options verifies a user credentials for POP3?

- A. The WPS50 database store
- B. The WebSphere Member Manager
- C. A server-based file titled pop3user.xml
- D. A server-based file titled pop3user.properties

Answer: B

13. The mail services of IBM Workplace Messaging allocates how much disk space, by default, to each mail account?

- A. 25 MB
- B. 50 MB
- C. 60 MB
- D. 100 MB

Answer: C

14. The queue directory is accessed by all SMTP Services in the IBM Workplace Messaging cell for which one of the following purposes?

- A. The queue directory is used by the message queue to store messages before they are delivered.
- B. The queue directory is used by the WebSphere Member Manager to find recipients in the local domain.
- C. The queue directory is used by the mail services task to validate anonymous and suspect connections.
- D. The queue directory is used by the virtual queue to store messages that cannot be delivered to remote hosts.

Answer: A

15. You cannot install IBM Workplace on a WebSphere node that is already part of a Network Deployment. What steps must be performed instead?

- A. Install and configure a new IBM Workplace environment; then synchronize the two through DBMS.
- B. Install and configure a new IBM Workplace environment; then synchronize the two through LDAP.
- C. Install and configure IBM Workplace on multiple stand-alone servers, and then add (or ederate? each of these servers to the Network Deployment environment.
- D. Install and configure IBM Workplace on multiple stand-alone servers, and then separate (or "aggregate") each of these servers into different Network Deployment environments.

Answer: C

16. In IBM Workplace Messaging, suspending a mail account involves which one of the following actions?

- A. Deleting the person from the LDAP directory
- B. Manually restricting access for the person in the mail file
- C. Moving the user to a user policy in which mail access is disabled
- D. Adding the person's name to the WebSphere Member Manager lookaside database

Answer: C

17. Mail cell routing information is registered where in IBM Workplace Messaging?

- A. Lotus Workplace>Messaging>Directory Settings for Messaging
- B. Lotus Workplace>Messaging>Mail cells>Mail cell routing
- C. Lotus Workplace>Directories>Directory Settings for Messaging
- D. Lotus Workplace>Directories>Messaging Settings>Mail cell routing

Answer: C

18. When configuring the SMTP Inbound Service, which one of the following settings takes precedence?

- A. Cell level settings
- B. Server level settings
- C. Administrator level settings
- D. Virtual queue level settings

Answer: B

19. IBM Workplace Messaging allows the administrator to specify a local domain smart host. What function does this provide?

- A. This setting denies messages for unknown recipients sent to the local domain.
- B. This setting specifies an alternate local domain address for outbound mail messages.
- C. This setting allows messages to be routed to a default mailbox when the recipient is unknown in the local domain.
- D. This setting specifies the host name or the IP address of the mail server to which a message is routed when a recipient cannot be found.

Answer: D

20. Adrian, the IBM Workplace administrator, has successfully installed Workplace and configured the lwpprops.properties file. Which scripts must be run as the next step?

- A. LWPconfig and LWPdbconfig
- B. LWPconfig and LWPconfigdb
- C. LWMconfig and LWMdbconfig
- D. LWMconfig and LWMconfigdb

Answer: A

More [190-821 Braindumps](#) Information

#### **Related 190-821 Exams**

190-959	190-980	190-956	190-847	190-955
190-701	190-801	190-542	190-952	190-722
190-737	190-720	190-802	190-849	190-710
190-840	190-834	190-838	LOT-951	190-621

#### **Other Lotus Exams**

190-620	190-847	190-531	190-800	190-835
190-721	190-833	190-828	190-951	190-802
190-841	190-957	190-563	190-834	190-735
190-846	190-561	190-753	190-702	190-756