



[Citrix 1Y0-252](#)

Exam Name: MetaFrame® Presentation Server 3.0: Troubleshooting Enterprise Environment

Q & A : 96 Q&As

Pdf Demo

Quality and Value for the 1Y0-252 Exam

[Just4Exams Practice Exams](#) for Citrix CCEA 3.0 1Y0-252 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 1Y0-252 Exam

If you do not pass the CCEA 3.0 1Y0-252 exam on your first attempt using our Just4Exams **1Y0-252 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 1Y0-252 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [CCEA 3.0 certification](#) examination. Details are researched and produced by [Citrix Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 1Y0-252 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Network General Corp

1Y0-252

Title : MetaFrame(r) Presentation Server 3.0: Troubleshooting Enterprise Environment

1. Which type of certificate must be installed on a client device in order to connect to the enterprise environment through Secure Gateway?

- A. Root certificate
- B. Client certificate
- C. Server certificate
- D. Intermediate certificate

Answer: A

2. Scenario: At KellCom, Inc. users sometimes complain that they are not able to enumerate applications. Users access published applications through the Program Neighborhood Application Set. Program Neighborhood was installed and configured by the users. Which two options can be used to conduct an investigation of these symptoms? (Choose two.)

- A. DSCHECK
- B. QUERYDS
- C. Presentation Server Console
- D. Program Neighborhood settings

Answer: CD

3. Scenario: Application1 is published to servers four through eight, but Load Manager is not sending any users to server four. All users launching Application1 are being sent to servers five through eight. The Advanced Load evaluator is set for all servers. What are two areas that should be investigated based on the symptoms described in the scenario? (Choose two.)

- A. Server settings
- B. Listener settings
- C. Load rule settings
- D. Data Store corruption

Answer: AB

4. Which printer type requires that print queues be defined on a print server?

- A. Local printer
- B. Client printer
- C. Server printer
- D. Network printer

Answer: D

5. Scenario: Application3 is published to servers 4 through 8 but Load Manager is not sending any users to server 4. All users launching Application3 are being sent to servers 5 through 8. Which areas should be investigated to diagnose the cause of the symptoms included in the scenario? (Choose two.)

- A. Load rule settings
- B. Data Store corruption
- C. Communication with the data store
- D. Communication with the data collector

Answer: AD

6. In order to enable auto-creation of printers, in which two locations must rights be assigned to the user? (Choose two.)

- A. Program Neighborhood
- B. Server Operating system
- C. Client connection settings
- D. MetaFrame Access Suite Console

Answer: BC

7. Scenario: Users complain that they are unable to see their COM print devices from within their sessions. You launch the Citrix Connection Configuration Utility and view the Client Settings to ensure that all virtual channels needed for COM printing are enabled. Click on the Exhibit button to view the settings.

Which setting must be deselected to enable the virtual channel?

- A. Enable COM Port Mapping
- B. Disable COM Port Mapping
- C. Enable Client Drive Mapping
- D. Disable Client Drive Mapping

Answer: B

8. Scenario: Users are complaining that connection to Web Interface is intermittently failing. There is no pattern for the failures based on IP address or Active Directory groups. You are using DNS round-robin to load balance your three servers running Web Interface.

Which two tools should you use to confirm that the configuration is correct? (Choose two.)

- A. Windows DNS
- B. Access Suite Console
- C. Web Interface Admin tool
- D. Presentation Server Console

Answer: AC

9. Scenario: Several users in the New York office have reported that they cannot connect to the farm through the clustered Web Interface

servers this morning. No changes have been made to Active Directory or the Presentation Server Console for several days. What is most likely the issue?

- A. WAN link
- B. Active Directory
- C. Web Interface server failure
- D. MetaFrame Presentation Server Client version

Answer: A

10. Scenario: To help with the increasing use of the Secure Gateway, the MetaFrame Administrator installs two new Secure Gateway servers, two new Web Interface servers and one new Secure Ticket Authority server. When users try to connect to the environment, they receive the following error: "ERROR: None of the configured Secure Gateway for MetaFrame Presentation Server STAs are available."

What are three required steps for resolving this issue? (Choose three.)

- A. Verify that IIS hosting the STA does not require authentication.
- B. Verify that the default web site in IIS is running for the STA server.
- C. Verify that the default web site in IIS is running for the server running the Web Interface.
- D. Verify that IIS hosting the server running the Web Interface does not require authentication.
- E. Verify that HTTP port 80 traffic is allowed to flow between the STA and the servers running the Web Interface and the Secure Gateway service.

Answer: ABE

11. Which requirement distinguishes network printing from client printing?

- A. Network printing requires the use of a print server.
- B. Network printing requires Windows printer sharing.
- C. Network printing requires that printers be defined on the server and not the client.
- D. Network printing requires that the printers appear in the Printer folders of the client and the server.

Answer: A

12. Scenario: The MetaFrame Administrator has just completed an installation of a 50-server farm. The servers have various hardware capabilities and while all servers have a common group of applications, some servers also have additional applications installed to meet departmental needs. Once all users in the company are using the farm, the administrator begins receiving complaints of long application enumeration times and users from the Accounting department are receiving errors that they are unable to access their applications when they attempt to connect.

The administrator observes that the group of servers housing the Accounting department's applications have many errors in the event log that indicate that there is not enough memory. Additionally, the administrator observes that the CPU utilization of the Data Collector is also consistently too high, which may be causing the long enumeration times.

The administrator has decided to create a load evaluator using the "Memory Usage" rule and the "IP Range" rule. He configures the "IP Range" rule to "allow access from clients whose IP addresses are within the specified address ranges" and specify the Accounting department's address range. He applies this evaluator to the servers housing the Accounting applications. He then applies another load evaluator to the Data Collector configured with a "Server User Load" of 20.

What is the result of these configurations?

- A. Enumeration times are reduced.
- B. The data collector stops hosting user sessions.
- C. All users are able to access applications housed on all servers.
- D. Only users from the Accounting department are able to access their applications.

Answer: AD

13. Scenario: Your network printer is on the LAN to the server. If you want to optimize speed and performance, you should enable the policy: Send through client device to printer. Is this statement true or false?

- A. True
- B. False

Answer: B

14. Scenario: In an environment in which MetaFrame Presentation Server 3.0 is deployed on Windows 2003 servers, a company uses an custom built application for their accounting department. LAN users create their ICA sessions with the following settings:

Use data compression: enabled

Sound: disabled

Window Colors: True Color (24 Bit)

Screen Size: 1024*768

The print preview document of the custom application is black. This application calls WINWORD.EXE when opening print preview. The print preview window within Word is also black.

After consulting with application developers, users have been told that printing for this application and print preview will fail with high color

depths.

How can this issue be resolved?

- A. Update your print drivers.
- B. Change the color depth on all client machines.
- C. Change the color depth for ICA sessions to 256 colors.
- D. Change the color depth on the server running MetaFrame Presentation Server 3.0.

Answer: C

15. What is an appropriate area to investigate when experiencing Load Manager issues?

- A. Data store update rate
- B. Direct server connections
- C. Data store communication
- D. Web Interface connections

Answer: B

16. Which statement is true about auto-creation of printers?

- A. The printing queue is decided by the print server.
- B. Printing rights can only be assigned by the operating system.
- C. When printers are created at session initiation, printers can be created either synchronously or asynchronously.
- D. In a MetaFrame environment, the proper driver is automatically selected regardless of the client operating system.

Answer: C

17. Which Microsoft tool will help you determine whether any ports are blocked in your Web Interface deployment?

- A. Network Monitor
- B. Performance Monitor
- C. Access Suite Console
- D. Computer Management

Answer: A

18. Scenario: Users connecting directly to the MetaFrame Presentation Server 3.0 desktop are able to print to their auto-created printers. When the same users try to print from their published applications, they cannot see their auto-created printers. The MetaFrame Administrator suspects that this is due to synchronous processing of printer auto-creation for published applications. How can you disable synchronous auto-creation of printers for published applications?

- A. Disable the option in Server Properties.
- B. Disable the option in Citrix Connection Configuration.
- C. Disable the option in Printer Properties in Presentation Server Console.
- D. Disable the option in Application properties in Presentation Server Console.

Answer: D

19. Scenario: Within an ICA session you only want to map your users' locally attached printer. The requirement specifies auto-creating only the local client printers connected directly to the client device through an LPT, COM, USB, or other local port. What course of action is required?

- A. Add WAN users to power printer user group.
- B. Apply the appropriate settings through the IMA configuration tool.
- C. Replicate the printer drivers on your server running MetaFrame Presentation Server 3.0.
- D. Apply a MetaFrame Presentation Server 3.0 policy to users to Auto-create client printers at logon for local (non-network) client printers only.

Answer: D

20. Scenario: KellCorp, Inc. plans to run an application in their farm but testing has shown that if more than 20 users are running this application on a server, the server experiences high resource utilization. None of the other applications exhibit this behavior. To limit the number of users on each server the MetaFrame Administrator has created a load evaluator with the rule "Server User Load" configured to report a full load at 20 users and has applied this load to the servers.

Which results are produced by the steps the administrator has completed?

- A. The number of users running this application is limited to no more than 20 users per server. User connections to this application are not consistently load balanced across servers.
- B. The number of users running this application is limited to no more than 20 users per server. User connections to this application are consistently load balanced across the servers.
- C. The number of users running this application is limited to no more than 20 users per server while still allowing more than 20 connections to other applications running on the same server.
- D. The number of users running this application is limited to no more than 20 users per server while still allowing more than 20 connections

to other applications running on the same server. User connections to this application are consistently load balanced across the servers.

Answer: A

21. Scenario: KellCorp, Inc has several roaming users who may need to disconnect quickly depending on their location and distance away from office. The help desk has received several complaints that if a session was disconnected while printing, the print spooler hangs. Using the Printer Management properties in the Presentation Server Console.

which option corrects this issue?

- A. Reset spooler services at logon.
- B. Use Universal Printer Drivers only.
- C. Delete the pending jobs at each logout.
- D. Update printer properties at each logon.

Answer: C

22. In order to allow secure communication to occur through the Secure Gateway service in a single hop DMZ environment, which security mechanism must be installed on the server running the Secure Gateway service?

- A. Client Certificate
- B. Server Certificate
- C. Certificate Authority
- D. Intermediate Certificate

Answer: B

23. Scenario: When authenticating to the Web Interface, the logon page refreshes without reporting any errors. What is the likely cause of this issue?

- A. The domain controller is unavailable.
- B. The user entered incorrect credentials.
- C. The /Citrix/MetaFrame/Default virtual directory is NOT configured for Integrated Windows Authentication.
- D. The /Citrix/MetaFrame/Integrated virtual directory is NOT configured for Integrated Windows Authentication.

Answer: C

24. When Web Interface is deployed without Secure Gateway, which port must remain open for Session Reliability to function?

- A. Port 80
- B. Port 1494
- C. Port 2598
- D. Port 2512

Answer: C

25. Scenario: At a marketing company, Citrix has always been used to allow remote and mobile workforce access to applications.

Recently the MetaFrame Presentation Server 3.0 implementation was rolled out to a larger group of users as a pilot to test usability for all employees.

Users access their applications in this environment using the Web Interface. Complaints regarding long logon times are received daily. You have been asked to investigate the problem. After ruling out other causes, you launch the Presentation Server Console and view the Printer Management Properties.

Click the Exhibit button to view the Settings.

What are three possible causes of the slow logons in this environment? (Choose three.)

- A. "Auto-Creating Client Printers when user logs on" is enabled.
- B. "Auto-creation for all printers" is disabled for certain applications.
- C. "Inherit Printer's setting for keeping printing documents" is enabled.
- D. "Update printer properties at each logon" is enabled for auto-created client printers.
- E. "Update printer properties at each logon" is enabled for auto-created network printers.

Answer: ADE

26. Scenario: A MetaFrame Administrator is setting up a new server to run the Secure Gateway Service in order to support the growing number of users requiring secure, remote access. Upon configuration of the Secure Gateway, the administrator receives the following error message : "Certificate is unusable."

What is the likely cause of this issue?

- A. The certificate does not contain the private key.
- B. The server does not have the appropriate root certificate.
- C. The "Issued To" field of the certificate is NOT the FQDN name of the server.
- D. Two different server certificates are installed on the server running the Secure Gateway service.

Answer: A

27. Scenario: After importing a print server, users still cannot see the newly-added network printers. Which two steps would you take to troubleshoot this issue? (Choose two.)

- A. Reboot the print server.
- B. Delete the imported print server and reimport it.
- C. Delete the network printer and recreate it on the print server.
- D. Select "Update printer and driver information" in the Printer Management options.

Answer: BD

28. Scenario: A temporary telecommuter in Toronto reports that she frequently experiences intermittent session drops when connected through the Secure Gateway to applications published on the MetaFrame Presentation Server. When querying her for information, you learn that she is using version 6.00 of the full Program Neighborhood Client. You know that network-based enhancements that improve client connectivity were made in the 6.20 version but want her to upgrade to at least the 7. x version. She cannot load any software on this Windows 2000 Professional computer because she is dangerously low on hard drive space.

What is the recommended action?

- A. Upgrade the full Program Neighborhood Client which replaces only existing files.
- B. Implement the latest version of the Client for Java so that only a Java applet is installed.
- C. Implement the latest version of the Client for Web so that only the core files are installed.
- D. Upgrade the current Client version with the Program Neighborhood Agent version so that only the necessary files are replaced.

Answer: B

29. Scenario: For the accounting department, the default printer for an ICA session needs to be a network printer. That printer is configured as the default on the workstation. When a user logs on, the wrong printer appears by default.

Click on the Exhibit button to view the client settings in the Citrix Connection Configuration utility.

Which option should be selected to correct the issue described in the scenario?

- A. I nherit user config
- B. Default to Main Client Printer
- C. Disable Windows Client Printer Mapping
- D. By default, connect only the client's main printer

Answer: B

30. Which three symptoms can occur if the required MetaFrame Presentation Server related ports are not open in an environment in which clients connect to Program Neighborhood over the WAN? (Choose three.)

- A. Applications lose functionality.
- B. Applications do not enumerate.
- C. Users are not be able to authenticate.
- D. Users are unable to connect to the server.
- E. Users are unable to launch published applications.

Answer: BDE

More [1Y0-252 Braindumps](#) Information

Related 1Y0-252 Exams

1Y0-973	1Y0-722	1Y0-223	1Y0-251	1Y0-252
---------	---------	---------	---------	---------

Other Citrix Exams

1Y0-A08	1Y0-259	1Y0-611	1Y0-800	1Y0-258
1Y0-721	1Y0-A04	1Y0-A02	1Y0-309	1Y0-A06
1Y0-A05	1Y0-306	1Y0-256	1Y0-973	1Y0-308
1Y0-972	1Y0-220	1Y0-456	1Y0-913	1Y0-264