



## [Citrix 1Y0-306](#)

**Exam Name:** Citrix Access Gateway 4.2 with Advanced Access Control:Admin

**Q & A :** 122 Q&As

***Pdf Demo***

### **Quality and Value for the 1Y0-306 Exam**

[Just4Exams Practice Exams](#) for Citrix Citrix Other Certification 1Y0-306 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 1Y0-306 Exam**

If you do not pass the Citrix Other Certification 1Y0-306 exam on your first attempt using our Just4Exams **1Y0-306 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 1Y0-306 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Citrix Other Certification certification](#) examination. Details are researched and produced by [Citrix Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 1Y0-306 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Citrix 1Y0-306

Title : Citrix Access Gateway 4.2 with Advanced Access Control:Admin

1. How can an administrator control whether users are allowed or denied logon privileges through policies?

- A. Include the Allow Logon property in the access filter
- B. Include the Allow Logon property in the access policy
- C. Include the Allow Logon Resource in the access filter
- D. Include the Allow Logon Resource in the access policy

Answer: D

2. An administrator configuring advanced authentication decides to use an index database with Global Catalog in order to improve the

speed of LDAP queries. The administrator is instructed to use Microsoft port number 3268.

What should the administrator do in the "LDAP Profile Configuration" to implement this configuration? (Click on the exhibit button to display the screen shot.)

- A. Type "3268" in the "Port" field and deselect "Use SSL".
- B. Type "3268" in the "Port" field and leave "Use SSL" selected.
- C. Type "3268" in the "Port" field and in the name field for the "Administrator Bind DN" and the "Base Bind DN".
- D. Type "3268" in the "Port" field and type ":3268" after the IP address in the "LDAP Server Name or IP Address" field.

Answer: A

3. Which two steps must be taken when creating a typical filter? (Choose two.)

- A. Construct a logical expression
- B. Select an authentication profile
- C. Provide a unique name for the filter
- D. Select endpoint analysis scan output
- E. Choose at least one condition to be included in the filter
- F. Enter SSL client certificate requirements will be used to filter access

Answer: CE

4. An administrator needs to make a change to the default logon point settings for an Advanced Access Control implementation. Where can the administrator locate the default logon point?

- A. In the IIS Manager Console
- B. In the Access Suite Console
- C. In the Access Gateway Administration Tool
- D. In the Access Gateway Administration Portal

Answer: B

5. Which two tools are used to configure RADIUS authorization for an Advanced Access Control implementation in a Windows domain? (Choose two.)

- A. The Access Suite Console
- B. The Server Configuration Wizard
- C. The Access Gateway Administrator's Tool
- D. The remote access policy in Microsoft Internet Authentication Service

Answer: AD

6. What is the name of the policy setting that can be applied to a network resource?

- A. Access
- B. Download
- C. File Type Association
- D. Network Authentication

Answer: A

7. What are two required steps for creating a typical filter that would require users to logon using a specific URL and their client devices to be running a specific anti-virus software? (Choose two.)

- A. Choose to filter based on logon points
- B. Run the Create Filter Wizard from the logon point
- C. Choose to filter based on endpoint analysis scan results
- D. Combine logon points and endpoint analysis results with the OR logical operator

Answer: AC

8. Which type of filter should an administrator create, if a filter that specifies a particular NOT logic condition must exist in order for access to be granted?

- A. Typical Filter
- B. Custom Filter
- C. Negative Filter
- D. Exclusion Filter

Answer: B

9. When a logon point is renamed just after it is deployed, \_\_\_\_\_. (Fill in the blank with a listed option.)

- A. it can no longer be used
- B. it must be redeployed using the update function in the Access Suite Console
- C. the Advanced Access Control setup CD must be used to redeploy the updated logon

D. it must be redeployed using the update/refresh function in the Server Configuration Wizard before users can begin using the logon point to access resources

Answer: D

10. Scenario: You are in the process of deploying Advanced Access Control in your company's IT environment. The corporate IT policy requires that all users have access to the company's employee portal website, but only the sales team has access to their web-based CRM application.

Which configurations best meet the requirements of the described environment?

A. Create a single web resource and add the URL for both the employee portal and the CRM application. Create a single access policy and grant only the sales team access to the CRM application.

B. Create two separate web resources; one for the employee portal and one for the CRM application. Create a single access policy and deny all non-sales team employees access to the CRM application.

C. Create two separate web resources; one for the employee portal and one for the CRM application. Create two separate policies; include the employee portal in one and include the CRM application in the second. Add a filter to the CRM policy that denies all non-sales team employees access.

D. Create two separate web resources; one for the employee portal and one for the CRM application. Create two separate policies; include the employee portal in one and include the CRM application in the second. Grant everyone access to the employee portal policy and only the sales team access to the CRM application policy.

Answer: D

11. When is the "Authentication Credentials" option used in the deployment of a logon point?

A. When RSA SecurID will be used along with the logon point

B. When the logon point is used to connect devices that are not secure

C. When a RADIUS or LDAP profile will be used along with the logon point

D. When the logon point is used by devices to access resources from a secure network over a connection that is not secure

Answer: C

12. Which connection setting should be enabled during a connection policy configuration to ensure automatic drive mapping on client devices using a Windows logon script?

A. Select file shares

B. Execute logon scripts

C. Execute automatic drive mapping

D. Enable pass-through authentication

Answer: B

13. An administrator is creating logon points and needs to configure the session settings. What is true about the configuration of session settings for logon points?

A. Session time-out is set by default to 30 minutes.

B. Domain prompting is used to determine whether the domain is available for access.

C. Secure Access Client (VPN) time-out should always be longer than session time-out.

D. Published application usage through the web browser may require an increase in VPN client time-out.

Answer: C

14. Scenario: An administrator wants to make documents from a defined file share open from a Citrix Presentation Server session. Which policy setting should be enabled for this purpose?

A. Live Edit

B. Download

C. HTML Preview

D. File type association

Answer: D

15. Which two settings(action controls) should be enabled to allow users to open and edit documents on servers using published resources in server farms running Presentation Server? (Choose two.)

A. Access

B. Live Edit

C. Download

D. File Type Association

Answer: AD

16. Scenario: An administrator gives a user the URL <https://Accounting1.net/CitrixLogonPoint/AccountAccess> to access a logon page. "Accounting1.net" is the FQDN of the Advanced Access Control server hosting the logon point and "AccountAccess" is the name of the

logon point.

From the URL given to the user, which access method will be used to obtain resources from the access server farm?

- A. Default logon point
- B. Secure Web Client
- C. Browser-only access
- D. Secure Access Client

Answer: C

17. Where does an administrator configure the conditions that users must meet to be able to see the logon page?

- A. In a filter
- B. In a policy
- C. In logon point properties
- D. In the properties of an endpoint analysis scan

Answer: C

18. Along with Active Directory, which other two authentications could be implemented in order to provide Advanced Authentication? (Choose two.)

- A. Smart Cards
- B. LDAP authentication
- C. RSA Security SecurID
- D. Secure Computing SafeWord PremierAccess

Answer: CD

19. Which two clients can be used to access published applications on Citrix Presentation Servers? (Choose two.)

- A. Web Client
- B. Client for Java
- C. Live Edit Client
- D. Secure Access Client
- E. Endpoint Analysis Client

Answer: AB

20. In the Access Suite Console, which steps must an administrator take to create an access policy that controls access to all visible servers and services in the network?

- A. Select "Network Resources" and choose "Entire Network."
- B. Select the farm node and disable network policy enforcement.
- C. Select the Access Policies node in the console tree and add all visible servers and services to the access policy.
- D. Select the appropriate domain from the domain list and choose to make the access policy the default authentication for that domain.

Answer: A

More [1Y0-306 Braindumps](#) Information

#### Related 1Y0-306 Exams

1Y0-A05	1Y0-A09	1Y0-A13	1Y0-264	1Y0-A08
1Y0-308	1Y0-A11	1Y0-A03	1Y0-A02	1Y0-256
1Y0-A06	1Y0-731	1Y0-740	1Y0-A04	1Y0-309
1Y0-900	1Y0-800	1Y0-A01	1Y0-326	1Y0-306

#### Other Citrix Exams

1Y0-992	1Y0-973	1Y0-962	1Y0-A11	1Y0-308
1Y0-913	1Y0-A01	1Y0-721	1Y0-223	1Y0-A03
1Y0-731	1Y0-610	1Y0-972	1Y0-264	1Y0-700
1Y0-800	1Y0-258	1Y0-900	1Y0-256	1Y0-A02