



## [Oracle 1z0-007](#)

**Exam Name:** Introduction to Oracle9i: SQL

**Q & A :** 129 Q&As

**[Pdf Demo](#)**

### **Quality and Value for the 1z0-007 Exam**

[Just4Exams Practice Exams](#) for Oracle 9i DBA 1z0-007 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 1z0-007 Exam**

If you do not pass the 9i DBA 1z0-007 exam on your first attempt using our Just4Exams **1z0-007 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 1z0-007 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [9i DBA certification](#) examination. Details are researched and produced by [Oracle Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free 1z0-007 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Oracle 1Z0-007

Title : Introduction to Oracle9i: SQL

1. You need to design a student registration database that contains several tables storing academic information.

The STUDENTS table stores information about a student. The STUDENT\_GRADES table stores information about the student's grades.

Both of the tables have a column named STUDENT\_ID. The STUDENT\_ID column in the STUDENTS table is a primary key.

You need to create a foreign key on the STUDENT\_ID column of the STUDENT\_GRADES table that points to the STUDENT\_ID column of the STUDENTS table. Which statement creates the foreign key?

A.CREATE TABLE student\_grades

(student\_id NUMBER(12),

semester\_end DATE,

gpa NUMBER(4,3),

```

CONSTRAINT student_id_fk REFERENCES (student_id)
FOREIGN KEY students(student_id);
B.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));
C.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT FOREIGN KEY (student_id)
REFERENCES students(student_id));
D.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));

```

Answer: D

2. Evaluate this SQL statement:

```

SELECT e.EMPLOYEE_ID,e.LAST_NAME,e.DEPARTMENT_ID, d.DEPARTMENT_NAME
FROM EMPLOYEES e, DEPARTMENTS d
WHERE e.DEPARTMENT_ID = d.DEPARTMENT_ID;

```

In the statement, which capabilities of a SELECT statement are performed?

- A.selection, projection, join
- B.difference, projection, join
- C.selection, intersection, join
- D.intersection, projection, join
- E.difference, projection, product

Answer: A

3. In which three cases would you use the USING clause? (Choose three.)

- A.You want to create a nonequijoin.
- B.The tables to be joined have multiple NULL columns.
- C.The tables to be joined have columns of the same name and different data types.
- D.The tables to be joined have columns with the same name and compatible data types.
- E.You want to use a NATURAL join, but you want to restrict the number of columns in the join condition.

Answer: CDE

4. Which view should a user query to display the columns associated with the constraints on a table owned by the user?

- A.USER\_CONSTRAINTS
- B.USER\_OBJECTS
- C.ALL\_CONSTRAINTS
- D.USER\_CONS\_COLUMNS
- E.USER\_COLUMNS

Answer: D

5. Evaluate this SQL statement:

```

SELECT ename, sal, 12*sal+100
FROM emp;

```

The SAL column stores the monthly salary of the employee. Which change must be made to the above syntax to calculate the annual compensation as "monthly salary plus a monthly bonus of \$100, multiplied by 12"?

- A.No change is required to achieve the desired results.
- B.SELECT ename, sal, 12\*(sal+100)  
FROM emp;
- C.SELECT ename, sal, (12\*sal)+100  
FROM emp;
- D.SELECT ename, sal+100,\*12

FROM emp;  
Answer: B

6. Click the Exhibit button and examine the data in the EMPLOYEES table.

Which three subqueries work? (Choose three.)

A.SELECT \*

FROM employees

where salary > (SELECT MIN(salary)

FROM employees

GROUP BY department\_id);

B.SELECT \*

FROM employees

WHERE salary = (SELECT AVG(salary)

FROM employees

GROUP BY department\_id);

C.SELECT distinct department\_id

FROM employees

WHERE salary > ANY (SELECT AVG(salary)

FROM employees

GROUP BY department\_id);

D.SELECT department\_id

FROM employees

WHERE salary > ALL (SELECT AVG(salary)

FROM employees

GROUP BY department\_id);

E.SELECT last\_name

FROM employees

WHERE salary > ANY (SELECT MAX(salary)

FROM employees

GROUP BY department\_id);

F.SELECT department\_id

FROM employees

WHERE salary > ALL (SELECT AVG(salary)

FROM employees

GROUP BY AVG(SALARY));

Answer: CDE

7. Evaluate this SQL statement:

```
SELECT e.employee_id, (.15* e.salary) + (.5 * e.commission_pct)
```

```
+ (s.sales_amount * (.35 * e.bonus)) AS CALC_VALUE
```

```
FROM employees e, sales s
```

```
WHERE e.employee_id = s.emp_id;
```

What will happen if you remove all the parentheses from the calculation?

A.The value displayed in the CALC\_VALUE column will be lower.

B.The value displayed in the CALC\_VALUE column will be higher.

C.There will be no difference in the value displayed in the CALC\_VALUE column.

D.An error will be reported.

Answer: C

8. Which are iSQL\*Plus commands? (Choose all that apply.)

A.INSERT

B.UPDATE

C.SELECT

D.DESCRIBE

E.DELETE

F.RENAME

Answer: D

9. Which is an iSQL\*Plus command?

A.INSERT

B.UPDATE

- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

10. Which three statements correctly describe the functions and use of constraints? (Choose three.)

- A.Constraints provide data independence.
- B.Constraints make complex queries easy.
- C.Constraints enforce rules at the view level.
- D.Constraints enforce rules at the table level.
- E.Constraints prevent the deletion of a table if there are dependencies.
- F.Constraints prevent the deletion of an index if there are dependencies.

Answer: CDE

11. The STUDENT\_GRADES table has these columns:

STUDENT\_ID NUMBER(12)

SEMESTER\_END DATE

GPA NUMBER(4,3)

The registrar requested a report listing the students' grade point averages (GPA) sorted from highest grade point average to lowest.

Which statement produces a report that displays the student ID and GPA in the sorted order requested by the registrar?

- A.SELECT student\_id, gpa  
FROM student\_grades  
ORDER BY gpa ASC;
- B.SELECT student\_id, gpa  
FROM student\_grades  
SORT ORDER BY gpa ASC;
- C.SELECT student\_id, gpa  
FROM student\_grades  
SORT ORDER BY gpa;
- D.SELECT student\_id, gpa  
FROM student\_grades  
ORDER BY gpa;
- E.SELECT student\_id, gpa  
FROM student\_grades  
SORT ORDER BY gpa DESC;
- F.SELECT student\_id, gpa  
FROM student\_grades  
ORDER BY gpa DESC;

Answer: F

12. The CUSTOMERS table has these columns:

CUSTOMER\_ID NUMBER(4) NOT NULL

CUSTOMER\_NAME VARCHAR2(100) NOT NULL

STREET\_ADDRESS VARCHAR2(150)

CITY\_ADDRESS VARCHAR2(50)

STATE\_ADDRESS VARCHAR2(50)

PROVINCE\_ADDRESS VARCHAR2(50)

COUNTRY\_ADDRESS VARCHAR2(50)

POSTAL\_CODE VARCHAR2(12)

CUSTOMER\_PHONE VARCHAR2(20)

The CUSTOMER\_ID column is the primary key for the table.

You need to determine how dispersed your customer base is. Which expression finds the number of different countries represented in the CUSTOMERS table?

- A.COUNT(UPPER(country\_address))
- B.COUNT(DIFF(UPPER(country\_address)))
- C.COUNT(UNIQUE(UPPER(country\_address)))
- D.COUNT DISTINCT UPPER(country\_address)
- E.COUNT(DISTINCT (UPPER(country\_address)))

Answer: E

13. Which two are attributes of iSQL\*Plus? (Choose two.)

- A.iSQL\*Plus commands cannot be abbreviated.
- B.iSQL\*Plus commands are accessed from a browser.
- C.iSQL\*Plus commands are used to manipulate data in tables.
- D.iSQL\*Plus commands manipulate table definitions in the database.
- E.iSQL\*Plus is the Oracle proprietary interface for executing SQL statements.

Answer: BE

14. What does the FORCE option for creating a view do?

- A.creates a view with constraints
- B.creates a view even if the underlying parent table has constraints
- C.creates a view in another schema even if you don't have privileges
- D.creates a view regardless of whether or not the base tables exist

Answer: D

15. Which SQL statement generates the alias Annual Salary for the calculated column SALARY\*12?

- A.SELECT ename, salary\*12 'Annual Salary'  
FROM employees;
- B.SELECT ename, salary\*12 "Annual Salary"  
FROM employees;
- C.SELECT ename, salary\*12 AS Annual Salary  
FROM employees;
- D.SELECT ename, salary\*12 AS INITCAP("ANNUAL SALARY")  
FROM employees

Answer: B

16. A SELECT statement can be used to perform these three functions:

1. Choose rows from a table.
2. Choose columns from a table.
3. Bring together data that is stored in different tables by creating a link between them.

Which set of keywords describes these capabilities?

- A.difference, projection, join
- B.selection, projection, join
- C.selection, intersection, join
- D.intersection, projection, join
- E.difference, projection, product

Answer: B

17. Which SQL statement defines a FOREIGN KEY constraint on the DEPTNO column of the EMP table?

- A.CREATE TABLE EMP  
(empno NUMBER(4),  
ename VARCHAR2(35),  
deptno NUMBER(7,2) NOT NULL,  
CONSTRAINT emp\_deptno\_fk FOREIGN KEY deptno  
REFERENCES dept deptno);
- B.CREATE TABLE EMP  
(empno NUMBER(4),  
ename VARCHAR2(35),  
deptno NUMBER(7,2)  
CONSTRAINT emp\_deptno\_fk REFERENCES dept (deptno));
- C.CREATE TABLE EMP  
(empno NUMBER(4),  
ename VARCHAR2(35),  
deptno NUMBER(7,2) NOT NULL,  
CONSTRAINT emp\_deptno\_fk REFERENCES dept (deptno)  
FOREIGN KEY (deptno));
- D.CREATE TABLE EMP  
(empno NUMBER(4),  
ename VARCHAR2(35),  
deptno NUMBER(7,2) FOREIGN KEY  
CONSTRAINT emp\_deptno\_fk REFERENCES dept (deptno));

Answer: B

18. What are two reasons to create synonyms? (Choose two.)

- A.You have too many tables.
- B.Your tables are too long.
- C.Your tables have difficult names.
- D.You want to work on your own tables.
- E.You want to use another schema's tables.
- F.You have too many columns in your tables.

Answer: CE

19. Which two statements are true about constraints? (Choose two.)

- A.The UNIQUE constraint does not permit a null value for the column.
- B.A UNIQUE index gets created for columns with PRIMARY KEY and UNIQUE constraints.
- C.The PRIMARY KEY and FOREIGN KEY constraints create a UNIQUE index.
- D.The NOT NULL constraint ensures that null values are not permitted for the column.

Answer: BD

20. The CUSTOMERS table has these columns:

CUSTOMER\_ID NUMBER(4) NOT NULL  
CUSTOMER\_NAME VARCHAR2(100) NOT NULL  
CUSTOMER\_ADDRESS VARCHAR2(150)  
CUSTOMER\_PHONE VARCHAR2(20)

You need to produce output that states "Dear Customer customer\_name, ".

The customer\_name data values come from the CUSTOMER\_NAME column in the CUSTOMERS table. Which statement produces this output?

- A.SELECT dear customer, customer\_name,
- B.SELECT "Dear Customer", customer\_name || ','  
FROM customers;
- C.SELECT 'Dear Customer ' || customer\_name ','  
FROM customers;
- D.SELECT 'Dear Customer ' || customer\_name || ','  
FROM customers;
- E.SELECT "Dear Customer " || customer\_name || ","  
FROM customers;
- F.SELECT 'Dear Customer ' || customer\_name || ',' ||  
FROM customers;

Answer: D

More [1z0-007 Braindumps](#) Information

#### Related 1z0-007 Exams

1z0-007    1z0-032    1z0-031    1z0-033    1z0-030  
1z0-035

#### Other Oracle Exams

1z0-209    1Z0-615    1z0-403    1z0-312    1z0-605  
1Z1-402    1Z1-054    1Z0-108    1z0-132    1Z1-403  
1Z1-241    1z0-140    1z0-232    1z0-212    1z1-050  
1Z0-519    1z0-301    1Z0-228    1z0-007    1z0-236