



[Oracle 1z0-235](#)

Exam Name: Oracle 11i applications DBA:Fundamentals I

Q & A : 136 Q&As

Pdf Demo

Quality and Value for the 1z0-235 Exam

[Just4Exams Practice Exams](#) for Oracle Other Oracle Certification Oracle 11i 1z0-235 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 1z0-235 Exam

If you do not pass the Other Oracle Certification Oracle 11i 1z0-235 exam on your first attempt using our Just4Exams **1z0-235 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 1z0-235 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Other Oracle Certification certification Oracle 11i certification](#) examination. Details are researched and produced by [Oracle Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 1z0-235 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Oracle 1Z0-235

Title : Aix 5l Problem Detemination

1. You executed the following command to grant the CONNECT role to the USER01 user:

```
SQL> GRANT connect to USER01
```

```
WITH ADMIN OPTION;
```

Which statement is true?

- A. The user can grant the role to any database user but cannot revoke it.
- B. The user can grant or revoke the role to or from any database user.
- C. The user can revoke the role from any database user but cannot grant it.
- D. The statement fails because the CONNECT role cannot be granted with WITH ADMIN OPTION.

E. The user can grant or revoke the role to or from any database user except the SYS and SYSTEM users.

Answer: B

2. You are working in a dedicated server environment. You require the PMON process to register with a local listener, lsnr1, which does not use TCP/IP, port 1521. The protocol address of lsnr1 is available in the listener.ora file. What would you do?

- A. configure the LOCAL_LISTENER parameter in the initialization parameter file
- B. configure the SID_LIST_LSNR1 parameter in the listener.ora file
- C. execute the lsnrctl set command with the appropriate parameter to set the correct instance names
- D. no explicit action required because the protocol address of the listener is available in the listener.ora file

Answer: A

3. Querying which two dynamic performance views would retrieve information from the control file? (Choose two.)

- A. V\$SGA
- B. V\$TEMPFILE
- C. V\$INSTANCE
- D. V\$DATABASE
- E. V\$PARAMETER

Answer: BD

4. setting the UNDO_TABLESPACE parameter to the tablespace that has the rollback segments

5. dropping the rollback segments and create undo segments in the same tablespace that has the rollback segments

Which option would you use?

- A. 3 only
- B. 1 and 2 only
- C. 2 and 3 only
- D. 3 and 5 only
- E. 2 and 5 only

Answer: B

5. You executed the following command to create an index on CUSTOMER_ID and ITEMS_ID columns in the ORDERS table:

```
SQL> CREATE INDEX orders_prim_indx
```

```
ON orders (customer_id, items_id);
```

In which two conditions would a query use this index? (Choose two.)

- A. when both the columns are used in the WHERE clause of the query
- B. when both the columns are used in the SELECT clause of the query
- C. when the CUSTOMER_ID column is used in the WHERE clause of the query
- D. when the ITEMS_ID column is used with a single row function in the WHERE clause of the query

Answer: AC

6. A session in the database should not have access to the uncommitted changes made by other sessions. How does the Oracle server ensure this?

- A. by using the redo log buffer
- B. by using the undo segment
- C. by using the temporary tables
- D. by using the online redo log files
- E. by using the temporary segment

Answer: B

7. Consider the following facts about your database:

-The database operates in NOARCHIVELOG mode.

-The database has three redo log groups.

-All the groups have one member each.

-Redo log group 3 is the CURRENT group.

You executed the following command:

```
SQL> ALTER DATABASE DROP LOGFILE MEMBER
```

```
2 'D:ORACLEORADATAMYDBREDO03.LOG';
```

The command fails to drop the member. What is the reason displayed for the failure of the command?

- A. You cannot drop the last member in a group.
- B. You cannot drop a member until checkpoint completes.
- C. You cannot drop a member when the database is open.
- D. You cannot drop a member from a group as the database is in NOARCHIVELOG mode.

Answer: A

8. Which Oracle data type should you use to store data in a database that uses multiple languages to store data?

- A. LONG
- B. CHAR
- C. VARCHAR
- D. VARCHAR2
- E. NVARCHAR2

Answer: E

9. dropping the rollback segments and create undo segments in the same tablespace that has the rollback segments

Which option would you use?

- A. 3 only
- B. 1 and 2 only
- C. 2 and 3 only
- D. 3 and 5 only
- E. 2 and 5 only

Answer: B

10. You receive the following error while connecting to an Oracle9i database instance:

ORA-12523 TNS:listener could not find instance appropriate for the client connection

Which action would be appropriate in the context of investigating the cause of error?

- A. checking the listener.ora file to verify that the protocol specified in ADDRESS is supported by the database server
- B. checking the sqlnet.ora file to verify that the NAMES.DIRECTORY_PATH= (TNSNAMES,HOSTNAME)parameter is set
- C. executing the lsnrctl services command to verify that the instances are registered with the listener, and have the READY status.
- D. checking the tnsnames.ora file to verify that the net service name specified in your connect string is mapped to a connect descriptor

Answer: C

11. Which view would you query to identify the space utilization settings for tables owned by the APPS user?

- A. DBA_OBJECTS
- B. DBA_EXTENTS
- C. DBA_SEGMENTS
- D. DBA_OBJECT_TABLES

Answer: C

12. Which three functions are provided by undo segments? (Choose three.)

- A. to avoid dead locks
- B. to maintain read consistency
- C. to roll back an erroneous transaction
- D. to record the old values of a transaction
- E. to record both old and new values of a transaction

Answer: BCD

13. Which three statements are correct regarding the listener process? (Choose three.)

- A. A listener can be configured to listen for multiple protocols.
- B. Multiple listeners cannot listen on behalf of a single database.
- C. The name of the listener should be unique per listener.ora file.
- D. A listener can listen for a single database only and not multiple databases.
- E. The listener transfers the connection request to a dispatcher in a Shared Server configuration.
- F. The listener transfers the connection request to the Connection Manager in a Dedicated Server configuration.

Answer: ACE

14. Which two statements are true regarding the temporary tablespace? (Choose two.)

- A. Used for sort operations
- B. Can contain permanent objects
- C. Cannot be shared by multiple users
- D. Cannot be created with nonstandard block size specification

Answer: AD

15. You are using rollback segments in your database. To ease transaction management, you want to implement automatic undo management by using the following steps:

1. creating an undo tablespace
2. setting the UNDO_MANAGEMENT parameter to AUTO in the parameter file
3. changing the tablespace that has the rollback segments to an undo tablespace by using the ALTER TABLESPACE command
4. setting the UNDO_TABLESPACE parameter to the tablespace that has the rollback segments
5. dropping the rollback segments and create undo segments in the same tablespace that has the rollback segments

Which option would you use?

- A. 3 only
- B. 1 and 2 only
- C. 2 and 3 only
- D. 3 and 5 only
- E. 2 and 5 only

Answer: B

16. You work for a company having two databases, one located in India and another in New York. You want to use Enterprise Manager to administer, diagnose, and tune these two databases. Which component would you configure to run on each of the nodes where database servers run to achieve this task?

- A. Intelligent Agent
- B. INTYPE file assistant
- C. Management Repository
- D. Oracle Management Server

Answer: A

17. View the Exhibit.

Examine the value set for the NAMES.DIRECTORY_PATH parameter in the sqlnet.ora file. You are working in a TCP/IP network environment. What will happen when you try to connect to the database from a remote client?

- A. The local naming method will be used first to resolve a connect identifier.
- B. It will result in an error because two values cannot be specified for the NAMES.DIRECTORY_PATH parameter.
- C. If the local naming method is unable to resolve the connect identifier, then Oracle Names server will be used to resolve the connect identifier.
- D. If the host naming method is unable to resolve the connect identifier, then the net service name stored in a centralized LDAP-compliant directory server is used to resolve the connect identifier.

Answer: A

18. When is the control file opened?

- A. after the data files are opened
- B. after the parameter file is opened
- C. after the redo log files are opened
- D. after the parameter file, data files, and redo log files are opened
- E. before the parameter file, data files, and redo log files are opened

Answer: B

19. You want to reuse all the existing data files, control files, and redo log files to re-create your test database. You execute the following command to create the database:

```
CREATE DATABASE testdb
DATAFILE
'/u01/oradata/testdb/system01.dbf'
SIZE 100M REUSE
LOGFILE
GROUP 1 ('/u01/oradata/testdb/log1a.rdo',
'/u02/oradata/testdb/log1b.rdo')
SIZE 50K REUSE,
GROUP 2 ('/u01/oradata/testdb/log2a.rdo',
'/u02/oradata/testdb/log2b.rdo')
SIZE 50K REUSE
MAXLOGFILES 5
MAXLOGHISTORY 100
MAXDATAFILES 10;
```

The command fails to create the database successfully. What could be the reason?

- A. You have set MAXLOGFILES to a very low value.
- B. You cannot reuse the online redo log files.
- C. You have omitted the CONTROLFILE REUSE clause.

D. You cannot reuse the data file belonging to the SYSTEM tablespace.

Answer: C

20. changing the tablespace that has the rollback segments to an undo tablespace by using the ALTER TABLESPACE command

4. setting the UNDO_TABLESPACE parameter to the tablespace that has the rollback segments

5. dropping the rollback segments and create undo segments in the same tablespace that has the rollback segments

Which option would you use?

A. 3 only

B. 1 and 2 only

C. 2 and 3 only

D. 3 and 5 only

E. 2 and 5 only

Answer: B

More [1z0-235 Braindumps](#) Information

Related 1z0-235 Exams

1z0-047	1Z0-051	1Z0-053	1Z0-215	1Z0-218
1z0-036	1z0-221	1Z0-055	1Z0-216	1z0-233
1z0-238	1z0-231	1Z1-241	1z0-225	1z0-264
1z0-241	1z0-202	1z0-204	1z0-223	1z0-212

Other Oracle Exams

1Z1-054	1z0-141	1z0-640	1z0-222	1z0-132
1Z0-200	1Z0-146	1Z1-238	1z0-402	1Z0-109
1z0-045	1z0-020	1z0-007	1z0-010	1z0-032
1Z1-241	1z0-001	1z1-312	1z0-312	1z0-600