



Oracle 1z0-255

Exam Name: *Hyperion Essbase 7.1.2 Consultant*

Q & A : 129 Q&As

Pdf Demo

Quality and Value for the 1z0-255 Exam

[Just4Exams Practice Exams](#) for Oracle Other Oracle Certification 1z0-255 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 1z0-255 Exam

If you do not pass the Other Oracle Certification 1z0-255 exam on your first attempt using our Just4Exams **1z0-255 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 1z0-255 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Other Oracle Certification certification](#) examination. Details are researched and produced by [Oracle Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 1z0-255 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Oracle 1Z0-255

Title : Hyperion Essbase 7.1.2 Consultant

1. What are two ways to improve dataload speed in block storage? (Choose two.)

- A. load the file from the client
- B. load the file from the server
- C. sort data files in order by Dense dimensions
- D. sort data files in order by Sparse dimensions

Answer: BD

2. Which Analytic Services environment variable defines the encoding that Analytic Server uses to interpret text characters?

- A. EASPATH
- B. ESSLANG
- C. NLSLANG
- D. ARBORPATH

Answer: B

3. What is the effect of deleting the sparse shared member Diet Cola assuming data values exist?

- A. The outline file shrinks.
- B. The block size is smaller.
- C. The page file size shrinks.
- D. The block density increases.

Answer: A

4. The average block density is between 10% and 90% and there are few consecutive repeating values or zeros. Which data compression type is recommended?

- A. RLE
- B. ZLIB
- C. bitmap
- D. no compression

Answer: C

5. Given the following:

Committed access

Pre-image disabled

Wait time equal to 0

What happens if a spreadsheet retrieval is attempted while a CALC ALL is being performed?

- A. The data are retrieved.
- B. Precalculated data are retrieved.
- C. A time-out error message is displayed.
- D. The user waits a specified number of seconds.

Answer: C

6. View the Exhibit.

Given the member formula for Ending Inventory in the exhibit, which statement is true?

- A. It will not evaluate to a value if data is nonempty.
- B. If the first IIF condition is false, the formula evaluates to MISSING.
- C. For level three members of the Period dimension, the formula evaluates to missing.
- D. The syntax is invalid because you cannot nest an IIF within an IIF statement.

Answer: C

7. View the Exhibit.

When validating the aggregate storage outline shown in the exhibit, which hierarchy will validate correctly?

- A. Years only
- B. High End Merchandise only
- C. Years, QTD, High End Merchandise
- D. QTD and High End Merchandise only

Answer: A

8. View the Exhibit.

In an aggregate storage database, "Profit per Ounce" (Measures dimension) and "Variance %" (Scenario dimension) are dynamically calculated members. To determine Variance %, you use this formula:

$((\text{Actual} - \text{Budget}) / \text{Budget}) * 100$

Which two solve order options (member - solver order) will produce the results shown in the spreadsheet shown in the exhibit? (Choose two.)

- A. Measures - 0
Profit Per Ounce - 1
Scenario - 0
Variance % - 0
- B. Measures - 2
Profit Per Ounce - 1
Scenario - 1

Variance % - 2
C. Measures - 2
Profit Per Ounce - 0
Scenario - 0
Variance % - 1
D. Measures - 0
Profit Per Ounce - 0
Scenario - 0
Variance % - 1
Answer: BD

9. Which two statements are true when using Attribute dimension members in calculation functions? (Choose two.)

- A. Attribute dimension members cannot be assigned calculated data.
- B. The FIX command can contain Attribute dimension members only.
- C. The CALC DIM command can be used to aggregate an Attribute dimension.
- D. The FIX command can contain Attribute functions to derive base dimension member lists.

Answer: AD

10. If Product and Market are the only Sparse dimensions, which file(s) would be restructured if a new member were added to the Product dimension?

- A. none
- B. data files only
- C. index files only
- D. both index and data files

Answer: C

11. A default calculation is performed on an outline with Two-Pass Account members. Which data storage setting will ensure one pass through the database?

- A. Accounts-Dense; Time-Dense; Scenario-Dense; Market-Sparse; Product-Sparse
- B. Accounts-Dense; Time-Sparse; Scenario-Sparse; Market-Sparse; Product-Sparse
- C. Accounts-Sparse; Time-Dense; Scenario-Dense; Market-Sparse; Product-Sparse
- D. Accounts-Sparse; Time-Sparse; Scenario-Dense; Market-Sparse; Product-Sparse

Answer: A

12. Given the following information:

Dimensions D/S Actual/Stored Dimension Type
Year Dense 20/12 Time
Measures Dense 16/8 Accounts
Product Sparse 22/19 None
Market Sparse 250/250 None
Scenario Dense 5/2 None

What is the optimal outline order for calculation?

- A. Measures, Year, Scenario, Product, Market
- B. Product, Market, Scenario, Year, Measures
- C. Scenario, Measures, Year, Market, Product
- D. Year, Measures, Product, Market, Scenario

Answer: A

13. Which type of member is associated with the most efficient use of multiple IF commands in a calculation script?

- A. Dense
- B. Sparse
- C. Locked
- D. Unlocked

Answer: A

14. Due to a large user base, processor resources and retrieval times are a concern. To alleviate this you need to create multiple copies of the database to spread requests across multiple servers. In addition, if one database is off-line, users' requests should be routed to one of the other database copies. Which Essbase component can you use to accomplish this?

- A. Essbase Partitioning Option
- B. Essbase Integration Services
- C. Essbase Deployment Services

D. Essbase Spreadsheet Services

Answer: C

15. Which directory should be included in your backup process for your aggregate storage database?

- A. arborpathbin
- B. arborpathlocale
- C. arborpathappname
- D. Hyperion_Homecommon

Answer: C

16. When working with an aggregate storage database, what is the default dimension calculation order?

- A. Accounts, Time, Dense, Sparse, Two-Pass
- B. Stored hierarchies (variable order), Dynamic hierarchies
- C. Dynamic hierarchies, Stored hierarchies (variable order)
- D. Sparse, Accounts (if dense), Time(if dense), other Dense

Answer: B

17. When creating an aggregate storage database, which three statements are true about hierarchies? (Choose three.)

- A. The first hierarchy under a dimension must be stored.
- B. When a hierarchy is tagged as Multiple Hierarchies Enabled, it must be label only.
- C. While not advisable, shared members can appear in the outline before their stored counterpart.
- D. Stored hierarchies within a Multiple Hierarchies Enabled dimension can have shared members.
- E. Dimensions tagged as Dynamic can contain both shared members and members with formulas.

Answer: ABE

18. What is the default column delimiter in the Data Prep Editor?

- A. tab
- B. comma
- C. white space
- D. single quote

Answer: A

19. View the Exhibit.

Using the input data, calculation script, and results, which account type is required for the calculation of the Variance member?

- A. TB First
- B. Dynamic Calc
- C. Two-Pass Calc
- D. Expense Reporting

Answer: D

20. Which caches are used by an aggregate storage database?

- A. data cache
- B. index cache
- C. data file cache
- D. aggregate storage cache

Answer: D

More [1z0-255 Braindumps](#) Information

Related 1z0-255 Exams

1z0-047	1Z0-051	1Z0-053	1Z0-215	1Z0-218
1z0-036	1z0-221	1Z0-055	1Z0-216	1z0-233
1z0-238	1z0-231	1Z1-241	1z0-225	1z0-264
1z0-241	1z0-202	1z0-204	1z0-223	1z0-212

Other Oracle Exams

1z0-010	1z0-202	1z0-232	1z0-640	1z0-620
1z0-050	1z0-101	1z0-007	1z0-095	1z0-236
1z0-130	1z0-610	1Z0-273	1Z0-615	1z0-040
1z0-262	1z0-131	1z1-051	1z0-265	1Z0-516