



[Oracle 1z0-311](#)

Exam Name: oracle application server 10g:administration

Q & A : 152 Q&As

Pdf Demo

Quality and Value for the 1z0-311 Exam

[Just4Exams Practice Exams](#) for Oracle Other Oracle Certification 1z0-311 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 1z0-311 Exam

If you do not pass the Other Oracle Certification 1z0-311 exam on your first attempt using our Just4Exams **1z0-311 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 1z0-311 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Other Oracle Certification certification](#) examination. Details are researched and produced by [Oracle Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 1z0-311 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Oracle 1Z0-311

Title : Oracle Application Server 10g:Administration

1. You have Oracle Application Server 10g instance running. For the parent Oracle HTTP Server process you want five child processes to be always running. In addition to this, you want to restrict the number of requests that are handled simultaneously by the child processes to 20. Which options would you use to achieve this objective? (Choose all that apply.)

- A. MaxClients 20
- B. StartServers 5
- C. MaxSpareServers 5
- D. MinSpareServers 10
- E. MaxRequestsPerChild 20

Answer: AB

2. View the Exhibit and examine the contents of the portlist.ini file.

You changed the password for the portal schema in the infrastructure database by using the ALTER USER SQL command. You are able to connect as portal to the infrastructure database. You use the following URL to access the associated OracleAS Portal instance, but you are not able to log in as user portal:

http://host.domain:7778/pls/portal

Which two causes could be the reasons for you not being able to log in? (Choose two.)

- A. Incorrect port number is specified in the URL.
- B. The password for the PORTAL_PUBLIC schema is not modified.
- C. The Portal User Profile portlet is not used to modify the portal user's profile.
- D. The portal schema password in Oracle Internet Directory (OID) is not changed.
- E. The connection information in the Database Access Descriptor (DAD) is not updated.

Answer: DE

3. While setting up the Oracle HTTP Server (OHS) for your Oracle Application Server 10g installation, you want to enable the server to set a host name that can be used to create redirection URLs, using the ServerName directive. Within which two scopes can you specify the directive in the httpd.conf file? (Choose two.)

- A. in a block container
- B. in a location container
- C. in a directory container
- D. in a virtual host container
- E. in the server-level configuration

Answer: DE

4. In Oracle Internet Directory (OID), which Directory Information Tree (DIT) attribute would you use to find out the object classes that are available in Identity Management Realm?

- A. orclUserObjectClass
- B. orclCommonUserSearchBase
- C. orclCommonGroupSearchBase
- D. orclCommonUserNickNameAttribute

Answer: A

5. You are deploying a Java 2, Enterprise Edition (J2EE) application using Application Server Control Console. View the Exhibit and examine the fields for which you provide the information.

What is the significance of selecting a Parent Application?

- A. to share services, such as EJBs among multiple applications
- B. to identify the instance in which the application is to be deployed
- C. to maintain uniformity in the URLs of all the J2EE applications deployed so far
- D. to allow all the users of the parent application to access the application you are deploying

Answer: A

6. A portal user named USER1 registered a new database provider with the OracleAS Portal instance. What are the actions that are implicitly performed as a result of the registration? (Choose all that apply.)

- A. A new page is created in the Portlet Repository page group.
- B. The provider registration information is saved in the dads.conf file.
- C. The provider registration information is saved in the portlet repository.
- D. A new database schema is created with the same name as the provider.

Answer: AC

7. You are maintaining user information in the Oracle Internet Directory (OID) for authentication. You want to find out whether a user, STEVE, has the last name BENNETT. Which OID utility would you use?

- A. Idapbind
- B. Idifwrite
- C. Idapmoddn
- D. Idapcompare

Answer: D

8. While setting up the Oracle HTTP Server (OHS) for your Oracle Application Server 10g installation, you set the container directives in the httpd.conf file as shown in the Exhibit.

View the Exhibit.

Which three statements are true? (Choose three.)

- A. The Files container is used to match objects at file-system level.
- B. The Location container is used to match objects at the block level.
- C. The Directory container is always processed from the shortest directory component to the longest.
- D. The Location container is always processed last of the listed directives in the file irrespective of where it appears in the configuration file.

Answer: ACD

9. Which statements describe the functionality of OracleAS Single Sign-On? (Choose all that apply.)

- A. It can be used in either a secure sockets layer (SSL) mode or a non-SSL mode.
- B. It uses Single Sign-On SDK to enable the single sign-on functionality.
- C. It uses Oracle Application Server Containers for J2EE (OC4J) to store user information.
- D. It uses the Single Sign-On username and password from the Oracle Internet Directory (OID) to authenticate users.

Answer: AD

10. Today, most Java 2, Enterprise Edition (J2EE) applications use a database to have a persistent storage for data. Which two statements regarding the data source are true? (Choose two.)

- A. J2EE applications cannot use more than one data source.
- B. J2EE applications use the data source to ensure portability across application servers.
- C. J2EE applications retrieve connections to the database through DataSource objects.
- D. J2EE applications use the data source to store the Java Naming and Directory Interface (JNDI) tree.

Answer: BC

11. You want to create a user in Oracle Internet Directory (OID) who should be authenticated using Single Sign-On and should be able to retrieve user information from the Oracle Directory Server. Which two tools can you use to create the user? (Choose two.)

- A. Oracle Wallet Manager
- B. OID Self Service Console
- C. Oracle Directory Manager
- D. OracleAS Single Sign-On Server
- E. Oracle Enterprise Manager 10g Application Server Control

Answer: BC

12. You have a text file written in LDAP Data Interchange Format (LDIF) that contains the entries to be added to the Oracle Internet Directory (OID). Using this text file as a source file, you want to add the entries concurrently using multiple threads. Which OID command-line tool would you use?

- A. Idapadd
- B. Idapbind
- C. Idapmoddn
- D. Idapaddmt

Answer: D

13. In your Oracle Application Server 10g installation, you observe that the Oracle HTTP Server parent process is running as the Oracle user's process and currently using the default port number 7778. To comply with the development environment, you have been asked to use port number 80 for the parent process.

Which step would you perform after changing the Listen directive to 80 in the httpd.conf file to ensure that the changed port number is used by the parent process?

- A. start the process as the root user
- B. start the process as the Oracle user
- C. start the process as any user other than root and Oracle
- D. change the Group directive in the httpd.conf file to the group of the root user and start the process as the Oracle user

Answer: A

14. What makes it possible to access the portal from the OracleAS SSO Administer Partner Applications page?

- A. The administrator registers the portal manually to OracleAS SSO using the ossoreg.jar tool.
- B. The registration of the first external application with OracleAS SSO adds OracleAS Portal as a partner application.
- C. The ssoconfig.sh script needs to be executed first to access the portal from the OracleAS SSO Administer Partner Applications page.
- D. During OracleAS middle-tier installation, the installer automatically adds the OracleAS Portal as a partner application for OracleAS SSO.

Answer: D

15. You want to install Oracle Application Server 10g middle tier that enables you to generate Web-based reports and authenticate users accessing the middle-tier components. Which components must you have installed before you start installing OracleAS Portal and

Wireless? (Choose all that apply.)

- A. Identity Management
- B. J2EE and Web Cache
- C. OracleAS Developer Kits
- D. OracleAS Metadata Repository

Answer: AD

16. In your Oracle HTTP Server configuration file, you have configured the following directives as:

StartServers 10

MaxSpareServers 20

MinSpareServers 15

Which statement is true?

- A. Twenty child processes would be running at any given point in time.
- B. Only 10 child processes would be running at any given point in time.
- C. Initially, the parent process would start 10 child processes, but later it would start additional child processes to maintain the value specified for MinSpareServers.
- D. Initially, the parent process would start 15 child processes, but later it would start more child processes automatically to reach the value specified for MaxSpareServers.

Answer: C

17. In your Oracle Application Server 10g installation, you want to restrict the number of requests allowed per connection to 16. Which two actions would you take to achieve this objective? (Choose two.)

- A. Limit 16
- B. KeepAlive ON
- C. MaxClients 16
- D. KeepAliveTimeout 16
- E. MaxRequestsPerChild 16
- F. MaxKeepAliveRequests 16

Answer: BF

18. You are creating a transport set to export a page group. The FINANCE_APP application is listed as an external object in the Transport Set Objects page. You require this FINANCE_APP application to be exported along with rest of the objects in the page group. What would you do?

- A. promote the FINANCE_APP application as an explicitly selected object
- B. specify the automatic_merge parameter explicitly while creating the transport set dump file
- C. use the opeasst.csh script to export the FINANCE_APP application along with the page group
- D. no explicit action required because the external objects are exported along with the page group by default

Answer: A

19. In your existing Oracle Application Server 10g installation, you observe that the Oracle HTTP Server (OHS) error log file, error_log, is available in the location set in the ErrorLog directive. Because the location set in this directive is running out of space and there is no free space available in other locations, you want to suppress further logging of any kind of messages, temporarily, into the error log file. What would you do to achieve this objective?

- A. set ErrorLog to NULL
- B. set ErrorLog to NONE
- C. set ErrorLog to /dev/null
- D. remove the ErrorLog directive from the configuration file
- E. remove the TransferLog directive from the configuration file

Answer: C

20. You have not set the Subscriber Search Base node in Directory Information Tree (DIT) in Identity Management Realm by using the orclSubscriberSearchBase attribute. You use Discovery mechanism to find out user information in the DIT. Which statement is true in this scenario?

- A. This attribute cannot have null values.
- B. This attribute value points to the parent of Default Subscriber.
- C. This attribute would have the same value as User Search Base.
- D. This attribute would have the same value as Default Subscriber.
- E. This attribute would have the same value as Subscriber Nickname.

Answer: B

Related 1z0-311 Exams

1z0-047	1Z0-051	1Z0-053	1Z0-215	1Z0-218
1z0-036	1z0-221	1Z0-055	1Z0-216	1z0-233
1z0-238	1z0-231	1Z1-241	1z0-225	1z0-264
1z0-241	1z0-202	1z0-204	1z0-223	1z0-212

Other Oracle Exams

1z0-101	1z0-020	1Z0-244	1Z0-215	1Z0-615
1z0-255	1Z0-051	1z0-032	1z0-132	1Z0-207
1Z1-202	1z0-257	1z0-047	1z0-226	1Z0-146
1z0-046	1Z1-241	1z0-007	1z0-271	1z0-095