



SUN 310-012

Exam Name: SUN CERTIFIED SYSTEM ADMINISTRATOR FOR SOLARIS 8 PART 2

Q & A : 162 Q&As

Pdf Demo

Quality and Value for the 310-012 Exam

[Just4Exams Practice Exams](#) for SUN SUN Other Certifications 310-012 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 310-012 Exam

If you do not pass the SUN Other Certifications 310-012 exam on your first attempt using our Just4Exams **310-012 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 310-012 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [SUN Other Certifications certification](#) examination. Details are researched and produced by [SUN Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 310-012 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : SUN 310-012

Title : Sun Certified System Administrator For Solaris 8 Part 2

1. Which command should be used to manually invoke a consistency check and perform any necessary updates on a cacheFS file system?

- A. cfsadmin -c
- B. cfsadmin -d
- C. cfsadmin -s
- D. cacheFsstat -z
- E. cacheFswssize -s

Answer: C

2. While configuring NIS on a system, you execute the command string:

```
#domainname testlab.Region.Org.COM
```

Which two statements about this command string are true? (Choose two.)

- A. The server's name is testlab, and it resides on the region.org.com domain.
- B. Executing this command populates the /etc/defaultdomain file with the domain name.
- C. The domain name is case sensitive, and must be configured exactly as specified on the command-line
- D. The domain name is the entire character string testlab.Region.Org.COM, and no DNS domain is specified.

Answer: CD

3. Which NIS system(s) contains the original ASCII files that are used to generate the NIS maps?

- A. NIS client only
- B. NIS slave server only
- C. NIS master server only
- D. NIS master server and NIS slave server

Answer: C

4. You are using CacheFS for a number of your shared directories and need to check if logging has been enabled for /usr/share/main.

Which command would check if it was enabled?

- A. cachefslog /usr/share/man
- B. cfsadmin -l /usr/share/man
- C. cachefslog -f /usr/share/man
- D. cachefslog -l /usr/share/man

Answer: A

5. Which two statements about naming services are true? (Choose two.)

- A. Naming services provide a means for centralizing commonly used data.
- B. Naming services provide a means of keeping commonly used data consistent across large networks.
- C. Naming services allow user's files to be held centrally, while logging into different systems on the network
- D. Naming services provide a means of making the system less dependent on the network for functionality

Answer: AB

6. During the first build of a new NIS map, the slave servers do not know of its existence, so the push process attempt fails, What can you do to recover from this problem?

- A. You transfer the source files from the NIS master to the NIS slave and execute a mark on the NIS slave.
- B. You interrupt the build process with a Control-C, and push all of the maps from the master server at once using the ypinit -s command.
- C. You put the build process into background processing mode, add an empty map to the slave server, and foreground the build process to continue the build.
- D. You interrupt the build process with a Control-C when the push process hangs, and execute the ypxfr command on the map from the slave server(s) to complete the build process.

Answer: D

7. You want to enable the logging of every failed login attempt. To do this you must change the syslogd configuration file from its installation defaults.

Which facility should you change?

- A. auth
- B. kern
- C. user
- D. notice
- E. emerg
- F. daemon

Answer: A

8. Which three commands manually pull only the hosts maps from the NIS master to the NIS Slave? (Choose two.)

- A. cd/var/yp; make
- B. ypinit -s nis_master
- C. /usr/lib/netsvc/yp/ypxfr/etc/hosts
- D. /usr/lib/netsvc/yp/ypxfr hosts.byaddr
- E. /usr/lib/netsvc/yp/ypxfr host.byname

Answer: BD

9. What must be done before you run the command to check the integrity of the cached system /export/home_cache?

- A. delete the cache
- B. check the cache statistics
- C. obtain the cache ID number
- D. unmount the cached file system
- E. adjust the working set size of the cache
- F. find all backup superblock numbers for the file system

Answer: D

10. Which command creates a log called /var/home_cache.log and initiates logging for the /export/home file system which is being cached?

- A. cachefslog /var/home_cache.log
- B. cachefslog -h /var/home_cache.log
- C. cachefswssize /var/home_cache.log
- D. cachefslog -f /var/home_cache.log /export/home
- E. cachefslog -s /var/home_cache.log /export/home

Answer: D

11. You have written a start script to launch application XXX when the system starts. You decide to add a command to the script. If the application does not launch, it logs a message with syslogd with the appropriate severity.

Which command accomplishes this?

- A. logger XXX failed to start
- B. syslog -s 7 XXX failed to start
- C. logger -p user.err XXX failed to start
- D. logger -F user -s err XXX failed to start
- E. echo XXX failed to start, severity=7 >>/var/adm/messages

Answer: C

12. Which three are message severity entries used in the syslogd configuration file? (Choose three.)

- A. lpr
- B. alert
- C. cron
- D. mark

Answer: ABC

13. Which three daemons are executed by the /usr/lib/netsvc/yp/ypstart script on an NIS master server? (Choose three.)

- A. ypcat
- B. ypbind
- C. ypinit
- D. ypserv
- E. ypxfrd

Answer: ABC

14. Which command configures the cache /export/home_cache that should be used when caching the /export/home file system?

- A. cfsadmin -l /export/home_cache
- B. cfsadmin -p /export/home_cache
- C. cfsadmin -c /export/home_cache
- D. cfsadmin -m /export/home_cache
- E. cachefslog -c /export/home_cache

Answer: C

15. Which process or daemon is executed by the /usr/lib/netsvc/yp/ypstart script on an NIS client?

- A. ypxfrd
- B. ypbind
- C. ypserv
- D. rpc.yppasswdd

Answer: B

16. Which command is used to manually pull individual NIS maps from the NIS master?

- A. ypxfr
- B. ypcat

- C. ypserv
 - D. yppush
- Answer: A

17. Which three functions can syslogd perform? (Choose three.)

- A. writing messages to the system log
- B. forwarding messages to a list of users.
- C. forwarding input from root to the user's processes
- D. forwarding messages to the syslogd on another host on the network
- E. writing IPC messages to the processes that are generating errors rapidly
- F. interrupting processes that are producing errors above a pre-configured threshold

Answer: ABC

18. Which two statements about the m4 macro processor are true? (Choose two.)

- A. The ifdef statement makes it possible to log messages remotely.
- B. Use of the ifdef statement makes remote logging of messages impossible.
- C. Lines containing the ifdef statement are passed directly to syslogd for processing.
- D. The m4 processor passes any line with syntax it does not recognize directly to syslogd.
- E. Lines which do not contain recognized m4 syntax are ignored by the m4 processor and consequently do not reach syslogd.
- F. The m4 processor processes lines containing the ifdef statement, passing only the results to syslogd.

Answer: EF

19. The action field in the syslogd configuration file may contain which two types of entry? (Choose two.)

- A. a host name prefixed with @
- B. a list of user email addresses
- C. the full path name to a file or device file
- D. a pipe sign (|) followed by a command to which the message output is piped

Answer: AC

20. Given this entry from the /etc/syslog.conf file:

mail.debug ifdef (LOGHOST, /var/adm/authlog.current, @loghost)

Which statement about syslogd behavior is true if a remote host is aliased as loghost?

- A. The messages will be logged in /var/adm/authlog.current.
- B. The messages will be remotely logged in /var/adm/authlog.current.
- C. The messages will be forwarded to the syslogd on the remote host loghost and not recorded locally.
- D. The messages will be logged locally in /var/adm/authlog.current and forwarded to by the loghost.

Answer: A

More [310-012 Braindumps](#) Information

Related 310-012 Exams

310-061	310-610	310-230	310-345	310-810
310-600	310-052	310-051	310-620	310-105
310-066	310-203	310-811	310-019	310-330
310-231	412-600	310-062	310-400	310-150

Other SUN Exams

310-600Big5	310-610	310-081	310-301	310-880
	310-620Big5	310-044	310-062	310-053
310-220	310-043	310-065Big5	212-200	212-302
			310-877	310-615
			212-812	310-811
310-812				