



SUN 310-055

Exam Name: Sun Certified Programmer for the Java 2 Platform.SE 5.0

Q & A : 265 Q&As

Pdf Demo

Quality and Value for the 310-055 Exam

[Just4Exams Practice Exams](#) for SUN SCJP 310-055 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 310-055 Exam

If you do not pass the SCJP 310-055 exam on your first attempt using our Just4Exams **310-055 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 310-055 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [SCJP certification](#) examination. Details are researched and produced by [SUN Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 310-055 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : SUN 310-055

Title : Sun Certified Programmer for the Java 2 Platform.SE 5.0

```
1. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
```

33. }

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

2. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

3. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

4. value *= multiplier;

7. }

8. public static void main(String[] args) {

9. MultiCalc calculator = new MultiCalc();

10. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

5. }

13. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

6.

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

30.

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

7. Which two statements are true? (Choose two.)

A. An encapsulated, public class promotes re-use.

B. Classes that share the same interface are always tightly encapsulated.

C. An encapsulated class allows subclasses to overload methods, but does NOT allow overriding methods.

D. An encapsulated class allows a programmer to change an implementation without affecting outside code.

Answer: AD

8. }

Which statement is true?

A. The time to find the value from HashMap with a Person key depends on the size of the map.

B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.

C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.

D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

9. }

27.

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

30.

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
10. public int fubar( Foo foo ) { return foo.bar(); }
```

```
21.
```

```
22. public void testFoo() {
```

```
23.
```

```
24. class A implements Foo {
```

```
25. public int bar() { return 2; }
```

```
26. }
```

```
27.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

30.

```
31. public static void main( String[] argv ) {  
32.     new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

11. }

30.

```
31. public static void main( String[] argv ) {  
32.     new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

12. MultiCalc calculator = new MultiCalc();

10. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

13.

```
24. class A implements Foo {
```

```
25.     public int bar() { return 2; }
```

```
26. }
```

27.

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

30.

```
31. public static void main( String[] argv ) {
```

```
32.     new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
14. public int hashCode() {  
17. return 420;  
18. }  
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
15. }  
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
16. }  
8. public static void main(String[] args) {  
9. MultiCalc calculator = new MultiCalc();  
10. calculator.calculate(2);  
11. System.out.println("Value is: " + calculator.value);  
12. }  
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
17. public void testFoo() {  
23.  
24. class A implements Foo {  
25. public int bar() { return 2; }  
26. }  
27.  
28. System.out.println( fubar( new A() ) );  
29. }  
30.  
31. public static void main( String[] argv ) {  
32. new Beta().testFoo();  
33. }  
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
18. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

19. Click the Exhibit button.

```
10. public class ClassA {
11. public void methodA() {
12. ClassB classB = new ClassB();
13. classB.getValue();
14. }
15. }
```

And:

```
20. class ClassB {
21. public ClassC classC;
22.
23. public String getValue() {
24. return classC.getValue();
25. }
26. }
```

And:

```
30. class ClassC {
31. public String value;
32.
33. public String getValue() {
34. value = "ClassB";
35. return value;
36. }
37. }
```

Given:

```
ClassA a = new ClassA();
a.methodA();
```

What is the result?

- A. Compilation fails.
- B. ClassC is displayed.
- C. The code runs with no output.
- D. An exception is thrown at runtime.

Answer: D

20.

```
22. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
```

```
28. System.out.println( fubar( new A() ) );
29. }
```

30.

```
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
```

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

21. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

22. this.name = name;

15. }

16. public int hashCode() {

17. return 420;

18. }

19. }

Which statement is true?

A. The time to find the value from HashMap with a Person key depends on the size of the map.

B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.

C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.

D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

23. Given:

11. public static Iterator reverse(List list) {

12. Collections.reverse(list);

13. return list.iterator();

14. }

15. public static void main(String[] args) {

16. List list = new ArrayList();

17. list.add("1"); list.add("2"); list.add("3");

18. for (Object obj: reverse(list))

19. System.out.print(obj + " ");

20. }

What is the result?

A. 3, 2, 1,

B. 1, 2, 3,

C. Compilation fails.

D. The code runs with no output.

E. An exception is thrown at runtime.

Answer: C

24.

31. public static void main(String[] argv) {

```
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

25. Given:

```
11. String test = "a1b2c3";
12. String[] tokens = test.split("\\d");
13. for(String s: tokens) System.out.print(s + " ");
```

What is the result?

- A. a b c
- B. 1 2 3
- C. a1b2c3
- D. a1 b2 c3
- E. Compilation fails.
- F. The code runs with no output.
- G. An exception is thrown at runtime.

Answer: A

26. Click the Exhibit button.

```
1. public class SimpleCalc {
2. public int value;
3. public void calculate() { value += 7; }
4. }
```

And:

```
1. public class MultiCalc extends SimpleCalc{
2. public void calculate() { value -= 3; }
3. public void calculate(int multiplier) {
4. calculate();
5. super.calculate();
6. value *= multiplier;
7. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
27. }
16. public int hashCode() {
17. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.

- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```

28. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }

```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```

29. System.out.println("Value is: " + calculator.value);
12. }
13. }

```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```

30. return 420;
18. }
19. }

```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

More [310-055 Braindumps](#) Information

Related 310-055 Exams

310-065	310-055	310-065Big5	212-055	310-035	310-036
				310-055Big5	
310-056					

Other SUN Exams

310-301	412-600	310-011	310-083	310-013
310-400	310-610Big5	310-131	310-062	310-814
		310-230	310-045	310-615
310-012	310-019	310-220	310-027	310-203
310-610	310-620			