



SUN 310-330

Exam Name: Sun Certified Systems Installer for Sun Cluster 3.X

Q & A : 136 Q&As

Pdf Demo

Quality and Value for the 310-330 Exam

[Just4Exams Practice Exams](#) for SUN SUN Other Certifications 310-330 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 310-330 Exam

If you do not pass the SUN Other Certifications 310-330 exam on your first attempt using our Just4Exams **310-330 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 310-330 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [SUN Other Certifications certification](#) examination. Details are researched and produced by [SUN Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 310-330 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Sun 310-330

Title : Sun Certified Systems Installer for Sun Cluster 3.X

1. What are two key considerations when configuring NTP in a Sun Cluster environment? (Choose two.)

- A. Private hostnames must be changed after the cluster software is installed.
- B. The cluster nodes' time cannot be synchronized to an external time source.
- C. By default, NTP will establish a consistent date and time between cluster nodes.
- D. Any changes to the NTP configuration file require the xntpd daemon to be restarted.

Answer: CD

2. Which network adapter requires special configuration in the /etc/iu.ap and /etc/system files if the patch level of SC3.0 is too low?

- A. be
- B. ce
- C. qe
- D. qfe
- E. hme

Answer: B

3. You have two 220R servers with internal CD-ROMs in a cluster, each connected to a pair of D2 storage arrays. Which step is required to ensure there are no SCSI conflicts?

- A. Set use-nvramrc? to false on both nodes.
- B. On both nodes, set scsi-initiator-id variable to 6.
- C. On one node, set the scsi-initiator-id variable to 6 and leave the second node set to 7.
- D. On one node, use the nvramrc to set scsi-initiator-id properties for each external host bus adapter to 6.

Answer: D

4. Which modification to the MANPATH variable will include the Sun Cluster 3.x man page for the scinstall command?

- A. export PATH=\$PATH:/usr/cluster/man
- B. export MANPATH=\$MANPATH:/usr/cluster/bin
- C. export MANPATH=\$MANPATH:/usr/cluster/man
- D. export MANPATH=\$MANPATH:/opt/SUNWcluster/man

Answer: C

5. Which statement regarding the private network is true?

- A. SCI cables must be attached using switches for all two-node clusters.
- B. The SCI interface is supported in a Sun Cluster 3.x environment for PCI IO boards.
- C. The SCI interface is supported in a Sun Cluster 3.x environment for sbus IO boards.
- D. SCI cables must be attached in a point-to-point configuration for all two-node clusters.

Answer: B

6. If you try to add a LogicalHostname or SharedAddress resource in Sun Cluster 3.0 without having any NAFO groups existing on the interfaces being used, what happens?

- A. The creation of the resource fails.
- B. The creation of the resource succeeds, but you will not be able to enable the resource.
- C. The command tries to create PNM groups automatically for you and, if successful, creates the resource.
- D. There is no problem. You are not required to have NAFO groups for all interfaces being used for LogicalHostname and SharedAddress resources.

Answer: C

7. Which package should be installed and patched before the VM 3.1.1 software is installed?

- A. SUNWsan
- B. SUNWscvr
- C. SUNWxvm
- D. SUNWapchr

Answer: A

8. In a two-node cluster, which statement is true when adding the Quorum device?

- A. The Quorum device must be a shared disk device.
- B. Run scsetup on both cluster nodes to add the Quorum device.
- C. Use the Solaris logical device name to identify the Quorum device in the scconf command.
- D. Use the Solaris device instance name to identify the Quorum device in the scconf command.

Answer: A

9. Which two situations require the installation of the SUNWsan package? (Choose two.)

- A. You will be using Solaris Volume Manager.
- B. You will be using Veritas Volume Manager.
- C. You will be using Raid Manager 6.x Software.
- D. You will be using Sun Traffic Manager Software.
- E. You will be using Sun Management Center Software.

Answer: BD

10. Which three deliverables must be included in every Sun Cluster 3.x installation? (Choose three.)

- A. A Quorum device must be configured.
- B. Explorer must be run and the output must be uploaded.
- C. An administrative workstation must be identified, installed, and configured.
- D. The Cluster must be EIS-compliant and the WINGS form must be completed.
- E. The SunCluster 3.x Post Install Template must be filled out and sent to clusterdata@sun.com

Answer: BDE

11. You have an existing two-node cluster running an Apache Web service that has been in production for six months and you would like to add a third node. Which two steps are required to add the third node? (Choose two.)

- A. Reinstall the Sun Cluster software on the existing nodes.
- B. Run scinstall on the third node to add it to the established cluster.
- C. Add the new node to the existing resource groups using scrgadm -a.
- D. On one existing node, add the new hostname to the authorized node list with scsetup or sconfg.

Answer: BD

12. Sun Cluster 3.x software resolves name service lookups from which two network information tables? (Choose two.)

- A. hosts
- B. ethers
- C. passwd
- D. networks
- E. netmasks

Answer: AE

13. Where is the Explorer output sent after an installation?

- A. sunsolve.sun.com
- B. clusterdata@sun.com
- C. the Symptom Resolution Database
- D. the Explorer Database in your time zone

Answer: D

14. You have a four-node cluster in an N+1 topology. What is the minimum number of Quorum devices that are required to be configured?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 0

Answer: E

15. You have clustered two v880 servers which have internal FCAL drives and you need to enable Sun Traffic Manager Software. You remember that STMS is not supported on internal fibre controllers.

How do you exclude the internal controller from STMS?

- A. Add an entry to the /kernel/drv/ssd.conf to set mpxio_disable=ues on the internal controller path and reboot.
- B. Add an entry to the /kernel/drv/qlc.conf to set mpxio_disable=ues on the internal controller path and reboot.
- C. Add an entry to the /kernel/drv/jnic.conf to set mpxio_disable=ues on the internal controller path and reboot.
- D. Add an entry to the /kernel/drv/scsi_vhci.conf to set mpxio_disable=ues on the internal controller path and reboot.

Answer: B

16. In which collection are the Sun Cluster 3.x patches defined at sunsolve.sun.com?

- A. Info Docs
- B. White Papers
- C. Sun Alert Notifications
- D. Symptoms and Resolutions

Answer: A

17. Which is a benefit of providing cluster installation documentation through WINGS?

- A. WINGS templates are distributed on the EIS CD-ROM for easy access.
- B. WINGS is publicly available on the Internet and thus accessible anywhere.
- C. WINGS can automatically provide email copies of documentation for the customer.
- D. WINGS provides consistently formatted documents with the legal requirements in the proper places.

Answer: D

18. Which two statements about name services running on a Sun Cluster 3.x cluster node are true? (Choose two.)

- A. The cluster nodes can be NIS clients.
- B. The cluster nodes can be DNS primary servers.
- C. The cluster nodes can be used as NIS master servers.
- D. The cluster nodes can be used as NIS+ master servers.

Answer: AB

19. What is different about in.mpathd running for IPMP in Sun Cluster 3.1 from in.mpathd running in a non-clustered Solaris environment?

- A. In the cluster, in.mpathd automatically records its state in the CCR.
- B. In the cluster, in.mpathd communicates with its counterpart on the other node.
- C. In the cluster, in.mpathd can automatically cause application resource failovers.
- D. Nothing is different about in.mpathd in the two examples.

Answer: D

20. In SC3.0, which two must be true for all adapters that are members of the same NAFO group? (Choose two.)

- A. They must all use different MAC addresses.
- B. They must all be connected to the same subnet.
- C. You must have an /etc/hostname.adp file for all of them.
- D. You must have an /etc/hostname.adp file for exactly one of them.

Answer: BD

More [310-330 Braindumps](#) Information

Related 310-330 Exams

310-061	310-610	310-230	310-345	310-810
310-600	310-052	310-051	310-620	310-105
310-066	310-203	310-811	310-019	310-330
310-231	412-600	310-062	310-400	310-150

Other SUN Exams

212-302	310-110	212-055	310-036	310-016
310-	212-202	310-620	310-012	212-105
600Big5	310-301	310-600	310-302	310-230
310-878	310-025	311-203	310-502	310-877
310-081				