



[Cisco 640-721](#)

Exam Name: *Implementing Cisco Unified Wireless Networking Essentials (IUWNE)*

Q & A : 116 Q&As

Pdf Demo

Quality and Value for the 640-721 Exam

[Just4Exams Practice Exams](#) for Cisco CCNA 640-721 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 640-721 Exam

If you do not pass the CCNA 640-721 exam on your first attempt using our Just4Exams **640-721 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 640-721 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [CCNA certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 640-721 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Cisco 640-721

Title : Implementing Cisco Unified Wireless Networking Essentials (IUWNE)

1. Which three values will be used to calculate Effective Isotropic Radiated Power? (Choose three.)

- A. antenna bandwidth
- B. antenna gain
- C. cable loss
- D. transmission power

Answer: BCD

2. As a network technician ,you must know Cisco WiSMs . Up to how many Cisco WiSMs are supported in a single mobility group operating under v5.0 code?

- A. 16
- B. 12
- C. 24
- D. 5

Answer: B

3. Observe the following statements, which limitation applies to the use of the Cisco WLAN Solution Management over Wireless feature?

- A. Read-write access is not available; only read-only access is supported.
- B. Controllers must be managed using only secure protocols (that is, SSH and HTTPS), not nonsecure protocols (that is, HTTP and Telnet).
- C. Uploads and downloads from the controller are not allowed.
- D. Wireless clients can manage other controllers however not the same controller and AP to which the client is associated.

Answer: C

4. Observe the following attacks, which two does Management Frame Protection help to mitigate? (Choose two.)

- A. War Driving
- B. Man-in-the-Middle
- C. Eavesdropping
- D. Denial of Service

Answer: BD

5. You work as a network technician at Cisco.com, read this subject carefully ,then answer the question. The existing Cisco Unified Wireless Controller is running v5.0 code for both the controllers and the Cisco WCS. A controller has been configured with an appropriate rogue rule condition to report discovered APs to the Cisco WCS. What default alarm level is used to display all rogue APs in the Alarm Summary?

- A. Major
- B. Critical
- C. Flash
- D. Minor

Answer: D

6. For the following elements ,which three define the 802.11n implementation of MIMO? (Choose three.)

- A. Channel Bonding
- B. Maximal Ratio Combining
- C. Spatial Multiplexing
- D. Transmit Beam Forming

Answer: BCD

7. Cisco Client Management Frame Protection is running on a mobility group with two controllers. For the following options ,which two MFP requirements protect the network? (Choose two.)

- A. requires the use of a nonbroadcast SSID
- B. requires CCXv5
- C. implements the validation of wireless management frames
- D. forces clients to authenticate, using a secure EAP method only

Answer: BC

8. How do the characteristics that are available on the Cisco WCS for Linux version differ from those of the Cisco WCS for Windows version?

- A. Cisco WCS for Linux is required for deployments.
- B. Assuming that there are no differences in hardware, a Cisco WCS for Linux can support up to 750 wireless LAN controllers. A Cisco WCS for Windows can support up to 250 wireless LAN controllers.
- C. Cisco WCS for Windows includes support for Cisco Spectrum Expert clients. Cisco WCS for Linux does not support Cisco Spectrum Expert clients.
- D. There are no differences in features between the Linux and Windows versions of Cisco WCS.

Answer: D

9. What happens when client exclusion is enabled with a timeout value of zero ?

- A. Clients are excluded indefinitely.
- B. Client exclusion is disabled.
- C. Clients are never excluded.
- D. Clients must be explicitly included by specifying the MAC address.

Answer: A

10. When importing a single campus map into the Cisco WCS 5.0, which four file formats will be used? (Choose four.)

- A. BMP
- B. PNG
- C. GIF
- D. JPEG
- E. JPG

Answer: BCDE

11. What is a common standard for wireless LANs?(Choose two)

- A. IEEE 802.11
- B. IEEE 802.3z
- C. Wi-Fi
- D. IEEE 802.16.

Answer: AC

12. In the AP Layer 3 controller discovery process, after the LWAPP Discovery Request is broadcast on a local subnet, which action will AP take next?

- A. Send an LWAPP response to the master controller if known.
- B. Send an LWAPP discovery request to controllers learned via OTAP if operational.
- C. Wait 5 seconds and resend a Discovery Request to the local subnet.
- D. Determine whether the controller responses are the primary controller.

Answer: B

13. The central office is currently using a combination of 4400 and 2100 series WLAN controllers running v4.2 and a variety of LWAPP-enabled access points servicing both 2.4 GHz and 5 GHz. The WLAN deployment has been extended to each remote office by implementing a 526 WLAN controller running v4.1 and several 521 access points. Wireless client deployment uses EAP-TLS authentication by use of a centralized RADIUS server plus 802.11n for performance. After the first remote office deployment, remote office users complain that they are not connecting via 802.11n.

Which will most likely cause this problem?

- A. The 521 AP does not support 5 GHz, which prohibits 802.11n.
- B. The 521 AP and 526 WLAN controllers do not support AES, which prohibits 802.11n.
- C. The 526 WLAN controller does not support external authentication via RADIUS, prohibiting authentication.
- D. The 526 WLAN controller does not support 802.11n with either v4.1 or v4.2.

Answer: D

14. You are a network engineer at Cisco.com, When creating a wireless profile in the Cisco ADU and you have selected the WPA/WPA2/CCKM radio button option, what other decision will you make and then configure on this same screen?

- A. the SSID of the wireless client
- B. the length and value of the pre-shared key
- C. the EAP type to be used for authentication
- D. the encryption type

Answer: C

15. What are the four types of wireless networks?(Choose four)

- A. Wireless PAN
- B. LAN
- C. MAN
- D. VLAN
- E. WAN

Answer: ABCE

16. True or false: A wireless PAN consumes little power from small handheld computer devices.

- A. True
- B. false

Answer: A

17. Which one of the following CLI commands displays the controller configuration in a way that is similar to the way that it is shown on Cisco IOS routers?

- A. show run-config

- B. show config
- C. show run config
- D. show running-config

Answer: D

18. What is the typical maximum range of a wireless PAN?

- A. 45 feet
- B. 50 feet.
- C. 55 feet
- D. 60 feet

Answer: B

19. For the following items ,which one correctly describes fading?

- A. A function of the frequency and should be provided in the cable specification by the vendor.
- B. Another signal source is producing energy on the channel in which you are trying to operate.
- C. A time-varying change in the path loss of a link with the time variance governed by the movement of objects in the environment, including the transmitter and receiver themselves.
- D. The desired signal reaches the receiving antenna via multiple paths, each of which has a different propagation delay and path loss.

Answer: C

20. Which device(s) will Lightweight access points send control traffic to?

- A. The Wireless Control System.
- B. Other access points.
- C. The Wireless Controller.
- D. Lightweight access points don't send control traffic.

Answer: C

More [640-721 Braindumps](#) Information

Related 640-721 Exams

640-802	640-822	640-816	640-553	640-801
640-721	640-811	640-821		

Other Cisco Exams

642-446	642-062	642-241	350-029	642-586
642-845	642-654	646-223	642-564	646-392
642-813	646-588	350-001	646-203	646-058
646-573	646-102	646-171	350-018	642-373