



## Cisco 642-176

**Exam Name:** *Small Medium Business for Engineers*

**Q & A :** 49 Q&As

**Pdf Demo**

### **Quality and Value for the 642-176 Exam**

[Just4Exams Practice Exams](#) for Cisco Sales Expert 642-176 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 642-176 Exam**

If you do not pass the Sales Expert 642-176 exam on your first attempt using our Just4Exams **642-176 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 642-176 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Sales Expert certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 642-176 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Cisco 642-176

Title : Small Medium Business for Engineers

1. Refer to the exhibit. Which Cisco SDM configuration task would you select to configure a static route to the service provider?

- A. NAC
- B. NAT
- C. Routing
- D. Quality of Service
- E. Intrusion Protection

Answer: C

2. What is the reason for running spanning tree in a Cisco Single-Site Secure Network Foundation solution?

- A. to allow management of all network devices
- B. to aggregate logical network groups together at one central point
- C. to protect the network in case someone inadvertently creates a physical loop in it
- D. to ensure that if a device fails another device will automatically take over for it
- E. to connect like devices, such as phones or computers, in logical network groups

Answer: C

3. Which three of these are prerequisites for resetting a Catalyst Express 500 switch when Cisco Network Assistant is unavailable? (Choose three.)

- A. a switch with no connected devices
- B. physical access to the switch
- C. a PC pre-configured with a specific IP address and mask
- D. at least one enabled switch port that is unconnected to any device
- E. a PC or laptop with Windows 2000 or Windows XP installed and a web browser that has JavaScript enabled

Answer: BDE

4. Refer to the exhibit. From this Cisco SDM Security Audit Wizard screen, what should you do to secure the router?

- A. Click Next.
- B. Click Fix All, then Next.
- C. Click Fix All, then clear CDP check box, then Next.
- D. Click Fix All, then clear CDP check box, then Next, then immediately reboot the router.
- E. Click Fix All, then clear CDP check box, then Next, then manually disable CDP on the WAN interface.
- F. Click Fix All, then clear CDP check box, then Next, then manually disable CDP on the WAN interface, then immediately reboot the router.

Answer: E

5. Refer to the exhibit. The exhibit is an example of which technology being implemented?

- A. PAT
- B. QoS
- C. 802.1Q
- D. VLANs
- E. spanning tree

Answer: A

6. The recommended WAN access method for a simplified and cost-effective Cisco Single-Site Secure Network Foundation deployment provides which type of service?

- A. best-effort
- B. low latency
- C. guaranteed quality
- D. guaranteed bandwidth

Answer: A

7. Refer to the exhibit. In a Cisco Single-Site Secure Network Foundation implementation, which factor affects your choice of switch configuration?

- A. type of QoS scheme that is being used
- B. maximum number of supported IP phones
- C. maximum amount of packet latency acceptable
- D. type of security scheme that is being implemented

Answer: B

8. Which statement correctly describes network security settings in Cisco Network Assistant for the Catalyst Express 500 switch?

- A. The default network security setting is "HIGH".
- B. The "LOW" setting enables broadcast storm control and limits the number of devices that can connect to a switch port.
- C. The "LOW" setting disables broadcast storm control and has no effect on the number of devices that can connect to a switch port.
- D. The "LOW" setting enables broadcast storm control, but has no effect on the number of devices that can connect to a switch port.
- E. The "LOW" setting disables broadcast storm control but limits the number of devices that can connect to a switch port.

Answer: B

9. If voice and data traffic will be sent and received via a WAN link, what must be configured to provide a certain amount of dedicated bandwidth and to prioritize the voice traffic over other types of network traffic?

- A. IPSec VPN

- B. NAT
- C. QoS mechanisms
- D. EIGRP routing protocol
- E. Static routing
- F. Firewall

Answer: C

10. Refer to the exhibit. What are the two options available when using the Security Audit configuration task in Cisco SDM? (Choose two.)

- A. Perform a virus scan.
- B. Perform a secure audit on the router.
- C. Perform a one-step lockdown on the router.
- D. Perform a denial-of-service attack on the router to verify that it is protected.
- E. Perform a real-time inspection of incoming traffic destined for the router.

Answer: BC

More [642-176 Braindumps](#) Information

**Related 642-176 Exams**

646-204	650-393	650-621	650-059	650-251
646-202	642-961	650-575	646-203	650-178
642-176	646-171	650-173		

**Other Cisco Exams**

646-011	642-523	642-145	646-562	646-391
350-018-	642-383	646-589	642-564	642-321
LAB	642-066	350-024	640-816	642-446
646-392	642-053	642-892	650-393	646-301
642-052				