



[Cisco 642-383](#)

Exam Name: Cisco Express Foundation for Field Engineers

Q & A : 69 Q&As

Pdf Demo

Quality and Value for the 642-383 Exam

[Just4Exams Practice Exams](#) for Cisco Others 642-383 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 642-383 Exam

If you do not pass the Others 642-383 exam on your first attempt using our Just4Exams **642-383 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 642-383 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Others certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 642-383 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Cisco 642-383

Title : Cisco Express Foundation for Field Engineers

1. Which statement correctly describes the keyswitch model of deployment for call processing?

- A. All IP Phones are able to answer any incoming PSTN call on any line.
- B. PSTN calls are routed through a receptionist or automated attendant.
- C. All IP Phones in the system have a single unique extension number.

Answer: A

2. A customer with a small enterprise network of 15 remote sites is trying to optimize its VPN by migrating some remote sites using Frame Relay connections to the Internet to using cable connections to the Internet. Minimizing costs is one of the customer's highest priorities. Only a moderate amount of IP traffic is passing through the network, most of which is from the remote sites to the central site.

IPSec should be used to provide VPN functionality and basic confidentiality is desired.

Based on the traffic patterns, which topology would be the easiest for this customer to set up and manage?

- A. full mesh
- B. partial mesh
- C. point-to-multipoint
- D. hub-and-spoke

Answer: D

3. What port role assignment would you make for the Gigabit Ethernet port on the Cisco CE520 used in the Smart Business Communications System?

- A. IP Phone and desktop
- B. Cisco UC520
- C. Cisco CE520
- D. Cisco 871W

Answer: B

4. Refer to the exhibit. Switches A and C are running PVST+ STP, and Switch B is running 802.1Q STP. If the BPDU of the root in VLAN 1 is better than the BPDU of the root in VLAN 2, then there is no blocking port in the VLAN 2 topology. The BPDU of VLAN 2 never makes a "full circle" around the topology; it is replaced by the VLAN 1 BPDU on the B-C link, because B runs only one STP merged with VLAN 1 STP of PVST+. Thus, there is a forwarding loop.

What does PVST+ do to correct this?

- A. Switch A sends PVST+ BPDUs of VLAN 2 (to the SSTP address that is flooded by Switch B) towards Switch C. Switch C will put port C-B into a type-inconsistent state, which prevents the loop.
- B. Switch B sends PVST+ BPDUs of VLAN 1 (to the SSTP address that is flooded by Switch A) towards Switch C. Switch C will put port C-B into a type-inconsistent state, which prevents the loop.
- C. Switch C sends PVST+ BPDUs of VLAN 2 (to the SSTP address that is flooded by Switch B) towards Switch C. Switch A will put port C-B into a type-inconsistent state, which prevents the loop.
- D. Switch A sends PVST+ BPDUs of VLAN 1 (to the SSTP address that is flooded by Switch B) towards Switch B. Switch A will put port C-B into a type-inconsistent state, which prevents the loop.

Answer: A

5. Which statement correctly describes configuration of the VPN server?

- A. It requires definition of a Group ID for remote clients.
- B. It requires configuration of port settings for the VPN server on the Cisco UC520.
- C. It uses a preshared key for remote device authentication.
- D. The WAN interface is preselected.

Answer: C

6. Which of the following best describe the customer benefits of change management in the operate phase?

- A. reduce unnecessary disruption, delays, rework, and other problems by establishing test cases for use in verifying that the system meets operational, functional, and interface requirements
- B. improve its ability to make sound financial decisions by developing a business case based on its business requirements and establishing a basis for developing a technology strategy
- C. reduce operating costs and limit change-related incidents by providing a consistent and efficient set of processes
- D. improve the return on investment and hasten migration by identifying and planning for necessary infrastructure changes and resource additions, as well as reduce deployment costs by analyzing gaps early in the planning process to determine what is needed to support the system

Answer: C

7. In what location is it recommended that the Cisco Catalyst 6500 Series WLSM be placed?

- A. distribution layer
- B. core layer
- C. access layer
- D. network management functional module

Answer: A

8. How can the proper configuration of Voice Mail be tested at an end user's IP phone?

- A. Press the "i" button.
- B. Press the "Settings" button.
- C. Press the "Services" button.
- D. Press the "Messages" button.

Answer: D

9. What are two ways to test the LAN connectivity on the Cisco CE520? (Choose two.)

- A. Ping the IP address of the Cisco-Data Access VLAN from the Cisco UC520 console.
- B. Ping the IP address of the Cisco-Data VLAN from a device attached to the Cisco CE520.
- C. Ping default gateway from the Cisco UC520.
- D. Ping the IP address of the Cisco-Voice VLAN from a device attached to the Cisco CE520.
- E. Ping default gateway from the Cisco CE520.
- F. Ping the IP address of the Cisco-Distribution VLAN from the Cisco UC520 console.

Answer: BD

10. Which of these is an accurate list of Cisco Lifecycle Services phases?

- A. initiation, planning, analysis, design, development, implementation, operations and maintenance
- B. project planning, site assessment, risk assessment, solution selection and acquisition, testing, and operations
- C. prepare, plan, design, implement, operate, and optimize
- D. analysis, design, deployment, testing, implementation, and production
- E. presales, project planning, development, implementation, operations testing, and operations sign-off

Answer: C

11. Which definition best describes the implementation service component within the implement phase?

- A. providing a step-by-step plan that details the installation and service-commission tasks required in order to create a controlled-implementation environment that emulates a customer network
- B. assessing the ability of site facilities to accommodate proposed infrastructure changes
- C. developing and executing proof-of-concept tests, validating high-level infrastructure design, and identifying any design enhancements
- D. installing, configuring, and integrating systems components based on an implementation plan developed in earlier phases
- E. improving a customer's infrastructure security system

Answer: D

12. Which of these is the best definition of the Cisco Lifecycle Services approach?

- A. It defines the minimum set of services required to successfully deploy and operate a set of Cisco technologies.
- B. It determines how best to price Cisco products.
- C. It provides partners with a useful way to leverage Cisco resources.
- D. It consists of these phases: plan, deploy, support, and troubleshoot.

Answer: A

13. Which benefit can be obtained by using the change management service component in the operate phase?

- A. reduced operating costs, due to a consistent framework for making necessary changes in an efficient and accountable manner
- B. greater accuracy, completeness, and timeliness of network configuration information
- C. notification provided to interested parties regarding problems that have been identified, and a system that scales with customer requirements
- D. improved system service quality and fewer disruptions

Answer: A

14. Which interface on the Cisco UC520 is assigned an IP address either statically or through DHCP?

- A. WAN interface
- B. LAN interface
- C. Switchport
- D. PSTN Interface

Answer: A

15. What two types of telephony interfaces are used for PSTN connectivity? (Choose two.)

- A. Digital
- B. Optical
- C. Analog
- D. CDMA

Answer: AC

More [642-383 Braindumps](#) Information

Related 642-383 Exams

642-524 642-436 642-972 650-175 646-223

Other Cisco Exams

642-352 642-373 646-230 350-001- 642-504

642-504	642-145	642-456	642-741	642-426
640-460	642-383	642-731	650-180	646-230
646-563	642-373	646-363	642-975	646-656

			LAB	640-863
642-241	646-671	640-822	644-141	350-018-
				LAB
642-359	646-229	350-	642-066	642-072
		001GB2312-	640-460	646-361
		LAB	646-411	642-415