



[Cisco 642-444](#)

Exam Name: IP Telephony Exam (CIPT)

Q & A : 85 Q&As

Pdf Demo

Quality and Value for the 642-444 Exam

[Just4Exams Practice Exams](#) for Cisco IP Communications 642-444 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 642-444 Exam

If you do not pass the IP Communications 642-444 exam on your first attempt using our Just4Exams **642-444 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 642-444 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [IP Communications certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 642-444 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Cisco 642-444

Title : Cisco(r) IP Telephony (CIPT)

1. Two options exist for adding a gatekeeper-controlled trunk to support gatekeeper call administration control. Which two of the following options could be selected to configure the trunk type as shown in the exhibit? (Choose two.)

- A. H.225 Trunk (Gatekeeper Controlled)
- B. Inter-Cluster Trunk (Gatekeeper Controlled)
- C. Intra-Cluster Trunk (Gatekeeper Controlled)
- D. H.323 Trunk (Gatekeeper Controlled)
- E. H.245 Trunk (Gatekeeper Controlled)

Answer: AB

2. A Cisco CallManager cluster contains one publisher and four subscribers. If the publisher is unavailable, which three of these statements are true? (Choose three.)

- A. The Microsoft SQL Server 2000 database automatically locks.
- B. New Cisco CallManager devices can be configured.
- C. The Microsoft SQL Server 2000 will save configuration changes on subscribers to be uploaded to the publisher when available.
- D. CDR collection is temporarily suspended on subscribers.
- E. All IP telephony devices continue to operate.
- F. Available Cisco CallManagers work from the local backup database.

Answer: AEF

3. Which three of the following can be assigned a partition? (Choose three.)

- A. gateway
- B. directory number
- C. translation pattern
- D. route pattern
- E. IP phone

Answer: BCD

4. Which four characteristics would typically be used to define a device pool? (Choose four.)

- A. geographic proximity
- B. common use of codecs
- C. common MOH source
- D. common device type
- E. common class of service
- F. common calling search spaces for auto-registration

Answer: ABCF

5. Which three of these options correctly describe the role of a subscriber in a Cisco CallManager cluster? (Choose three.)

- A. replicates database to other Cisco CallManager servers
- B. maintains read-only copies of the configuration database
- C. processes IP telephony calls
- D. collects CDRs
- E. can have only one in a Cisco CallManager cluster
- F. maintains writeable copy of the configuration database

Answer: BCD

6. When a phone needs a conference resource, which of the following Cisco CallManager objects is queried first?

- A. media resource device list
- B. media resource pool
- C. media resource group list
- D. media resource group

Answer: C

7. A dial plan uses six-digit numbers where the first two digits are an access code and the last four digits are an extension. Access codes must begin with 7 or 8 and the second digit cannot be 0, 1, 5, or 9. Which two route patterns will support this dial-plan requirement? (Choose two.)

- A. [78][2-4,6-8].XXXX
- B. [7-8][^0159].XXXX
- C. [^0-6,9][2-4,6-8].XXXX
- D. [^0-69][2-4678].XXXX
- E. [^78][^234678].XXXX

Answer: BD

8. Which two of these services should be disabled during post-installation of Cisco CallManager to prevent potential intruders from finding server vulnerabilities? (Choose two.)

- A. Distributed File System
- B. FTP Publishing Service
- C. SSL Security Service
- D. Forward Publishing Service
- E. SRTP service
- F. SRCP service

Answer: AB

9. You are working with a customer to deploy a pilot network to test how Cisco CallManager interoperates with SIP. Which two components need to be deployed for Cisco CallManager to interoperate with the SIP portion of the network? (Choose two.)

- A. Registrar server
- B. SIP to H.323 trunk
- C. SIP trunk
- D. proxy server
- E. redirect server
- F. location database

Answer: CD

10. What method of Call Admission Control (CAC) is used for centralized call processing?

- A. locations
- B. regions
- C. gatekeeper
- D. H.225
- E. gateway
- F. H.323

Answer: A

11. An IP phone user has dialed "15152412232". Which of the following route patterns will be used?

- A. 1515[0-1]4[123]+
- B. 1515[0-2]4[012]+
- C. 1515[0-1]41[2232]
- D. 1515[0-2]412[012]+
- E. will not match any of these patterns

Answer: A

12. Which two of these options can you use to prevent toll fraud? (Choose two.)

- A. Call Forward CSS
- B. IPSec encryption
- C. MLA
- D. forced authentication codes
- E. Call Transfer CSS

Answer: AD

13. Refer to the exhibit. What CSS should be assigned to a phone in the Phones partition to block calls to International numbers while allowing all other calls?

- A. CSS A
- B. CSS B
- C. CSS C
- D. CSS D

Answer: D

14. Which two items can a route pattern be assigned? (Choose two.)

- A. gatekeepers that do not perform gateway functions
- B. route groups that contain one or more route filters
- C. gateways
- D. route lists that contain one or more route groups
- E. route filters
- F. route lists that contain one or more route filters

Answer: CD

15. Which two of these events describe the relationship of an IP Phone to its secondary Cisco CallManager? (Choose two.)

- A. IP Phone sends a TCP keepalive message every 30 seconds.
- B. IP Phone sends a TCP keepalive message every 60 seconds.
- C. IP Phone sends a TCP connect message.
- D. IP Phone registers with secondary when primary is unavailable.
- E. IP Phone registers with primary when secondary is unavailable.
- F. IP Phone registers with all CallManagers initially including secondary.

Answer: CD

16. Which multiple line appearance parameter sets a number of calls per line beyond which all incoming calls are forwarded?

- A. Maximum Number of Calls
- B. Call Forward Busy
- C. No Answer Ring Duration
- D. Busy Trigger

Answer: D

More [642-444 Braindumps](#) Information

Related 642-444 Exams

642-415	642-444	642-432	642-162	644-141
642-143	642-144	642-104	642-071	642-414
646-229				

Other Cisco Exams

646-653	642-502	650-175	642-979	350-018
642-456	640-721	646-057	642-541	650-173
646-222	642-552	642-902	642-272	642-112
350-020	642-352	650-251	646-272	642-972