



## [Cisco 642-731](#)

**Exam Name:** *Conducting Cisco Unified Wireless Site Survey*

**Q & A :** 52 Q&As

***Pdf Demo***

### **Quality and Value for the 642-731 Exam**

[Just4Exams Practice Exams](#) for Cisco Others 642-731 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 642-731 Exam**

If you do not pass the Others 642-731 exam on your first attempt using our Just4Exams **642-731 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 642-731 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Others certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 642-731 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Cisco 642-731

Title : Conducting Cisco Unified Wireless Site Survey

1. Which statement is true when using a Cisco Wireless Mesh Networking Solution?

- A. The backhaul link is dynamic 1 to 54 Mb/s.
- B. The backhaul link is typically a fixed value.
- C. The backhaul link uses DAS antennas.
- D. The backhaul link uses antenna multiplexing.
- E. The backhaul link does not rely on fade margin.

Answer: B

2. What are two objectives of a pre-site survey walkthrough? (Choose two.)

- A. identify potential problem areas
- B. define intended coverage areas
- C. assess compliance with local building codes
- D. determine the final location of APs and antennas
- E. identify sources of RF signal attenuation and RF interference

Answer: AB

3. Which value is NOT supported by Cisco Spectrum Expert, when checking for RF coverage?

- A. access point received-signal strength level
- B. spectrum utilization
- C. client data rate
- D. in-band radio frequency interference

Answer: C

4. To which parameter should the access point be set during a site survey?

- A. transmit only
- B. diversity
- C. receive only
- D. single isolated antenna

Answer: B

5. How many access points will a Cisco 7600 Series Router with six installed Cisco Catalyst 6500 Series Wireless Services Modules support?

- A. 300
- B. 448
- C. 664
- D. 1800
- E. 2400

Answer: D

6. Which is NOT part of a typical wireless site survey?

- A. implementation suggestions
- B. access point locations
- C. security requirements
- D. access point mounting methods

Answer: C

7. Construction of a new automobile parts manufacturing facility has recently been completed. The facility IT manager wants to deploy voice over WLAN. During your initial walkthrough, you observe numerous highly reflective surfaces on the manufacturing equipment and in the building construction itself. What potential problem exists that should be accounted for during your site survey?

- A. LOS modulation
- B. multipath distortion
- C. RF signal absorption
- D. RF signal attenuation
- E. Fresnel zone impedance

Answer: B

8. If there is an existing 802.11g WLAN at a site, which service can be provided without conducting a new site survey?

- A. add a new 802.11a WLAN
- B. increase the Layer 2 and Layer 3 security of the WLAN
- C. increase the throughput for the wireless clients
- D. add new services (such as voice) over the WLAN

Answer: B

More [642-731 Braindumps](#) Information

#### Related 642-731 Exams

642-524	642-436	642-972	650-175	646-223
642-504	642-145	642-456	642-741	642-426
640-460	642-383	642-731	650-180	646-230
646-563	642-373	646-363	642-975	646-656

#### Other Cisco Exams

642-964	650-575	642-311	646-203	642-321
642-982	642-511	646-223	646-562	642-061
642-481	642-072	642-112	640-802	642-582
642-081	350-021	646-057	350-020	642-902

