



[Cisco 642-961](#)

Exam Name: Cisco Data Center Networking Infrastructure Solutions design

Q & A : 120 Q&As

Pdf Demo

Quality and Value for the 642-961 Exam

[Just4Exams Practice Exams](#) for Cisco Sales Expert 642-961 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 642-961 Exam

If you do not pass the Sales Expert 642-961 exam on your first attempt using our Just4Exams **642-961 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 642-961 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Sales Expert certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 642-961 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Cisco 642-961

Title : Cisco Data Center

Networking Infrastructure Solutions Design

1. Refer to the exhibit. What is a feature of this spanning-tree topology?

- A. VLANs are not restricted to access-switch pairs.
- B. Only one aggregation-to-access uplink is active at a given time.
- C. If the link between access-switch pairs is broken, the return IP path may be broken.
- D. Uplink failures on access layer switches will not break connectivity between servers and service modules in the aggregation layer.

Answer: C

2. Which type of HPC application requires low latency?

- A. financial analytics
- B. finite element analysis
- C. digital image rendering
- D. seismic and geophysical modeling

Answer: B

3. Which statement describes an IDS module operating in inline rather than promiscuous mode?

- A. lower latency
- B. higher latency
- C. lower throughput
- D. higher throughput
- E. higher latency and lower throughput
- F. lower latency and higher throughput

Answer: B

4. Which statement is correct about the Cisco Catalyst 4948 Switch?

- A. is nonblocking
- B. performs only Layer 2 switching
- C. has up to 48-Gbps wire-speed performance
- D. balances lower cost with lower-performance access layer switching

Answer: A

5. Refer to the exhibit.

Each letter (A-D) represents a model for placement of a default gateway. Which model allows the maximum number of application and security services?

- A. model A
- B. model B
- C. model C
- D. model D

Answer: C

6. Which of the following attack types should be mitigated in the data center core layer?

- A. port scans
- B. IP spoofing
- C. DDoS attacks
- D. MAC address spoofing

Answer: C

7. Which security technique would you use to protect servers from SYN-flooding DoS attacks?

- A. uRPF
- B. TCP intercept
- C. TCP RPF check
- D. drop and shutdown thresholds

Answer: B

8. Which type of network in an HPC environment most requires low latency?

- A. MPI
- B. access
- C. private
- D. storage

Answer: A

9. Which statement best describes the data center core layer?

- A. connects to the campus aggregation layer
- B. provides a resilient Layer 2 routed fabric
- C. is typically merged with the campus core layer
- D. load balances traffic between the core and aggregation layers

Answer: D

10. What is the Cisco best-practice recommendation for the maximum number of HSRP instances per aggregation module?

- A. 3

- B. 30
- C. 300
- D. no recommended maximum

Answer: C

11. A very large blade-server deployment has high throughput requirements for both data and storage networks. Which access layer option would you recommend?

- A. blade server Ethernet switch with Cisco SFS 3000 Series Multifabric Switch
- B. blade server InfiniBand switch with Cisco SFS 3000 Series Multifabric Switch
- C. blade server Ethernet switch that is connected to Cisco Catalyst 4948 top-of-rack switch
- D. blade server Ethernet switch that is connected to Cisco Catalyst 6500 Series end-of-rack switch

Answer: B

12. How is FCIP traffic marked with DSCP values?

- A. The Cisco MDS 9000 Series Multilayer Switch marks one DSCP value per FCIP tunnel.
- B. The Cisco MDS 9000 Series Multilayer Switch marks two DSCP values per FCIP tunnel.
- C. The aggregation layer Ethernet switch marks one DSCP value per FCIP tunnel.
- D. The aggregation layer Ethernet switch marks two DSCP values per FCIP tunnel.

Answer: B

13. What is the total bandwidth available to a Cisco Catalyst 6500 Series CEF720 line card?

- A. 16 Gbps
- B. 20 Gbps
- C. 32 Gbps
- D. 40 Gbps
- E. 48 Gbps

Answer: D

14. Which three of the following service modules can be deployed in redundant pairs with active/active failover? (Choose three.)

- A. ACE
- B. CSM
- C. NAM
- D. IDSM
- E. FWSM
- F. SSLSM

Answer: ADE

15. According to Cisco best practice, which service module should be placed in service switches within the aggregation layer?

- A. NAM
- B. CSM
- C. IDSM
- D. FWSM

Answer: B

16. What advantage do 10-Gigabit Ethernet uplinks have over EtherChannels?

- A. more reliable
- B. higher bandwidth
- C. faster convergence time
- D. better load balancing of traffic

Answer: D

17. Refer to the exhibit. Where is Layer 2 adjacency required?

- A. server-to-server only
- B. access-to-server only
- C. aggregation-to-access only
- D. aggregation-to-access and access-to-server

Answer: B

18. How many FWSM modules are needed to support 8 Gbps of throughput through an aggregation module?

- A. one
- B. two

C. four

D. eight

Answer: B

19. Which data center network-architecture change is a result of the adoption of blade and 1-RU server technologies?

A. Layer 3 fault domains growing larger

B. Layer 2 fault domains growing larger

C. Layer 3 fault domains growing smaller

D. Layer 2 fault domains growing smaller

Answer: B

20. Refer to the exhibit. What do you need to configure to prevent spanning-tree loops from occurring between the two FWSMs?

A. FWSMs in transparent mode

B. ether-type ACLs to allow BPDUs

C. FWSMs in multiple-context mode

D. failover and state interfaces on the same VLAN

Answer: B

More [642-961 Braindumps](#) Information

Related 642-961 Exams

646-204	650-393	650-621	650-059	650-251
646-202	642-961	650-575	646-203	650-178
642-176	646-171	650-173		

Other Cisco Exams

642-654	642-372	642-825	642-352	642-456
646-561	650-173	642-164	350-018-	642-972
			LAB	642-112
642-979	642-144	642-746	642-444	646-392
642-961	642-383	642-382	642-502	