



## [Nortel 920-118](#)

**Exam Name:** NNCSS-Symposium Call Center TAPVAgent install & Maint

**Q & A :** 50 Q&As

**[Pdf Demo](#)**

### **Quality and Value for the 920-118 Exam**

[Just4Exams Practice Exams](#) for Nortel NCSS 920-118 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 920-118 Exam**

If you do not pass the NCSS 920-118 exam on your first attempt using our Just4Exams **920-118 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 920-118 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [NCSS certification](#) examination. Details are researched and produced by [Nortel Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 920-118 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Nortel 920-118

Title : NNCSS-Symposium Call Center TAPVAgent install & Maint

1. A customer is installing TAPI 2.3 in a Direct Connect Configuration. What is the minimum PBX release required to accomplish this installation?

- A. 23.30
- B. 24.00
- C. 25.15
- D. 25.30

Answer: A

2. A customer has requested that Symposium Agent 2.3 be installed on an existing server on site. On what server should the field

engineer install Symposium Agent?

- A. Symposium TAPI Server
- B. Symposium Call Center Server
- C. Symposium Express Call Center Server
- D. Customers database application server

Answer: A

3. A customer has decided that Symposium Call Center Server 4.0 and a Symposium TAPI Service Provider, that will utilize the MLSM service, is to be installed in their Call Center environment. Applying this environment to the TAPI Server 2.3, how many network cards need to be installed in the TAPI Server to support this network layout?

- A. One network card with connectivity to the ELAN.
- B. One network card with connectivity to the CLAN.
- C. One 2 port Network card pointing to the Clan and ELAN.
- D. Two network cards with connectivity to both the CLAN and ELAN.

Answer: B

4. After installing Symposium Agent, the field engineer finds that event and call logging information is not available. Which services was not set to start automatically after the server was installed?

- A. All Sybase Services
- B. Telephony Service and Nortel SA Watchdog Service
- C. Telephony Service and Nortel SA Call Monitor Service
- D. Nortel SA Call Monitor Service and Nortel SA Watchdog Service

Answer: D

5. A field engineer is configuring the HOST TABLE for TAPI Service Provider 3. Which is the correct "Host Port" number for a direct connect configuration?

- A. 3000
- B. 4000
- C. 5000
- D. 8888

Answer: D

6. A field engineer is installing Symposium Agent 2.3 on a Windows NT 4.0 server. Prior to the Symposium Agent installation, what system prerequisite must the field engineer verify?

- A. VGA or SVGA Display is selected
- B. Server is attached to the switch
- C. Windows NT Option Pack 4.0 is installed
- D. Network Administrator User ID and password is installed

Answer: C

7. A field engineer is installing Symposium TAPI Service Provider 2.3 for Meridian For this product, where must the license server and security device be located in the network?

- A. Local to the TAPI server and is only available to license TAPI Server.
- B. Only the Security device attached to the local parallel port is needed.
- C. Local to the TAPI server but available on the network to license other products.
- D. Anywhere on the network where the server is a member of the same domain as the TAPI Server.

Answer: C

8. When installing Sybase for Symposium Agent 2.3, an output file can be generated for each SQL script executed. Where on the hard disk should the field engineer look to check the output file to ensure that all scripts are executed successfully?

- A. C:\NortelServer\NNDBCfg
- B. C:\NortelServer\ScriptCfg
- C. C:\NortelSybase\NNDBCfg
- D. C:\NortelSybase\ScriptCfg

Answer: A

9. When selecting a server for Symposium Agent 2.3, what is the minimum processor speed of the server?

- A. Pentium 4 1.2 GHz
- B. Pentium III 1 GHz
- C. Pentium II 400 MHz
- D. Pentium 200 MHz with MMX

Answer: C

10. When a field engineer is installing Symposium Agent 2.3 on a Windows NT 4.0 or Windows 2000 client, the field engineer must:

- A. Be logged on to the PC as the user
- B. Be logged on to the PC as the local administrator
- C. Be logged on as the Symposium Agent administrator
- D. Be logged on to the PC as the network administrator

Answer: B

More [920-118 Braindumps](#) Information

**Related 920-118 Exams**

920-803	922-097	920-250	922-096	920-322
922-093	922-095	920-215	920-331	920-326
920-330	920-481	920-460	920-138	920-160
920-118	920-172	920-251	920-233	920-249

**Other Nortel Exams**

920-355	920-175	920-548	920-112	920-166
920-182	920-110	922-030	920-181	920-128
920-246	920-134	922-053	920-183	920-521
920-331	920-193	920-180	920-132	920-195