



## [Nortel 920-181](#)

**Exam Name:** CallPilot RIS.5.0 Engineering

**Q & A :** 59 Q&As

**[Pdf Demo](#)**

### **Quality and Value for the 920-181 Exam**

[Just4Exams Practice Exams](#) for Nortel NCSS 920-181 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your 920-181 Exam**

If you do not pass the NCSS 920-181 exam on your first attempt using our Just4Exams **920-181 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 920-181 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [NCSS certification](#) examination. Details are researched and produced by [Nortel Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free 920-181 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : Nortel 920-181

Title : CallPilot RIs. 5.0 Engineering

1. A company wants to create a unified image in the customized voice applications across all their CallPilot systems. Which two statements are correct about Application Builder? (Choose two.)

- A. Through dial services cannot be customized.
- B. Customized voice items can be reused in multiple applications.
- C. Customized voice items can be imported in WAV and VBK formats.
- D. Customized voice items can be imported in WAV and MPEG formats.

Answer: BC

2. Which two options are available to My CallPilot users in CallPilot RIs. 5.0? (Choose two.)

- A. change personal voice greetings
- B. change personal distribution lists
- C. change Auto Login Directory Number (DN)
- D. change Message Waiting Indicators (MWI) DN

Answer: AB

3. A hospital wants to provide voice mailboxes to every nurse and doctor. However, most of these workers share a common Directory Number (DN) with many co-workers, since they move in and out of rooms throughout the day. What is the maximum number of mailboxes that can be associated with a single DN?

- A. 7
- B. 8
- C. 9
- D. 10

Answer: C

4. CallPilot uses Multimedia Processing Units (MPU) as an engineering guide to support three type of channels. A customer is planning for 24 voice channels, two fax channels and four speech recognition channels. Which two statements are true? (Choose two.)

- A. You need four MPUs for fax channels.
- B. You need 16 MPUs for speech recognition channels.
- C. You need eight MPUs for speech recognition channels.
- D. The Multimedia Processing Board (MPB) provides 16 MPUs.

Answer: AB

5. The customer has a large sales force and wants to provide Speech Recognition for their traveling employees. Which two CallPilot features need to be considered when engineering the Speech Recognition Channels? (Choose two.)

- A. Outcalling
- B. Email-by-Phone
- C. Fax on Demand
- D. Speech Activated Messaging (SAM)

Answer: BD

6. CallPilot Email-by-Phone users can listen to email messages over the telephone. Which speech command is used by the end user to do this?

- A. change list
- B. play messages
- C. return to speech
- D. remote notification

Answer: A

7. CallPilot provides many advantages for messaging that potential customers may want to consider. Which two statements are true regarding CallPilot Unified Messaging? (Choose two.)

- A. Unified messaging is installed on the customers email server.
- B. Messaging must be downloaded and accessed only when connected to the network.
- C. The computer's speaker and microphone or a telephone set can be used to play and record offline.
- D. Unified Messaging provides a single interface to access and manage voice, fax, and email messaging.

Answer: CD

8. The CallPilot Alternate User Interface (AUI) provides users an alternative choice to the standard CallPilot telephone set interface. Which two statements are true regarding the AUI? (Choose two.)

- A. Quick reference cards are available to train users.
- B. AUI Alternate Command interface have the full set of the CallPilot functions.
- C. AUI Alternate Command interface must be enabled for all users on the CallPilot.
- D. AUI helps minimize the re-training of the users who are experienced with other manufactures' telephone set interfaces.

Answer: AD

9. A customer is setting up CallPilot messaging and wants the system to be as secure as possible. Which two statements about CallPilot are true? (Choose two.)

- A. CallPilot supports encryption and authentication for communications with the CallPilot server.
- B. The CallPilot administrator configures the mail boxes to restrict the PC playback of messages.
- C. CallPilot desktop messaging could be configured to send SNMP traps to Network Management Systems (NMS).
- D. CallPilot uses the Audio Messaging Interchange Specification (AMIS) protocol to work with other voice messaging systems through the

Internet.

Answer: AB

10. A customer is considering using Voice Forms to handle customer responses to surveys. Which two are true about the Voice Forms feature? (Choose two.)

- A. The feature requires a keycode.
- B. The feature does not require a keycode.
- C. The feature requires Speech Recognition Channels.
- D. The feature is an application within Application Builder.

Answer: AD

More [920-181 Braindumps](#) Information

**Related 920-181 Exams**

920-803	922-097	920-250	922-096	920-322
922-093	922-095	920-215	920-331	920-326
920-460	920-138	920-330	920-481	920-160
920-118	920-172	920-251	920-233	920-332

**Other Nortel Exams**

920-433	920-254	920-119	920-341	920-250
920-328	920-326	920-122	922-056	920-469
920-458	922-060	920-114	920-133	920-181
920-236	920-537	922-101	922-093	920-220