



Nortel 920-803

Exam Name: *Nortel technology standards and protocol for ip telephony solutions*

Q & A : 55 Q&As

Pdf Demo

Quality and Value for the 920-803 Exam

[Just4Exams Practice Exams](#) for Nortel NCSS NCTS 920-803 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your 920-803 Exam

If you do not pass the NCSS NCTS 920-803 exam on your first attempt using our Just4Exams **920-803 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 920-803 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [NCSS certification NCTS certification](#) examination. Details are researched and produced by [Nortel Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 920-803 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : Nortel 920-803

Title : Nortel technology standards and protocol for ip telephony solutions

1. The basic attributes of Real-Time Protocol (RTP) provide for support of applications like voice and video. Which three attributes of RTP support real-time applications? (Choose three.)

- A. Timestamping
- B. Packet sequencing
- C. Header compression
- D. Payload identification
- E. Packet retransmission

Answer: ABD

2. Which CODEC delivers the greatest compression?

- A. B. 711
- C. D. 723.1
- E. F. 726
- G. H. 729
- I. J. 729A

Answer: C

3. To achieve the QoS necessary to deliver voice between two points on a Frame Relay network, which two items are required to guarantee that voice quality is maintained? (Choose two.) Assume that a Permanent Virtual Circuit (PVC) is available to address converged voice and data.

- A. a Variable Bit Rate (VBR) service type
- B. a WAN access device that shapes traffic
- C. a WAN access device that does NOT fragment voice IP packets
- D. a WAN access device that can manage First-In, First-Out (FIFO) queuing
- E. a Committed Information Rate (CIR) large enough to address the total peak voice traffic plus a portion allocated for Best-Effort (BE) data

Answer: BE

4. A customer has a mix of Layer 2 and Layer 3 switches in their LAN. To ensure the best QoS as they implement VoIP, which two QoS methods should you recommend? (Choose two.)

- A. 802.1q
- B. Weighted Fair Queuing (WFQ)
- C. Random Early Detection (RED)
- D. Differentiated Services (DiffServ)

Answer: AD

5. A video conference is in progress between two networked locations using gigabit Ethernet. The video conferencing application is using User Datagram Protocol (UDP) to transport the video and audio data. Why should UDP be used instead of Transmission Control Protocol (TCP)?

- A. TCP CANNOT handle streaming data applications.
- B. UDP is better than TCP at seamlessly synchronizing voice and video together.
- C. UDP serves as an efficient transport for handling real-time application traffic.
- D. UDP uses less bandwidth than TCP in a WAN, but more bandwidth than TCP in a LAN.

Answer: C

6. To implement VoIP on a customer's IP network, which transport protocol should you use to best meet the real-time requirement for VoIP, and why?

- A. User Datagram Protocol (UDP); It ignores lost packets.
- B. Transmission Control Protocol (TCP); It retransmits lost packets.
- C. User Datagram Protocol (UDP); The amount of delay time is bounded.
- D. Transmission Control Protocol (TCP); The amount of delay time is bounded.

Answer: A

7. Which CODEC is the most tolerant to network delay?

- A. B. 711
- C. D. 723
- E. F. 729
- G. H. 729A

Answer: A

8. What are two differences between IP, Asynchronous Transfer Mode (ATM) and Frame Relay (FR)? (Choose two.)

- A. ATM has a fixed cell size, but IP and FR do NOT.
- B. FR has built in mechanisms within the protocol for QoS.
- C. ATM is connectionless, but IP and FR are connection oriented.
- D. IP is a Layer 3 protocol, but ATM and FR are Layer 2 protocols.

Answer: AD

9. How does Real-Time Control Protocol (RTCP), the control protocol of Real-Time Protocol (RTP), assist RTP in handling packetized voice in an IP telephony environment?

- A. Controls the RTP data flows.

- B. Identifies sources and provides QoS feedback.
- C. Interoperates with Transmission Control Protocol (TCP).
- D. Controls the network bandwidth used by RTP data flows.

Answer: B

10. Which two CODECs have the least delay (processing or algorithmic)? (Choose two.)

- A. B. 711
- C. D. 723.1
- E. F. 726
- G. H. 729

Answer: AE

More [920-803 Braindumps](#) Information

Related 920-803 Exams

920-803	922-097	920-250	922-096	920-322
922-093	922-095	920-215	920-331	920-326
920-330	920-481	920-460	920-138	920-160
920-118	920-172	920-251	920-332	920-245

Other Nortel Exams

920-174	920-433	920-482	920-138	920-160
922-091	920-504	920-173	920-436	922-093
922-057	920-533	920-125	922-042	920-552
920-462	920-451	920-231	920-336	922-099