



[ISEB BH0-007](#)

Exam Name: ISEB Intermediate Certificate in Software Testing

Q & A : 25 Q&As

[Pdf Demo](#)

Quality and Value for the BH0-007 Exam

[Just4Exams Practice Exams](#) for ISEB ISEB Certification BH0-007 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your BH0-007 Exam

If you do not pass the ISEB Certification BH0-007 exam on your first attempt using our Just4Exams **BH0-007 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive BH0-007 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [ISEB Certification certification](#) examination. Details are researched and produced by [ISEB Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free BH0-007 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : ISEB BH0-007

Title : ISEB Intermediate Certificate in Software Testing

1. Data is transmitted over the internet as a series of packets. Each packet is sent to its destination via the best available route. The decision on the best available route is made by a series of routers on the internet.

In order to make the best decision on the route to take, the router:

- 1) Scans the destination address and matches it against rules set up in a configuration table.
- 2) Checks the performance of the primary connection to see if it is good enough to send the packet. If not, it seeks an alternative.

Routers handle many millions of packets being sent at the same time.

Packets can take the form of email messages, data files etc.

Which of the following best describes a testing challenge of the application domain of the routers described?

- A. Testing that the receivers PC can store emails routed to it.

- B. Testing that large organisations can scan incoming files routed to them for viruses.
- C. Testing that packets are delivered by the routers in the required timescales.
- D. Testing that files can be sent in any language.

Answer: C

2. Data is transmitted over the internet as a series of packets. Each packet is sent to its destination via the best available route. The decision on the best available route is made by a series of routers on the internet.

In order to make the best decision on the route to take, the router:

- 1) Scans the destination address and matches it against rules set up in a configuration table.
- 2) Checks the performance of the primary connection to see if it is good enough to send the packet. If not, it seeks an alternative.

Routers handle many millions of packets being sent at the same time.

Packets can take the form of email messages, data files etc.

Which of the following would be applicable as part of a test policy for testing these types of systems?

- a. Systems must be tested for compliance to industry standard routing protocols.
- b. Testing for the latest upgrade will require testing of increased network traffic of 100%.
- c. Testing for the fix will require the use of dynamic analysis tools.
- d. Releases will not be made if systems have any high priority defects outstanding.

- A. a and b.
- B. a and d.
- C. b and c.
- D. b and d.

Answer: B

3. Data is transmitted over the internet as a series of packets. Each packet is sent to its destination via the best available route. The decision on the best available route is made by a series of routers on the internet.

In order to make the best decision on the route to take, the router:

- 1) Scans the destination address and matches it against rules set up in a configuration table.
- 2) Checks the performance of the primary connection to see if it is good enough to send the packet. If not, it seeks an alternative.

Routers handle many millions of packets being sent at the same time.

Packets can take the form of email messages, data files etc.

A serious issue has arisen with emails arriving at the wrong destinations. This is an intermittent problem, and seems to occur only at peak loading times.

Which of the following reviews would you recommend to address this issue?

- A. A walkthrough of the requirement specification, to check for errors.
- B. A management review of defects logged and cleared to see if defects are being addressed correctly.
- C. A technical review of the industry standard routing protocols to see if they have inaccuracies in them.
- D. An inspection of the code for this part of the functionality to try to localise the defective parts of the code.

Answer: D

4. A computerised system is being created to monitor the life support system on board a submarine. It monitors air quality, water supplies and temperature.

This system will be supplied and maintained by SubsInc. SubsInc uses the V-model for software development and conducts four levels of testing, from unit through to operational and site acceptance testing.

Two key risks identified for the air quality system are:

1. If the percentage of oxygen in the air falls too low, personnel may suffocate
2. If the concentration of carbon dioxide in the air rises too high, the air may become toxic.

To address these risks, the requirement specification for this system includes the following requirements:

- R1) Oxygen must be replaced as it is consumed.
- R2) Carbon dioxide must be removed from the air.

These requirements must be reflected in the functional, technical and program specification documents.

You are a newly recruited test manager.

A risk register has been produced with the following additional risks identified. Which one is a product risk associated with the air quality management system?

- A. The system required to monitor oxygen levels may be more expensive than those required to monitor air temperatures.
- B. SubsInc may need to recruit extra developers and testers to deliver the project on time.
- C. Oxygen levels may reach dangerously low levels.
- D. Extreme temperatures may lead to heat exhaustion of personnel.

Answer: C

5. If the concentration of carbon dioxide in the air rises too high, the air may become toxic.

To address these risks, the requirement specification for this system includes the following requirements:

R1) Oxygen must be replaced as it is consumed.

R2) Carbon dioxide must be removed from the air.

These requirements must be reflected in the functional, technical and program specification documents.

You are a newly recruited test manager.

A risk register has been produced with the following additional risks identified. Which one is a product risk associated with the air quality management system?

A. The system required to monitor oxygen levels may be more expensive than those required to monitor air temperatures.

B. Subsync may need to recruit extra developers and testers to deliver the project on time.

C. Oxygen levels may reach dangerously low levels.

D. Extreme temperatures may lead to heat exhaustion of personnel.

Answer: C

More [BH0-007 Braindumps](#) Information

Related BH0-007 Exams

BH0-006 BH0-004 BH0-007 BH0-001 BH0-005
BH0-002

Other ISEB Exams

BH0-002 BH0-004 BH0-005 BH0-006 BH0-001
BH0-007