



COGNOS BI0-125

Exam Name: IBM Cognos 8 BI Data Warehouse Developer

Q & A : 86 Q&As

Pdf Demo

Quality and Value for the BI0-125 Exam

[Just4Exams Practice Exams](#) for COGNOS COGNOS Certification BI0-125 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your BI0-125 Exam

If you do not pass the COGNOS Certification BI0-125 exam on your first attempt using our Just4Exams **BI0-125 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive BI0-125 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [COGNOS Certification certification](#) examination. Details are researched and produced by [COGNOS Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free BI0-125 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : COGNOS BI0-125

Title : IBM Cognos 8 BI Data Warehouse Developer

1. A developer has created a hierarchy that uses multiple data sources. The developer wants to know if there are multiple parents or children without parents. What tool should the administrator use?

- A. Hierarchy wizard
- B. SQLTXT Designer
- C. SQLTerm
- D. Reference Explorer

Answer:D

2. A developer wants to move a selection of components from a development environment to a production environment. What should the developer do?

- A. Create a catalog backup file (.ctg).
- B. Create a backup of the catalog database.
- C. Create a package file (.pkg) that contains the components.
- D. Create a SQL script to transfer the components.

Answer:C

3. Which of the following is true of packages in Data Manager?

- A. User-defined folders cannot be exported.
- B. During importing, duplicate components are automatically renamed.
- C. User-defined folders cannot be imported.
- D. During importing, dependent components are automatically selected.

Answer:D

4. A developer has geographical data from a data source where cities roll up into states, and states roll up into regions. What should the developer create in order to allow Data Manager to aggregate fact data to the region level?

- A. Derived dimension
- B. Lookup
- C. Static members
- D. Hierarchy

Answer:D

5. Which of the following is true of the Navigator?

- A. When searching for components, wildcards are not supported.
- B. When a component is selected, dependent components are shown.
- C. Library components (such as hierarchies) cannot be navigated.
- D. Components from different catalogs can be compared.

Answer:B

6. A developer wants to ensure that each incoming row of fact data has a corresponding location code from a dimension table. What should the developer create?

- A. Lookup
- B. Dimensional determinant
- C. Member determinant
- D. Identifier

Answer:A

7. A text file contains a row at the top that only identifies the names of the columns. In order for this file to be processed successfully, what must the developer do in SQLTXT Designer?

- A. Specify CR as the record delimiter.
- B. Specify NL as the record delimiter.
- C. Specify that the header row ignore limit is one.
- D. Specify that the file contains one header line.

Answer:D

8. End users must be able to create Cognos 8 reports using data from the data warehouse. To facilitate this, what can the developer do from within Data Manager?

- A. Run the Create Framework Manager Model wizard to create a project.
- B. Create a Cognos 8 package in the Library area of the catalog.
- C. Export the Data Manager metadata to XML for use in Framework Manager.
- D. Publish a Cognos 8 package in the Metadata area of the catalog.

Answer:C

9. What can Data Manager be used for?

- A. To create a Cognos 8 content store.
- B. To extract operational data from multiple sources.
- C. To create dashboards in Report Studio.
- D. To build a Cognos Planning application.

Answer:B

10. What distinguishes an OLTP system from a data warehouse?

- A. An OLTP system captures and processes original business transactions, while a data warehouse does not.
- B. A data warehouse captures and processes original business transactions, while an OLTP system does not.
- C. An OLTP system is used to transform, clean, and combine operational data, while a data warehouse is not.
- D. A data warehouse is fully normalized, while an OLTP system is fully denormalized.

Answer:A

11. What can be seen with Reference Explorer that cannot be seen when using SQLTerm to examine the data?

- A. Hierarchical data from two database connections.
- B. Number of rows in the data source used to build the hierarchy.
- C. Number of tables in the data source used to build the hierarchy.
- D. Columns from which the member data was obtained.

Answer:A

12. A DataStream includes two different data sources: "Golf Equipment" and "Other Equipment." For each incoming row, the developer wants to add a value that indicates the data source that the row comes from. What should the developer do?

- A. Create a static member for each data source in the underlying hierarchy.
- B. Add a literal to each data source that references the data source name.
- C. Specify the source identity property for each data source in the DataStream.
- D. Add a derivation to the transformation model to create a new column.

Answer:B

13. A developer has added a data source connection to a Data Manager catalog. This connection points to a relational database. The developer wants to view the contents of this database, such as the number of tables that it contains. What tool could the administrator use?

- A. SQLTerm
- B. SQLTXT Designer
- C. ODBC Administrator
- D. Reference Explorer

Answer:A

14. If you are successful with this exam, do you agree to have your name made available to relevant IBM personnel for project staffing?

- A. Yes
- B. No

Answer:A

15. Which of the following can a developer do with SQLTXT Designer?

- A. Select data from multiple tables using joins.
- B. Select data from multiple text files using joins.
- C. Specify row and column delimiters.
- D. Specify sort order for the flat file.

Answer:C

16. Which object is required to create a Data Manager catalog?

- A. Cognos 8 package
- B. Fact build
- C. JobStream
- D. Database

Answer:D

17. A developer wants to create a connection to a published Framework Manager package in a Data Manager catalog. Before this connection can be created successfully, what must the developer do?

- A. Add an LDAP or NTLM namespace in Cognos Configuration.
- B. Configure Data Manager to access the Cognos 8 Gateway and Dispatcher URLs.
- C. Log on to Cognos Connection as a user in the Data Manager Authors role.
- D. Create a data source connection to the Cognos 8 data store.

Answer:B

18. What kind of tool is Data Manager?

- A. ASP
- B. DBMS

C. ETL

D. ERP

Answer:C

19. A developer wants to create a connection to a database in a Data Manager catalog. When creating this connection, which of the following must the developer specify?

A. A default schema name.

B. Connection method that must be used to connect to the database.

C. Names, locations, and port numbers for the SOAP and socket servers.

D. User ID and password for the Cognos 8 content store database.

Answer:B

20. Are you an:

A. IBM Customer

B. IBM Partner

C. IBM Employee

Answer:A

More [BI0-125 Braindumps](#) Information

Related BI0-125 Exams

COG-122	BI0-132	BI0-110	BI0-112	COG-200
BI0-130	BI0-210	BI0-120	CP0-112	BI0-145
BI0-135	BI0-122	CP0-150	BI0-150	BI0-125
BI0-140	CP0-110	BI0-142		

Other COGNOS Exams

COG-200	BI0-120	BI0-150	BI0-110	CP0-150
BI0-140	BI0-132	BI0-145	COG-122	BI0-125
CP0-110	CP0-112	BI0-122	BI0-130	BI0-112
BI0-142	BI0-135	BI0-210		