



## **IBM COG-400**

**Exam Name: IBM Cognos 8 Planning Application Consultant**

**Q & A : 90 Q&As**

**Pdf Demo**

### **Quality and Value for the COG-400 Exam**

[Just4Exams Practice Exams](#) for IBM Cognos 8 BI COG-400 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your COG-400 Exam**

If you do not pass the Cognos 8 BI COG-400 exam on your first attempt using our Just4Exams **COG-400 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive COG-400 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Cognos 8 BI certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free COG-400 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : IBM COG-400

Title : IBM Cognos 8 Planning Application Consultant

1. In Analyst, the Sales Plan D-Cube opens with Regions on rows and Products on pages. What can the modeler do so Products appears on rows and Regions appears on pages every time the D-Cube is opened?

- A. Reorient the D-Cube as desired and then apply the Hold command
- B. Restructure the D-Cube so Products appears before Regions
- C. The modeler must manually reorient the D-Cube each time
- D. Create a saved selection for the D-Cube

Answer: D

2. Which type of D-List is used as an e.List in Contributor?

- A. Versions
- B. Hierarchical
- C. Timescale
- D. Calculations

Answer: B

3. A modeler wants to create a D-List containing all products sold by the company. The products are listed in a database table. What import method would the modeler use to create the products D-List?

- A. Import from Another D-List
- B. Import from Ascii-files
- C. Import from Mapped Ascii-files
- D. Import from ODBC

Answer: D

4. What is the fastest way for a modeler to create a weekly timescale D-List?

- A. Create a normal timescale
- B. Create a custom timescale
- C. Create a standard D-List and save it as a Type 4 D-List
- D. Create a timescale with a switchover date of seven days

Answer: B

5. In Analyst, what does the Reset command do when applied to an active D-Cube?

- A. Sets all selected values to zero
- B. Returns the data to the last saved version
- C. Reorients the D-Cube to appear as it did when first opened
- D. Displays the value that appeared before the user pressed Enter

Answer: B

6. Which is typically the correct order for selecting D-Lists when creating a D-Cube?

- A. Months, Products, Profit & Loss, Versions, Regions
- B. Profit & Loss, Regions, Products, Months, Versions
- C. Regions, Months, Versions, Profit & Loss, Products
- D. Versions, Regions, Months, Products, Profit & Loss

Answer: B

7. If a user types inc10> into the cell for Travel and Q1 and then presses Enter, what will appear in the cell for Travel and Q4?

- A. 130
- B. 133
- C. 410
- D. 440

Answer: D

8. Another modeler has sent a library containing a model for review. When an attempt is made to connect to it, an error message is received because a library with the same number already exists. What can be done to resolve this problem?

- A. Assign a new number when adding the library to Analyst.
- B. Delete the LIBACCES.TAB file in Windows so Analyst will assign a new number.
- C. Remove the reference to the existing library and add it back later.
- D. Change the library number of the existing library.

Answer: C

9. What control(s) must be applied to a cell to prevent breakback, direct data entry, and data loading using a D-Link?

- A. Hold and Lock
- B. Hold and Protect
- C. Lock and Protect
- D. Lock will prevent all three

Answer: A

10. In Analyst, according to best practices, which object would most likely be found in the common library?

- A. A placeholder D-List that will be used as an e.List
- B. A timescale D-List containing months of the year
- C. A D-Link that imports data from an ODBC data source

D. A D-Link that transfers data from one model to another

Answer: B

11. According to proven practice naming conventions, which number should be given to a D-List that contains complex calculations?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A

12. The Gross Profit % item in the Profit and Loss D-List is formatted as numeric with one decimal place and a percent sign (such as 0.0%). The modeler then formats the Profit and Loss D-Cube to display all data as numeric with two decimal places and no percent sign. How will data for the Gross Profit % item appear?

- A. Numeric with two decimal places and no percent sign
- B. Numeric with two decimal places and a percent sign
- C. Numeric with one decimal place and no percent sign
- D. Numeric with one decimal place and a percent sign

Answer: D

13. A modeler wants to create a D-List that contains all of the sales channels used by the company. These sales channels are currently listed in a Report Studio report that is available to all users. What is the most efficient way for the modeler to create this D-List?

- A. Import from ODBC
- B. Import from Mapped Ascii-files
- C. Import from Another D-List
- D. Import from IBM Cognos package

Answer: D

14. What will happen if a user clicks the Transpose button on the toolbar when a D-Cube is open in Analyst?

- A. The D-List on rows is exchanged with the D-List on columns
- B. The D-List on rows is exchanged with the first D-List on pages
- C. The D-List on columns is exchanged with the first D-List on pages
- D. All D-Lists are reoriented to appear as they did when first opened

Answer: A

15. Why does the order of D-Lists matter when creating a D-Cube?

- A. It is difficult to restructure the D-Cube if the D-Lists are out of order
- B. The order determines which D-Lists appear on pages, rows, and columns
- C. It is easier to create D-Links if D-Lists are in the correct order
- D. Calculations may not work properly if the D-Lists are out of order

Answer: D

More [COG-400 Braindumps](#) Information

#### Related COG-400 Exams

COG-112	COG-132	COG-310	COG-135	COG-400
COG-205	COG-142	COG-180	COG-105	COG-145
COG-125	COG-185			

#### Other IBM Exams

000-P02	000-021	000-094	LOT-983	000-023
000-530	LOT-828	000-991	000-998	000-695
000-894	000-001	000-858	LOT-836	000-881
000-221	000-632	000-268	000-M34	000-962