



## **EMC E20-500**

**Exam Name:** EMC Storage and Information Infrastructure Exam

**Q & A :** 213 Q&As

**Pdf Demo**

### **Quality and Value for the E20-500 Exam**

[Just4Exams Practice Exams](#) for EMC Implementation E20-500 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your E20-500 Exam**

If you do not pass the Implementation E20-500 exam on your first attempt using our Just4Exams **E20-500 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive E20-500 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [implemenation certification](#) examination. Details are researched and produced by [EMC Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free E20-500 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : EMC E20-500

Title : EMC Storage and Information Infrastructure Exam

1. A customer has a CX3-80 for Exchange and a critical OLTP database application. Over the last month, during monthly batch processing, users complain of slow response times. Which solution will you recommend to solve this issue?

- A. Access Logix
- B. Performance Manager
- C. Navisphere Quality of Service Manager
- D. StorageScope

Answer: C

2. After a Data Mover failover, how is the failback operation performed?

- A. Automatically
- B. Data Mover failover is not supported
- C. Manually
- D. Recovery is not needed until another failure occurs

Answer: C

3. A company has an existing DMX-3 2500 in Data Center 1 and a CX3-80 in Data Center 2. Both offices are production sites. There are two dedicated DS3 connections. The company needs to migrate a 300 GB UNIX database from Data Center 2 to Data Center 1. They are not concerned about how much time the replication will take. Which EMC solution should you discuss?

- A. MirrorView/A
- B. RecoverPoint/SE
- C. RepliStor
- D. SAN Copy

Answer: D

4. You are giving a presentation to a customer about EMC virtualization products. They specifically ask about file storage virtualization. Which EMC product enables file storage virtualization using industry-standard protocols and mechanisms in a heterogeneous environment?

- A. Invista
- B. Rainfinity
- C. RecoverPoint
- D. Vmware

Answer: B

5. For reporting purposes, which source provides data for the ETL process to populate the StorageScope repository?

- A. EMC ControlCenter Repository
- B. Host Agents
- C. Master Agents
- D. Store

Answer: A

6. What does Inter-Switch Link trunking do?

- A. Allows ports on the same blade to be used for ISL
- B. Enables ISL between switches to reach up to 200 km distances
- C. Prohibits a port from becoming an E\_Port for fabric security
- D. Aggregates the bandwidth of multiple ISLs

Answer: D

7. Which license is required if you wish to implement Inter-VSAN Routing (IVR)?

- A. Enterprise License Package
- B. SAN Extension
- C. SANTap
- D. Storage Service Enabler

Answer: A

8. You are proposing a NAS solution for your customer. The final solution includes:

Celerra NS40 integrated

Twenty six (26) 146 GB disk drives

One Celerra Enterprise license

One Celerra SnapSure license

Two EMC CAVA licenses

What hardware is the customer required to provide for the above licensed solution?

- A. A modem for Celerra dial-home
- B. A server for CLARAlert email home
- C. An ESRS gateway for secure notifications
- D. Two servers for antivirus scanning

Answer: D

9. DiskXtender provides multi-target migration capability to provide file retrieval from multiple targets in the event of a failure in the environment. How many targets can be used?

- A. 2

- B. 4
- C. 6
- D. 8

Answer: B

10. Your customer wishes to deploy a new streaming media application using large multimedia files. These files will be used to provide training to employees. The customer would like to store the media files on its CLARiiON CX3 array.

The application performance in a proof of concept has not been acceptable, and the customer has narrowed the problem down to a disk. The customer deployed the application and data files on a single RAID 5 4+1 LUN. The application data has various I/O sizes, and the media file I/O size is 1024 Kb.

The customer is confident the application will perform adequately on the CLARiiON, but is unsure what changes should be made to the configuration. The customer also wants the best balance of performance and cost.

What would you recommend the customer change in its configuration to achieve the highest performance?

- A. Place the media files and application files on separate RAID 1 groups.
- B. Place the media files on a RAID 3 group and the application files on a RAID 5 group.
- C. Place the media files and application files on separate RAID 5 4+1 groups.
- D. Place the media files on a RAID 5 group and the application files on a RAID 3 group.

Answer: B

11. A customer implemented BCVs with mirrors for use with the most critical business volumes. The standard volumes were established with the BCVs at the start of the day, but later in the day the customer discovered data corruption. Which action would enable a restore from uncorrupted BCV volumes?

- A. Differential Split
- B. Instant Split
- C. Protected Restore
- D. Reverse Split

Answer: D

12. Your customer complains that their backup environment has become unmanageable. Daily backups are not completing within normal backup windows and are running throughout the production day, impacting end-user response times. Recently the tape recovery of a corrupted production database failed resulting in lost data, productivity, and revenue for the company. Which solution will you recommend to the customer?

- A. Backup Advisor
- B. DiskXtender
- C. EMC Disk Library
- D. MediaStor

Answer: C

13. Your customer is experiencing write performance problems on a RAID 5 LUN used for backup-to-disk on its CX3 array. The LUN has been placed on ATA drives. The customer has determined that it would like the LUN on Fibre Channel drives instead. The customer has requested you provide the best option to alleviate this performance problem, keeping downtime to a minimum. What action would you recommend?

- A. Create a new LUN on fibre drives and restore the data from tape to the new LUN.
- B. Implement a newer array and use MirrorView to migrate the data.
- C. Use Dynamic Virtual LUN functionality to move the LUN from ATA to fibre drives.
- D. Use SnapView to make a clone of the LUN on fibre drives and assign the LUN to the appropriate storage group.

Answer: C

14. When data is written to a SnapView source LUN, at what point are the data chunks saved to the Reserved LUN pool?

- A. During synchronization
- B. Every time data is changed on the source
- C. Every time write cache is flushed
- D. When source data is changed for the first time

Answer: D

15. Your customer wishes to deploy SnapView in its existing CX3 environment, and has asked for assistance in designing the environment properly. The customer has the following LUNs to deploy snapshots on:

- LUN 125 100 GB
- LUN 060 25 GB
- LUN 100 10 GB
- LUN 114 82 GB

LUN 189 34 GB

According to best practices, what is the minimum size that each LUN in the reserve LUN pool should be?

- A. 5 GB
- B. 10 GB
- C. 25 GB
- D. 50 GB

Answer: A

16. What are the primary goals of an optimization engagement?

- A. Avoid future problems, reduce complexity, enable high availability
- B. Fix existing problems, avoid future problems, reduce costs
- C. Fix existing problems, improve utilization, increase efficiency
- D. Reduce costs, reduce complexity, increase efficiency

Answer: D

17. An EMC ControlCenter customer is a United States Department of Defense contractor. The contractor needs to show that there is controlled user access to devices and to the modification of these devices. This will allow the contractor to provide proof of compliance and accountability. Which security feature of EMC ControlCenter should you discuss with the contractor to satisfy this requirement?

- A. Data collection policy (DCP)
- B. EMC Secure Remote Support (ESRS) Gateway
- C. Role-based access control (RBAC)
- D. Secure Socket Layer (SSL)

Answer: C

18. Which RAID levels does Avamar support?

- A. RAID 1 and RAID 1/0
- B. RAID 1 and RAID 5
- C. RAID 3 and RAID 5
- D. RAID 1/0 and RAID 5

Answer: B

19. A customer has an ERP system protected by SRDF/A and experienced a loss of link for 6 hours due to a network issue. When the network issue was fixed the links came back up and SRDF was resumed.

Prior to SRDF/A resuming cycle switching, there was a disaster at the source site, rendering the R1 array unusable. The ERP system was not startable at the DR site and the customer had to restore from tape.

What would prevent this from happening in the future?

- A. Implement clones on the target side and split them prior to resuming SRDF after a network outage
- B. Implement clones with TimeFinder Consistency Groups on the source side and split them prior to resuming SRDF after a network outage
- C. Implement snaps on the target side and split prior to resuming SRDF after a network outage
- D. Use Consistency Groups and set SRDF QoS to 0

Answer: A

20. What is the main benefit of having a security policy?

- A. To align with business priorities and minimize implementation costs
- B. To form the basis of an ongoing Information Lifecycle Management strategy
- C. To initiate legal proceedings against intruders, external or internal
- D. To specify which products and vendors are needed for implementation

Answer: A

More [E20-500 Braindumps](#) Information

#### Related E20-500 Exams

e20-340 E20-500 e20-012 E20-340 E20-500

#### Other EMC Exams

e20-535 E20-322 e20-665 e20-320 E20-011  
E20-830 e20-012 e20-380 e20-825 e20-822  
e20-580 E20-331 e20-080 e20-090 e22-128  
e20-350 E20-515 e20-095 e20-322 E20-329