



HP HP0-054

Exam Name: Compaq/Oracle 8i I&P with Windows NT

Q & A : 136 Q&As

Pdf Demo

Quality and Value for the HP0-054 Exam

[Just4Exams Practice Exams](#) for HP Certification III HP0-054 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-054 Exam

If you do not pass the Certification III HP0-054 exam on your first attempt using our Just4Exams **HP0-054 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-054 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification III certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-054 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-054

Title : Compaq/Oracle 8i I&P with Windows NT

1. According to Oracle's recommendation, which format should be used for the Global Database Name?

- A. Domain.name
- B. Domain.name.port
- C. Domain.name.port.IP_address
- D. Name.domain

Answer: D

2. Which statement describes the inconsistent database backup?

- A. Archive log file backup

- B. Offline full backup
- C. Online full backup
- D. Selected data file backup
- E. Selected tablespace backup

Answer: E

3. Which statement describes the incremental database backup?

- A. Archive log file backup
- B. Offline full backup
- C. Online full backup
- D. Selected data file backup
- E. Selected tablespace backup

Answer: A

4. To avoid a livelock, you should design your transaction to:

- A. Obtain an exclusive lock and monitor its idle time. If the idle time is too long, release the exclusive lock and try a shared lock first.
- B. Obtain an update lock before attempting to obtain an exclusive lock. The RDBMS will then block new shared locks until your transaction can obtain the exclusive lock it wants and completes.
- C. Wait until all shared locks on the data set are released before attempting to obtain an exclusive lock.
- D. You cannot do anything to avoid a livelock

Answer: B

5. You decide to use multiple redo log files and automatic redo log archiving. How would you configure the disk subsystem to achieve the highest performance?

- A. Place the redo log files on the first physical volume, the archiving log files on the second physical volume, and the data files on the third physical volume.
- B. Place the redo log files and the archive log files on the same physical volume, and the data files on another physical volume.
- C. Place the redo log files on two separate physical volumes and alter these volumes in a round-robin fashion. Place the archive redo log files on a third physical volume and the data files on a fourth volume.
- D. Place the data files and the archive log files on the same physical volume and the redo log files on another physical volume.

Answer: C

6. Which one of the following is contained within the first record of RDBMS page?

- A. Pointer to the previous page in sequence
- B. Pointer to the next page in sequence
- C. Name of the database the page belongs to
- D. Data dictionary

Answer: B

7. What does the record identifier (RID), which is the information stored at the beginning of each record, consist of?

- A. Page number and offset from the beginning of the page
- B. Page number and offset from the end of the page
- C. Database identifier and offset from the beginning of the database
- D. Database identifier and offset from the end of the database

Answer: B

8. What is the most effective action to take if you determine that the recommended number of random I/O requests per second per disk drive has exceeded?

- A. Add more disk controllers and rebalance the I/O
- B. Add more disk drives
- C. Analyze your memory subsystem configuration and performance
- D. Use RAID 0 or 0+1 instead of RAID 5

Answer: C

9. What file resides at the server and stores information about incoming connections to the Oracle8i instance?

- A. TNSNAMES.ORA
- B. LISTENER.ORA
- C. ORCLINIT.ORA
- D. ALERTLOG.ORA

Answer: B

10. Which database environment will have a high ratio of disk drives to disk controllers?

- A. Batch processor
- B. Data warehouse
- C. Decision support
- D. Online transaction processing

Answer: D

11. Your cluster is configured as follows: Node 1 has an IP address of 172.20.100.1, node 2 has an IP address of 172.20.100.2, the MSCS virtual address is 172.20.100.3, and the IP address of the Oracle Fail Safe group is 172.20.100.4. This OFS group contains two Fail Safe databases. Which IP address would you configure your application to connect to for access to the OFS database?

- A. 172.20.100.1
- B. 172.20.100.2
- C. 172.20.100.3
- D. 172.20.100.4
- E. Not enough information is provided. Each OFS database within the OFS group must be assigned a distinct IP address, which will then be used for client application access.

Answer: D

12. Which action disables the automatic transaction protection and Oracle instance recovery, achieved through write-ahead logging?

- A. Avoid creation of the redo log files
- B. Disable automatic checkpoints
- C. Set the AUTO_RECOVERY option in the INIT.ORA file to FALSE
- D. The automatic transaction protection and instance recovery are disabled by default
- E. The automatic transaction protection and instance recovery cannot be disabled

Answer: E

13. Which one of the following cannot be selected as an option in the Business Intelligence Sizer for Decision Support System?

- A. Availability levels
- B. Hardware RAID
- C. Software RAID
- D. Tower or rack-mountable server platforms
- E. Types of disk drives

Answer: C

14. What type of file system provides integrity of the file system through its logging feature?

- A. FAT
- B. FAT-32
- C. NTFS
- D. Raw

Answer: C

15. For improved storage efficiency and performances, most relational database management systems allocate disk space in sets of continuous pages. What are these sets called?

- A. Keys
- B. Freelists
- C. Clusters
- D. Extents

Answer: D

16. Which RAID level provides the highest performance and data protection for Oracle's redo log file?

- A. JBOD
- B. RAID 0
- C. RAID 0+1
- D. RAID 5

Answer: C

17. If a transaction issues the ROLLBACK statement as the last SQL statement, it indicates to the relational database management system that it wants to:

- A. Free up an occupied database buffer
- B. Initiate the failover procedure
- C. Abort the transaction and undo its effects on the database

D. Revert to a stored procedure

Answer: C

18. Which statement is false?

- A. A well-designed tape backup solution can deliver the same backup performance as disk backup
- B. Parallel backups to independent devices require one backup device and one Oracle channel per data source
- C. Striping of tape devices requires one backup device and one Oracle channel per data source
- D. The Compaq Enterprise Backup solution is based on a Fibre Channel Storage Area Network

Answer: C

19. Which statement is true?

- A. You should always separate the redo log files from the Windows NT page file to avoid unnecessary disk contention.
- B. You should always separate the data files from the Windows NT page file to avoid unnecessary disk contention.
- C. You should always use multiple Windows NT page files in a database environment.
- D. You should monitor the Page Faults/sec counter to determine the amount of physical paging.

Answer: A

20. Which RAID level provides the highest performance for the database files of an OLTP database?

- A. JBOD
- B. RAID 0
- C. RAID 0+1
- D. RAID 5

Answer: B

More [HP0-054 Braindumps](#) Information

Related HP0-054 Exams

HP0-S16	HP0-D04	HP0-J26	HP0-P13	HP0-M23
HP0-918	HP0-M28	HP0-S14	HP0-920	HP0-265
HP0-263	HP0-239	HP0-084	HP0-266	HP0-205
HP0-085	HP0-071	HP0-080	HP0-286	HP0-207

Other HP Exams

HP0-787	HP2-037	HP0-914	HP0-775	HP0-876
HP2-033	HP0-786	HP0-A20	HP0-J23	HP0-M21
HP0-245	HP0-815	HP0-J16	HP0-T01	HP0-P17
HP0-380	HP0-756	HP0-230	HP0-655	HP0-720