



[HP HP0-242](#)

Exam Name: Supporting the ESL9000

Q & A : 62 Q&As

Pdf Demo

Quality and Value for the HP0-242 Exam

[Just4Exams Practice Exams](#) for HP Certification III HP0-242 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

100% Guarantee to Pass Your HP0-242 Exam

If you do not pass the Certification III HP0-242 exam on your first attempt using our Just4Exams ***HP0-242 testing engine and pdf study guide***, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive HP0-242 Testing engines and PDF Version

Our Exam Preparation Material provides you everything you will need to take a [Certification III certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free HP0-242 Exams:

This is demo only, this pdf do not include the questions and answers picture

Exam : HP HP0-242

Title : Supporting the ESL9000

1. Which connection type has the highest priority when connecting to a Network Storage Router (NSR) through the Interface Manager card?

- A. Command View ESL
- B. Telnet
- C. FTP
- D. Serial

Answer: D

2. What is the format of the ESL Interface Manager Command Line Interface command prompt?

- A. CLI >
- B. <user>/<command_level> >
- C. IM >
- D. <library name> >

Answer: B

3. The Actions button on a Command View ESL screen is used to ____.

- A. perform the selected action
- B. open a menu of currently available actions
- C. display information about the current action
- D. take control over the current action

Answer: B

4. The Interface Manager card in an ESL library connects to the Fibre Channel Interface Controllers across a ____.

- A. PCI bus
- B. multimode Fibre Channel cable
- C. private Ethernet cable
- D. serial cable

Answer: C

5. What is the maximum number of times an HP Ultrium cleaning cartridge can be used?

- A. 5
- B. 10
- C. 15
- D. 20

Answer: C

6. On which Operator Control Panel screen can you read error logs?

- A. Overview
- B. Tapes
- C. Operator
- D. Service

Answer: C

7. What is the default baud rate for configuring the Fibre Channel interface card through the serial connection?

- A. 9600
- B. 19200
- C. 57600
- D. 115200

Answer: D

8. What is the maximum number of Ultrium-2 tape drives supported per SCSI port?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A

9. From which Operator Control Panel screen can you configure library options?

- A. License
- B. Tapes
- C. Services
- D. Operator

Answer: D

10. The cascade port of the Interface Manager card in an ESL library uses ____.

- A. DHCP by default to acquire an IP address across the network
- B. a pre-assigned, customizable IP address
- C. no IP address by default; you must set it during the configuration process
- D. a hardcoded IP address that cannot be changed

Answer: D

11. Which document should you refer to when planning to install an ESL9000 library?

- A. ESL9000 Series Tape Library Maintenance and Service Guide
- B. ESL9000 Series Tape Library Pre-Installation Site Survey
- C. ESL9000 Series Tape Library User Guide
- D. ESL9000 Series Tape Library PTM Installation Guide

Answer: B

12. Which different slot licenses does the ESL9595 support?

- A. 200, 400, and 595
- B. 100, 300, and 595
- C. 400, 500, and 595
- D. 326, 450, and 595

Answer: C

13. Which HP Ultrium technology features are NOT provided in SDLT? Select TWO.

- A. linear Recording
- B. DLT backward compatibility
- C. Adaptive Tape Speed
- D. pivoting optical servo
- E. cartridge memory

Answer: CE

14. Which HP SDLT technology features are NOT provided in Ultrium? Select TWO.

- A. Adaptive Tape Speed
- B. linear recording
- C. pivoting optical servo
- D. cartridge memory
- E. DLT backward read compatibility

Answer: CE

15. The Use Barcodes button on the System Library screen of an ESL library is activated. What occurs?

- A. Selected cartridges are swapped during the test, based on the barcode label.
- B. Barcodes are read as cartridges are swapped.
- C. Cartridges are not swapped; barcodes are used to simulate cartridge swapping.
- D. Cartridges are returned to the previous location after the test terminates.

Answer: B

More [HP0-242 Braindumps](#) Information

Related HP0-242 Exams

| | | | | |
|---------|---------|---------|---------|---------|
| HP0-S16 | HP0-D04 | HP0-J26 | HP0-P13 | HP0-M23 |
| HP0-918 | HP0-M28 | HP0-S14 | HP0-920 | HP0-265 |
| HP0-263 | HP0-084 | HP0-239 | HP0-085 | HP0-266 |
| HP0-205 | HP0-071 | HP0-286 | HP0-080 | HP0-787 |

Other HP Exams

| | | | | |
|---------|---------|---------|---------|---------|
| HP0-096 | HP0-891 | HP0-X01 | HP0-758 | HP0-086 |
| HP0-390 | HP0-762 | HP0-Y15 | HP0-M12 | HP0-Y13 |
| HP0-J36 | HP0-380 | HP0-763 | HP0-M14 | HP0-850 |
| HP2-027 | HP2-K14 | HP0-449 | HP0-242 | HP0-263 |