



## [HP HP0-277](#)

**Exam Name:** *OpenVMS Version 7.x to 8.2 Migrarion*

**Q & A :** 62 Q&As

***Pdf Demo***

### **Quality and Value for the HP0-277 Exam**

[Just4Exams Practice Exams](#) for HP Certification I HP0-277 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **100% Guarantee to Pass Your HP0-277 Exam**

If you do not pass the Certification I HP0-277 exam on your first attempt using our Just4Exams **HP0-277 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive HP0-277 Testing engines and PDF Version**

Our Exam Preparation Material provides you everything you will need to take a [Certification I certification](#) examination. Details are researched and produced by [HP Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

#### **Free HP0-277 Exams:**

***This is demo only, this pdf do not include the questions and answers picture***

Exam : HP HP0-277

Title : OpenVMS Version 7.x to 8.2 Migrarion

1. Click the Exhibit button. You want to move this existing disk to a larger disk. Which tool or tools provide the fastest upgrade path with best integrity, without taking your data offline?

- A. ANALYZE/DISK/SHADOW
- B. BACKUP/IMAGE/IGNORE=INTERLOCK
- C. SET VOLUME/LIMIT and Virtual Volume Expansion
- D. Dynamic Volume Expansion and Dissimilar Device Shadowing

Answer: D

2. Which TCP/IP services feature defines a single address to multiple interfaces throughout a cluster to maximize availability?

- A. netRAIN
- B. LOAD BROKER
- C. failSAFE IP
- D. LAN Failover

Answer: C

3. How best can system errors be diagnosed without installing any extra software on V3-2 and higher?

- A. DIAGNOSE/TRANSLATE/OUTPUT=OUTLOG.TXT
- B. ANALYZE /ERROR\_LOG/OUTPUT=OUTLOG.TXT ERRLOG.SYS
- C. ANALYZE /ERROR\_LOG /ELV TRANSLATE/OUTPUT=OUTLOG.TXT
- D. WSEA X TRANS OUTTEXT OUTLOG.TXT

Answer: C

4. Which AUTHORIZE flag provides password processing similar to that provided by UNIX systems?

- A. PWDUNIX
- B. OpenPWD
- C. PWD MIX
- D. PWDCASE

Answer: C

5. System parameter changes on an Integrity server are preventing system reboot. Which SYSBOOT command restores parameter settings prior to the change?

- A. USE ACTIVE
- B. USE CURRENT
- C. USE IA64VMSSYS.OLD
- D. USE IA64VMSSYS.PAR

Answer: C

6. Your system has been up for a year. You would like to determine how much I/O activity is generated during the day on device \$40\$DKA100:. How can you set the operation count to zero?

- A. Dismount the volume and remount it.
- B. \$ SET VOLUME/OPERATION\_COUNT=0 \$40\$DKA100:
- C. \$ SET VOLUME/REBUILD \$40\$DKA100:
- D. \$ SET DEVICE/RESET=OPERATION\_COUNT \$40\$DKA100:
- E. \$ SET DEVICE/NEW \$40\$DKA100:

Answer: D

7. You have a multi-site cluster with six nodes; three nodes at each site. Given the following definition, what is one result of applying this policy to a shadowset?

```
$ SET SHADOW /POLICY=HBMM=( -  
  _$_ (MASTER_LIST=(NODE1,NODE2,NODE3), COUNT=2), -  
  _$_ (MASTER_LIST=(NODE4,NODE5,NODE6), COUNT=2), -  
  _$_ RESET_THRESHOLD=150000) -  
  _$_ /NAME=POLICY_2
```

- A. to create 6 master bitmaps for data redundancy
- B. to guarantee each site has a master bitmap
- C. to shadow master bitmaps for high availability
- D. to flush the HBMM bitmap when 300000 blocks are set

Answer: B

8. Click the Exhibit button. What does 5000 in the priority column indicate?

- A. Nothing; the number is meaningless since the volume is at Steady State.
- B. It is the value used to calculate the priority of the volume's I/Os in the I/O wait queue.
- C. Device DSA30: will begin a copy or merge operation on this system before DSA12:.
- D. It is compared to the parameter SHADOW\_MASTER\_ID to determine which node will master the copy or merge.

Answer: C

9. What is the benefit of using the FLT SDA extension prior to and after migrating an application from an AlphaServer to an Integrity server?

- A. to detect alignment faults
- B. to detect in-flight I/Os in a shadow set
- C. to characterize system service utilization

- D. to detect and correct page faulting overhead
- E. to determine the type of floating point format used by the application

Answer: A

10. An SMP server with SAN Host Bus Adapters (HBAs) and the default Fast Path configuration suffers from a saturated primary CPU. Which action solves the problem?

- A. Add more memory to the system.
- B. Add further CPUs to spread the load more evenly.
- C. Exclude the primary CPU from Fast Path processing.
- D. Exclude the SAN HBAs from Fast Path processing.

Answer: C

11. Which commands prepare a disk for future Dynamic Volume Expansion? Select TWO.

- A. SET UNIT/SIZE
- B. INITIALIZE/LIMIT
- C. SET DISK/LIMIT
- D. SET VOLUME/LIMIT
- E. INITIALIZE/SIZE

Answer: BD

12. A customer is adding an existing system to a cluster. The system has one network adapter, a Gigabit Ethernet device. After invoking CLUSTER\_CONFIG.COM and answering all the questions, the customer boots the new cluster member. The node running CLUSTER\_CONFIG displays the message "waiting for node\_name to boot" and the booting node displays the message "waiting to tune system" forever.

What is a possible problem with the system joining the cluster?

- A. The system has inappropriate system parameters.
- B. The system is trying to boot into a system root already in use by another system.
- C. There is an autonegotiation mismatch between the adapter and a switch.
- D. The cluster is going through a cluster state transition.

Answer: C

13. What is the purpose of the parameter SHADOW\_SITE\_ID?

- A. improves shadowing performance for reads
- B. improves shadowing performance for writes
- C. identifies a site for master shadowset merge control
- D. provides a unique identity for an EVA disk in a multi-vendor SAN

Answer: A

14. A customer wishes to clean up idle connected sockets when they do not exit cleanly. The customer creates the following file to setup the parameter.

```
$ create inettab.dat
```

```
inet:
```

```
tcp_keepalive_default = 1
```

Which UNIX-style command will preserve the setting across reboots?

- A. \$ ifconfig -a -i inettab.dat
- B. \$ sysconfigdb -a -f inettab.dat inet
- C. \$ inetd infile=inettab.dat option=perm
- D. \$ sysman -config inettab.dat -output sysconfigdb.dat

Answer: B

15. Which statement is true?

- A. V8.2 MONITOR recording files are compatible with those generated on pre-V8.2 systems.
- B. V8.2 MONITOR recording files can be converted to be compatible with pre-V8.2 systems using SYS\$EXAMPLES:MONITOR\_CONVERT.
- C. Pre-V8.2 MONITOR recording files can be converted to be compatible with V8.2 systems using SYS\$EXAMPLES:MONITOR\_CONVERT.
- D. Pre-V8.2 MONITOR recording files are totally incompatible with those generated on V8.2 systems.

Answer: B

**Related HP0-277 Exams**

HP0-M15	HP0-S18	HP0-M16	HP0-A01	HP0-M18
HP0-M19	HP0-S19	HP0-Y20	HP0-Y19	HP0-J24
HP0-J15	HP0-X02	HP0-063	HP0-J22	HP0-S17
HP0-Y21	HP0-Y11	HP0-M22	HP0-P10	HP0-P17

**Other HP Exams**

HP0-725	HP0-P10	HP0-Y18	HP0-265	HP2-033
HP0-022	HP0-A13	HP0-195	HP2-K08	HP3-C15
HP0-J23	HP0-286	HP0-093	HP0-K03	HP0-517
HP0-719	HP0-J10	HP0-216	HP0-M26	HP2-F01